




Work : Learn : Inspire

PRODUCT PRICING GUIDE U.S. LIST PRICE



2015

PRICES EFFECTIVE
MARCH 1, 2015

Table of Contents

Freight Terms and Lead Times 3

Line-of-Sight Multifunction Desks 5 - 48

Height Adjustable Tables 49 - 124

Ergonomic Accessories 125 - 174

Healthcare Solutions 175 - 188

Color Guide 194 - 195





FREIGHT TERMS AND LEAD TIMES

U.S. List Prices - Effective March 1, 2015

Below is a summary of freight terms and lead times for ISE's main product categories.
For more details, please see each category's Terms of Sale page.

FREIGHT TERMS		LEAD TIME
WEST	EAST	

For all product categories below, freight is included on orders above the list prices shown.

	Line-of-Sight Multifunction Desks	Less than \$20,000 list Freight charge of 8% of total list price (\$150 minimum)	Less than \$20,000 list Freight charge of 5% of total list price (\$150 minimum)	4 to 6 Weeks
	Terms of Sale page 46			
	Height Adjustable Tables	Less than \$10,000 list Freight charge of 8% of total list price (\$150 minimum)	Less than \$10,000 list Freight charge of 5% of total list price (\$150 minimum)	4 to 6 Weeks
	Terms of Sale page 122	Bases Only Program \$75 freight charge per base for a 2-Leg base \$150 freight charge per base for a 3-Leg base		1 Week Quickship (where indicated)
	Ergonomic Accessories	Less than \$1,500 list Freight charge of 5% of total list price (\$15 minimum)	Less than \$1,500 list Freight charge of 3% of total list price (\$10 minimum)	48 Hour Quickship (where indicated)
	Terms of Sale page 172			
	Healthcare Solutions	Less than \$10,000 list Freight charge of 8% of total list price (\$150 minimum)	Less than \$10,000 list Freight charge of 5% of total list price (\$150 minimum)	4 to 6 weeks
	Terms of Sale page 186			

FREIGHT ZONES



LINE-OF-SIGHT MULTIFUNCTION DESKS



LINE-OF-SIGHT

How To Order

U.S. List Prices - Effective March 1, 2015

This ordering guide shows a sampling of the many types of desks, accessories and services that ISE provides.

STEP 1 Choose Desk Type




Electric
Store-Away Desk



Manual
Store-Away Desk



Recessed
Computer Desk



Basic
Computer Desk

STEP 2 Choose Desk Style



Dual User
Single Screen



Single User
Single Screen



Single User
Dual Screen


STEP 3 Choose Desk Color and Cutouts



Base



Worksurface



Cutouts for
Desktop Power

LINE-OF-SIGHT

How To Order

U.S. List Prices - Effective March 1, 2015

STEP 4 Choose Desk Connectivity



Hardwire Power




Plug-In Power




Cable Management

STEP 5 Choose Desk Accessories




CPU and Keyboard Holders



Monitor Accessories




Remote Control



Desk Add-Ons




Security Locks



Storage Solutions

STEP 6 Choose Desk Finishing



Modesty Panels



End Panels



Desk Layout

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

DUAL USER - SINGLE SCREEN



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
INDEPENDENT CONTROL (One up/down switch per monitor)							
30"x 60"	24"	LOS2-E21-FI-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$3200
30"x 66"	27"	LOS2-E21-FI-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$3250
30"x 72"	27"	LOS2-E21-FI-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$3300
TANDEM CONTROL (One up/down switch controls both monitors)							
30"x 60"	24"	LOS2-E21-FT-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2800
30"x 66"	27"	LOS2-E21-FT-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2850
30"x 72"	27"	LOS2-E21-FT-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2900

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-E21-FI-3060-BK-SO-PC

Description:

The Line-of-Sight electric multifunction desk automatically converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Monitors can be stored-away in seconds, creating flexible teaching environments and clear sightlines that improve learning.

The Dual User – Single Screen desk accommodates two users with one monitor per user. Maximum monitor size is 27" diagonal widescreen (24" diagonal monitors for a 60" wide desk).

Each monitor is mounted to an electric-powered lift. Raise or lower the monitor by pressing a desk-mounted switch (either individual or tandem controlled) or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

Each user is provided with a keyboard and mouse holder that travels with the monitor.

Access to the desk interior is provided by a removable front access panel for each user.

Desk is certified to UL1286 Standard for Safety Office Furnishings, and CAN/CSA C22.2#203.

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E21-FI-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)


T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PC (center) for cutout location. Maximum monitor size will be reduced by 2"



Keyboard and mouse holders included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

SINGLE USER – SINGLE SCREEN



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 36"	27"	LOS2-E11-FI-3036	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2025
30"x 48"	27"	LOS2-E11-FI-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2180

Complete Product Code Example:

30"x 36" desk, with black base, white laminate worksurface with matching edge band, and left side cutout for desktop power unit; LOS2-E11-FI-3036-BK-SO-PL

Description:

The Line-of-Sight electric multifunction desk automatically converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Monitors can be stored-away in seconds, creating flexible teaching environments and clear sightlines that improve learning.

The Single User – Single Screen desk accommodates one user, with one monitor. Maximum monitor size is 27" diagonal widescreen. Custom desk sizes are available for larger monitors, iMacs or all-in-one PCs.

The monitor is mounted to an electric-powered lift. Raise or lower the monitor by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

A keyboard and mouse holder that travels with the monitor is included.

Access to the desk interior is provided by a removable front access panel.

Desk is certified to UL1286 Standard for Safety Office Furnishings, and CAN/CSA C22.2#203.

Listed above are the most popular desk sizes. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E11-FI-3036

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color


Standard Laminates: Please see Color Guide p.195
Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate
Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PR (right) for cutout location. Maximum monitor size will be reduced by 4"



Keyboard and mouse holder included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

SINGLE USER – DUAL SCREEN



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 48"	21"	LOS2-E12-FI-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2380
30"x 52"	24"	LOS2-E12-FI-3052	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2480

Complete Product Code Example:

30"x 48" desk, with black base, white laminate worksurface with matching edge band, and left side cutout for desktop power unit; LOS2-E12-FI-3048-BK-SO-PL

Description:

The Line-of-Sight electric multifunction desk automatically converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Monitors can be stored-away in seconds, creating flexible teaching environments and clear sightlines that improve learning.

The Single User – Dual Screen desk accommodates one user, with two monitors. Maximum monitor size is 24" diagonal widescreen (21" diagonal monitors for a 48" wide desk).

The monitors are mounted to an electric-powered lift. Raise or lower the monitors by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

A keyboard and mouse holder that travels with the monitor is included.

Access to the desk interior is provided by a removable front access panel.

Desk is certified to UL1286 Standard for Safety Office Furnishings, and CAN/CSA C22.2#203.

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E12-FI-3048

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)


T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PR (right) for cutout location. Maximum monitor size will be reduced by 4"



Keyboard and mouse holder included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desk

U.S. List Prices - Effective March 1, 2015

LECTERN DESK



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 48"	27"	LOS2-E11-LE-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2455

Complete Product Code Example:

30"x 48" desk, with black base, white laminate worksurface with matching edge band, and left side cutout for desktop power unit; LOS2-E11-LE-3048-BK-SO-PL

Description:

The Line-of-Sight electric multifunction desk automatically converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Monitors can be stored-away in seconds, creating flexible teaching environments and clear sightlines that improve learning.

The Lectern desk accommodates one user, with one monitor. Maximum monitor size is 27" diagonal widescreen. Custom desk sizes are available for larger monitors, iMacs or all-in-one PCs.

The worksurface has a fixed height of 42", making the desk suitable for a standing working style.

The monitor is mounted to an electric-powered lift. Raise or lower the monitor by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

A keyboard and mouse holder that travels with the monitor is included.

Access to the desk interior is provided by a removable front access panel.

Desk is certified to UL1286 Standard for Safety Office Furnishings, and CAN/CSA C22.2#203.

Listed above are the most popular desk sizes. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E11-LE-3048

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)


T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PR (right) for cutout location. Maximum monitor size will be reduced by 4"



Keyboard and mouse holder included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

ADA DESK – HEIGHT ADJUSTABLE



Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
SINGLE USER – SINGLE SCREEN							
30"x 36"	19"	LOS2-E11-AH-3036	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3200
30"x 42"	27"	LOS2-E11-AH-3042	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3250
SINGLE USER – DUAL SCREEN							
30"x 48"	21"	LOS2-E12-AH-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3550
DUAL USER – SINGLE SCREEN							
30"x 60"	22"	LOS2-E21-AH-3060	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$4370
30"x 66"	25"	LOS2-E21-AH-3066	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$4420
30"x 72"	27"	LOS2-E21-AH-3072	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$4470

Complete Product Code Example:
30"x 36" desk, with black base, white laminate worksurface with matching edge band,
and left side cutout for desktop power unit; LOS2-E11-AH-3036-BK-SO-PL

Description:

The ADA – Height Adjustable desk is available in several styles: one user with one monitor; one user with two monitors; or two users with one monitor per user.

The worksurface is electrically height adjustable from 27" to 35" high, making the desk suitable for wheelchair and non-wheelchair users.

Maximum monitor size varies with desk style and width: a Single User – Single Screen desk holds a 27" diagonal widescreen; a Single User – Dual Screen desk accommodates two 21" diagonal monitors; and a Dual User – Single Screen desk fits a variety of monitor sizes depending on desk size.

Each monitor is mounted to an electric-powered lift. Raise or lower the monitor by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

Each user is provided with a keyboard and mouse holder that travels with the monitor.

Access to the desk interior is provided by a removable front access panel for each user.

Listed above are the most popular desk sizes. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E11-AH-3036

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide


Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, specify location

Desk Style	Cutout Location	Max. Monitor Size
Single User – Single Screen	PL (left) or PR (right)	reduced by 4"
Single User – Dual Screen	PL (left) or PR (right)	reduced by 2"
Dual User – Single Screen	PC (center)	reduced by 2"



Keyboard and
mouse holders
included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

ADA DESK – FIXED HEIGHT



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
SINGLE USER – SINGLE SCREEN							
30"x 36"	27"	LOS2-E11-AF-3036	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2150
30"x 42"	27"	LOS2-E11-AF-3042	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2180
SINGLE USER – DUAL SCREEN							
30"x 48"	21"	LOS2-E12-AF-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2480
DUAL USER – SINGLE SCREEN							
30"x 60"	22"	LOS2-E21-AF-3060	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3300
30"x 66"	25"	LOS2-E21-AF-3066	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3350
30"x 72"	27"	LOS2-E21-AF-3072	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$3400

Complete Product Code Example:
30"x 36" desk, with black base, white laminate worksurface with matching edge band,
and left side cutout for desktop power unit; LOS2-E11-AF-3036-BK-SO-PL

Description:

The ADA – Fixed Height desk is available in several styles: one user with one monitor; one user with two monitors; or two users with one monitor per user.

The worksurface has a fixed height of 32" high, which makes the desk suitable for wheelchair users.

Maximum monitor size varies with desk style and width: a Single User – Single Screen desk holds a 27" diagonal widescreen; a Single User – Dual Screen desk accommodates two 21" diagonal monitors; and a Dual User – Single Screen desk fits a variety of monitor sizes depending on desk size.

Each monitor is mounted to an electric-powered lift. Raise or lower the monitor by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the monitors in the room. See page 32 to specify remote control handset.

Each user is provided with a keyboard and mouse holder that travels with the monitor.

Access to the desk interior is provided by a removable front access panel for each user.

Desk is certified to UL1286 Standard for Safety Office Furnishings, and CAN/CSA C22.2#203.

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E11-AF-3036

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195
Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194


4 – Edge Color (T-Mold only)

T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate
Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, specify location

Desk Style	Cutout Location	Max. Monitor Size
Single User – Single Screen	PL (left) or PR (right)	reduced by 4"
Single User – Dual Screen	PL (left) or PR (right)	reduced by 2"
Dual User – Single Screen	PC (center)	reduced by 2"



Keyboard and mouse holder included

LINE-OF-SIGHT GENERATION 2

Electric Store-Away Laptop Desks

U.S. List Prices - Effective March 1, 2015

LAPTOP DESK



Shown with optional end panel

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
DUAL USER (One up/down switch per laptop)						
30"x 60"	LOS2-E21-LT-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2990
30"x 66"	LOS2-E21-LT-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$3040
30"x 72"	LOS2-E21-LT-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$3090
SINGLE USER						
30"x 36"	LOS2-E11-LT-3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1920
30"x 48"	LOS2-E11-LT-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$2025

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-E21-LT-3060-BK-SO-PC

Description:

The Line-of-Sight electric multifunction desk automatically converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Laptop computers can be stored-away in seconds, creating flexible teaching environments and clear sightlines that improve learning.

The Laptop desk accommodates one user with one laptop, or two users with one laptop per user.

Maximum laptop dimensions are 15" wide x 12" deep x 2" thick.

Each user is supplied with one standard laptop computer holder. The holder is attached to an electric-powered lift. Raise or lower the laptop by pressing a desk-mounted switch or use the optional remote control handset to wirelessly control all the laptops in the room. See page 32 to specify remote control handset.

Access to the desk interior is provided by a removable front access panel for each user.

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-E21-LT-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter a cutout location

Desk Style

Dual User

Single User

Cutout Location

PC (center)

PL (left) or PR (right)

LINE-OF-SIGHT GENERATION 2

Matching Desks

U.S. List Prices - Effective March 1, 2015

MATCHING DESK



Shown with optional end panel

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
DUAL USER						
30"x 60"	LOS2-U21-NA-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1515
30"x 66"	LOS2-U21-NA-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1695
30"x 72"	LOS2-U21-NA-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1870
SINGLE USER						
30"x 36"	LOS2-U11-NA-3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1310
30"x 48"	LOS2-U11-NA-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1415

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-U21-NA-3060-BK-SO-PC

Description:

The Matching Desk is a standard desk that provides a matching appearance to a Line-of-Sight multifunction desk.

The desk does not include operating components such as a monitor lift or laptop lift, or a worksurface lid.

The Matching Desk can accommodate one user or two users, depending on desk size.

Worksurface height of 29" is identical to the height of a standard multifunction desk.

Access to the desk interior is provided by a removable front access panel for each user.

Listed above are the most popular desk sizes. Custom sizes and ADA-compliant desks are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-U21-NA-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PC (center) or PR (right) for cutout location

LINE-OF-SIGHT GENERATION 2

Manual Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

DUAL USER – SINGLE SCREEN



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 60"	24"	LOS2-M21-FI-3060	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2590
30"x 66"	27"	LOS2-M21-FI-3066	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2640
30"x 72"	27"	LOS2-M21-FI-3072	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$2690

Complete Product Code Example:
30"x 60" desk, with black base, white laminate worksurface with matching edge band,
and center cutout for desktop power unit; LOS2-M21-FI-3060-BK-SO-PC

Description:

The Line-of-Sight manual multifunction desk converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Users can store monitors away, creating flexible teaching environments and clear sightlines that improve learning.

The Dual User – Single Screen desk accommodates two users with one monitor per user. Maximum monitor size is 27" diagonal widescreen (24" diagonal monitors for a 60" wide desk).

Each monitor is mounted to a spring-counterbalance lift. Raise the monitor by opening the lid and pressing down on the top plate to release the monitor from its stored position under the desktop. Lower the monitor by pushing down on the top plate until the monitor locks in place in its stored position.

Store the keyboard and mouse in a convenient holder that travels with the monitor. Each user is supplied with one standard keyboard and mouse holder.

Access to the desk interior is provided by a removable front access panel.

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-M21-FI-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)


T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PC (center) for cutout location. Maximum monitor size will be reduced by 2"



Keyboard and mouse holders included

LINE-OF-SIGHT GENERATION 2

Manual Store-Away Flat Screen Desks

U.S. List Prices - Effective March 1, 2015

SINGLE USER – SINGLE SCREEN



Shown with optional end panel

Desk Size Depth x Width	Maximum Screen Size	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 36"	27"	LOS2-M11-FI-3036	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$1720
30"x 48"	27"	LOS2-M11-FI-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$1825

Complete Product Code Example:

30"x 36" desk, with black base, white laminate worksurface with matching edge band, and left side cutout for desktop power unit; LOS2-M11-FI-3036-BK-SO-PL

Description:

The Line-of-Sight manual multifunction desk converts between a computer desk and a standard desk to create multi-use classrooms that optimize the use of available space. Users can store monitors away, creating flexible teaching environments and clear sightlines that improve learning.

The Single User – Single Screen desk accommodates one user with one monitor. Maximum monitor size is 27" diagonal widescreen. Custom desk sizes are available for larger monitors, iMacs or all-in-one PCs.

The monitor is mounted to a spring-counterbalance lift. Raise the monitor by opening the lid and pressing down on the top plate to release the monitor from its stored position under the desktop. Lower the monitor by pushing down on the top plate until the monitor locks in place in its stored position.

A keyboard and mouse holder that travels with the monitor is included.

Access to the desk interior is provided by a removable front access panel.

Listed above are the most popular desk sizes. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-M11-FI-3036

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color


Standard Laminates: Please see Color Guide p.195
Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate
Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PR (right) for cutout location. Maximum monitor size will be reduced by 4"




Keyboard and mouse holder included

LINE-OF-SIGHT GENERATION 2

Recessed Computer Desks

U.S. List Prices - Effective March 1, 2015

RECESSED DESK



Shown with optional end panel

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold only	Edge Color T-Mold Only	List Price per Desk T-Mold Edge or Edge Band
DUAL USER						
30"x 60"	LOS2-R21-NA-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1120
30"x 66"	LOS2-R21-NA-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1185
30"x 72"	LOS2-R21-NA-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1245
SINGLE USER						
30"x 36"	LOS2-R11-NA-3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$885
30"x 48"	LOS2-R11-NA-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1005

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-R21-NA-3060-BK-SO-PC

Description:

The Recessed Desk is an ideal solution for learning environments that have a singular focus on computer-based learning. Monitors are placed in a recessed cavity that creates enhanced sightlines for improved learning.

The desk can accommodate one user or two users, depending on desk size.

The desk includes a height adjustable recessed shelf that can be mounted 5" to 8" below the desk surface to accommodate different heights of monitors.

For enhanced privacy, the user side has a 12" high modesty, and the approach side includes a 18" high modesty with a built-in cable trough.

Listed above are the most popular desk sizes. Custom sizes and ADA-compliant desks are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-R21-NA-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)


If a Desktop Power Unit has been ordered, enter PL (left) or PC (center) or PR (right) for cutout location

LINE-OF-SIGHT GENERATION 2

Split Level Computer Desks

U.S. List Prices - Effective March 1, 2015

SPLIT LEVEL DESK



Shown with optional end panel

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
DUAL USER						
30"x 60"	LOS2-S21-NA-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1120
30"x 66"	LOS2-S21-NA-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1185
30"x 72"	LOS2-S21-NA-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1245
SINGLE USER						
30"x 36"	LOS2-S11-NA-3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$885
30"x 48"	LOS2-S11-NA-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$1005

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-S21-NA-3060-BK-SO-PC

Description:

The Split Level Desk is an ideal solution for learning environments that have a singular focus on computer-based learning. Monitors are placed on a lower rear surface that creates enhanced sightlines for improved learning.

The desk can accommodate one user or two users, depending on desk size.

The rear monitor surface is 5" below the desk surface and 10" deep, and the front worksurface is 20" deep.

For enhanced privacy, the approach side includes a 18" high modesty with a built-in cable trough.

Listed above are the most popular desk sizes. Custom sizes and ADA-compliant desks are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-S21-NA-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)


If a Desktop Power Unit has been ordered, enter PL (left) or PC (center) or PR (right) for cutout location

LINE-OF-SIGHT GENERATION 2

Basic Computer Desks

U.S. List Prices - Effective March 1, 2015

BASIC DESK



Shown with optional accessories

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
DUAL USER						
30"x 60"	LOS2-B21-NA-3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$860
30"x 66"	LOS2-B21-NA-3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$905
30"x 72"	LOS2-B21-NA-3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$945
SINGLE USER						
30"x 36"	LOS2-B11-NA-3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$685
30"x 48"	LOS2-B11-NA-3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$775

Complete Product Code Example:

30"x 60" desk, with black base, white laminate worksurface with matching edge band, and center cutout for desktop power unit; LOS2-B21-NA-3060-BK-SO-PC

Description:

The Basic Desk offers a practical and robust desking solution for computer-based learning environments.

The desk can accommodate one user or two users, depending on desk size.

The desk features a rugged powdercoat steel frame, and durable high pressure laminate worksurface with matching edge band.

For enhanced privacy, the approach side includes a 18" high modesty with a built-in cable trough.

Listed above are the most popular desk sizes. Custom sizes and ADA-compliant desks are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-B21-NA-3060

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces


5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PC (center) or PR (right) for cutout location

LINE-OF-SIGHT GENERATION 2 CAD Drafting Tables

U.S. List Prices - Effective March 1, 2015

CAD TABLE



Shown with optional accessories

Desk Size Depth x Width	Product Code	Base Color	Laminate Color	Edge Color T-Mold Only	Desktop Cutout	List Price per Desk T-Mold Edge or Edge Band
30"x 36"	LOS2-C11-MF-3036	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$1040
30"x 42"	LOS2-C11-MF-3042	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$1115
30"x 48"	LOS2-C11-MF-3048	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	– <input type="checkbox"/> <input type="checkbox"/>	\$1190

Complete Product Code Example:

30"x 36" desk, with black base, white laminate worksurface with matching edge band, and left side cutout for desktop power unit; LOS2-C11-MF-3036-BK-SO-PL

Description:

The CAD Drafting table is an ideal solution for learning environments offering manual drafting and computer aided design.

The desk can accommodate one user with one monitor.

The large 30" deep tabletop manually adjusts between 0 to 60 degree tilt via a pneumatically-assisted ratchet mechanism to provide a comfortable drawing surface.

The desk features a rugged powdercoat steel frame, and durable high pressure laminate worksurface with matching edge band.

For enhanced privacy, the approach side includes a 18" high modesty with a built-in cable trough.

Monitor Arm is optional (p 130). Keyboard Drawer is optional (p 30). CPU Holder is optional (p 30).

Listed above are the most popular desk sizes. Custom sizes are available. Please contact ISE Customer Service for further information about customization.

To Order, Specify

1 – Product

Eg. LOS2-C11-MF-3036

2 – Base Color

Black – BK or Silver – SM or White – WH

3 – Laminate Color

Standard Laminates: Please see Color Guide p.195

Custom Laminates: A 1.75% list price upcharge per desk applies to customer specified laminates - see p.194

4 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces

5 – Desktop Cutout (Optional)

If a Desktop Power Unit has been ordered, enter PL (left) or PR (right) for cutout location

LINE-OF-SIGHT Desk Connectivity


U.S. List Prices - Effective March 1, 2015

HARDWIRE POWER

Power Track

- 8 wire 4 circuit power
- 2 duplex receptacles (4 plug-ins)
- One duplex for computer circuits
- One duplex for utility circuits
- Tracks come in 5 fixed cable lengths
- Flexible cables allow tracks to be connected together to power a row of desks
- Dimensions 26"L x 2"W x 2.25"H (excluding cable)
- ETL/CSA

Product Code	Cable Length	List Price
TRACKS		
LOS2-TOSX260S2002	20"	\$150
LOS2-TOSX260S2602	26"	\$160
LOS2-TOSX260S3202	32"	\$170
LOS2-TOSX260S3802	38"	\$180
LOS2-TOSX260S4402	44"	\$190
PASS-THROUGH CABLE		
SA-TDPT24	24"	\$75



ORDERING GUIDE

- Dual User Desks** – order two power tracks per desk, each having a 20" cable.
- Single User Desks** – determine the cable length needed to connect the power track from one desk to the power track in the next adjoining desk, using the chart to the right.
- Back-to-Back Desks** – for desks that are placed back-to-back, order a power track with a 32" cable, to provide enough cable length to make the turn.
- Pass-Through Cable** – joins two power track cables together. Use in situations requiring additional cable length.

Single User Desks

From Single Desk	To Single Desk	Cable Length Needed
36"w	36"w	20"
48"w	48"w	32"
36"w	48"w	26"
48"w	36"w	26"

LINE-OF-SIGHT

Desk Connectivity

U.S. List Prices - Effective March 1, 2015

HARDWIRE POWER

Power Track with Additional Receptacles

- 8 wire 4 circuit power
- Standard power track (p.22) has 2 duplex receptacles (4 plug-ins) which normally accommodates a single user
- If additional receptacles are required, the standard power track can be upgraded to add a 3rd and a 4th duplex receptacle (6 or 8 plug-ins)
- Specify additional receptacles by circuit number
- Four circuits are available: 1 and 2 are utility circuits, and 3 and 4 are computer circuits (computer equipment circuits share an isolated ground)
- Note: maximum limit of 13 plug-ins per circuit, or local electrical code
- ETL/CSA




Product Code	Cable Length	List Price
POWER TRACK WITH 3 RECEPTACLES		
LOS2-TOSX260S2003- <input type="text"/> <input type="text"/>	20"	\$180
LOS2-TOSX260S2603- <input type="text"/> <input type="text"/>	26"	\$190
LOS2-TOSX260S3203- <input type="text"/> <input type="text"/>	32"	\$200
LOS2-TOSX260S3803- <input type="text"/> <input type="text"/>	38"	\$210
LOS2-TOSX260S4403- <input type="text"/> <input type="text"/>	44"	\$220
POWER TRACK WITH 4 RECEPTACLES		
LOS2-TOSX260S2004- <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	20"	\$210
LOS2-TOSX260S2604- <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	26"	\$220
LOS2-TOSX260S3204- <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	32"	\$230
LOS2-TOSX260S3804- <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	38"	\$240
LOS2-TOSX260S4404- <input type="text"/> <input type="text"/> - <input type="text"/> <input type="text"/>	44"	\$250

ORDERING GUIDE

1. Specify Track Cable Length - 20"; 26"; 32"; 38"; or 44"
2. Specify Total Number of Duplex Receptacles – 3 or 4
3. Choose Circuit Numbers for Receptacle #3
Note:
Receptacle #1 is always circuits 1 and 2
Receptacle #2 is always circuits 3 and 4
Receptacle #3 is user specified – choose circuit combination 1,1; 2,2; 3,3; 4,4; 1,2; or 3,4
4. If required, choose Circuit Numbers for Receptacle #4
Receptacle #4 can differ from Receptacle #3
– choose circuit combination 1,1; 2,2; 3,3; 4,4; 1,2; or 3,4

PRODUCT CODE

Eg. Power track with 4 receptacles (specified as circuits 1,2 for receptacle #3; and circuits 3, 4 for receptacle #4)



LINE-OF-SIGHT


Desk Connectivity

U.S. List Prices - Effective March 1, 2015

HARDWIRE POWER

Power Entry Cable

- For use with 8 wire 4 circuit power tracks
- 6' floor or wall power entry cable
- 15' ceiling power entry cable



Product Code	Type	List Price
SA-TPPE72C	Floor/Wall	\$145
SA-TPPE15C	Ceiling	\$180

Power Pole

- Two compartment blank steel pole
- Knockouts for power and communications
- Grey boot base
- Mounting hardware included
- Silver-grey finish



Product Code	Length	List Price
SA-PPB-A2510000	10'5"	\$275

LINE-OF-SIGHT

Desk Connectivity

U.S. List Prices - Effective March 1, 2015

PLUG-IN POWER

Power Bar

- Single circuit 15 Amp 125V
- 4 duplex receptacles (8 plug-ins)
- 6' power cord
- On/off toggle switch
- Resettable circuit breaker
- Single receptacle included to allow another power bar to daisy chain (located at end opposite cord)
- UL/CSA

Product Code	List Price
LOS2-MM024-4-6	\$195



ORDERING GUIDE


Single and Dual User Desks – typical configuration is one power bar per desk

Daisy Chain – up to four power bars can be daisy-chained with a combined amperage not to exceed 15 Amps. Consult your local electrical code.

Mini Power Bar

- Single circuit 12 Amp 125V
- 3 receptacles
- 65" power cord
- Two mounting brackets
- UL/CSA

Product Code	List Price
SA-MM05-3	\$120



LINE-OF-SIGHT Desk Connectivity

U.S. List Prices - Effective March 1, 2015

PLUG-IN POWER

Power Strip

- 6 or 8 receptacles
- Built-in surge protection
- UL/cUL

Product Code	List Price
SA-PB-6-4	\$63
SA-PB-8-6	\$84



8 RECEPTACLES



6 RECEPTACLES

SPECIFICATIONS CHART

	SA-PB-6-4	SA-PB-8-6
Number Of Receptacles	6	8 (3 spaced for transformer blocks)
Cord length	4'	6' (360 degree plug)
Clamping voltage	330V AC	330V AC
Energy dissipation	270 joules	1020 joules
Circuit breaker	15A	15A
EMI-RFI filter	40dB	58dB
On/off switch	yes	yes
Surge indicator	lighted	lighted/audible
Fax/modem protection	n/a	yes
Dimensions	11" x 2" x 1.25"	9.5" x 4" x 1.5"

LINE-OF-SIGHT

Desk Connectivity

U.S. List Prices - Effective March 1, 2015

CABLE MANAGEMENT

Power and Data Trough

- Attach Power Track (p.22) or Power Bar (p.25) to the upper vertical face of the trough
- Channel for data cables
- Two cut-outs for data plates
- Dimensions 5"H x 2.5"W x L
- Black plastic finish



Product Code	Trough Length	For Desk Width	List Price
LOS2-CTB-PDC36	30"	36"	\$71
LOS2-CTB-PDC48	42"	48"	\$100
LOS2-CTB-PDC60	54"	60"	\$120
LOS2-CTB-PDC66	60"	66"	\$131
LOS2-CTB-PDC72	66"	72"	\$142

Data Plate

- For Power and Data Trough (above)
- Plates fit keystone style network jacks (jacks supplied by others - download compatible jacks from www.ise-group.com)
- Black plastic finish

Product Code	#of Ports	List Price
LOS-DC-BK-1	1	\$5
LOS-DC-BK-2	2	\$5
LOS-DC-BK-3	3	\$5

LINE-OF-SIGHT

Desk Connectivity

U.S. List Prices - Effective March 1, 2015

CABLE MANAGEMENT

Network Cable Harness


- Pre-wired, modular network cable harness
- Allows for fast and simple DIY network cabling of a row of desks
- Each harness contains a 6 port RJ45 receptacle and 6 color-coded 8' long CAT5e Ethernet cables
- Use one harness in each Dual Desk. Then daisy chain the harnesses to network a row of up to three Dual Desks (six users)
- Modular harness enables desks to be moved and re-connected easily
- Note: Receptacle can be mounted on the end of a desk using an optional End Panel with a cut-out for the receptacle (p.41)



Product Code	Description	List Price
LOS-WEP-6P	Wall receptacle with cover plate and six RJ45 color-coded ports	\$25
LOS-EH-6PJ1	Six 1' long color-coded Ethernet jumper cables (use between wall receptacle and first desk in the chain)	\$55
LOS-EH-6P8	Network cable harness	\$180

Cable Manager

- Flexible cable manager with split seam
- 2' length
- 1" diameter
- Corrugated black plastic




Product Code	List Price
LOS-WMV-2	\$20

LINE-OF-SIGHT

Desk Accessories

U.S. List Prices - Effective March 1, 2015

CPU AND KEYBOARD HOLDERS



CPU Holder

- Hangs from the front modesty panel
- Keeps the CPU off the desktop and floor
- Width adjustable from 2.5" to 16" using adjustment plates
- Height adjustable from 17" to 29"
- 14 ga. steel, powdercoat finish

Product Code	List Price
LOS2-CPUT-M- <input type="text"/> - <input type="text"/> <input type="text"/>	\$200

ORDERING GUIDE

1. Use the chart below to determine which size of width adjustment plate is required.

Width Adjustment Plate Code	For CPU Width Range	Suggested CPU Type
N	2.5" - 4"	single ultra slim tower
A	4" - 7"	single slim tower
B	7" - 9"	single mini tower / dual slim towers
C	9" - 12"	single mini tower / dual slim towers
D	12" - 14"	dual mini towers
E	14" - 16"	dual regular towers

2. Enter the code as follows:

Product Width Adjustment Plate Code Color Code
 LOS2-CPUT-M - -
 BK Black
 SM Silver
 WH White

Eg. For a 4" - 7" wide CPU holder in black
 LOS2-CPUT-M-A-BK

3. Note:

One width adjustment plate is included in the list price of the CPU holder.

To purchase additional individual width adjustment plates, use the following product code:

Width Adjustment Plate Code Color Code
 LOS2-CPU-PLATE- - \$30 list per plate


LINE-OF-SIGHT

Desk Accessories

CPU AND KEYBOARD HOLDERS

CPU Rack

- Attaches to the desk leg
- Keeps the CPU off the desktop and floor
- Adjustable nylon straps hold the CPU in place
- Stores the CPU against the side of the desk to maximize space
- 14 ga. steel, powdercoat finish



ORDERING GUIDE

Enter the color code as follows:

LOS2-CPUST-[TYPE]-

Color Code

BK Black

SM Silver

WH White

Product Code	For Desk Type	List Price
LOS2-CPUST- 	Electric, Manual, Matching desks	\$150
LOS2-CPUST-ADA2- 	ADA fixed height desk p.13	\$150
LOS2-CPUST-LEC- 	Lectern desk p.11	\$170
LOS2-CPUST-BA- 	Recessed, Split Level, Basic desks	\$150
LOS2-CPUST-CAD- 	CAD Drafting table	\$150

Keyboard Drawer

- Pull out keyboard drawer
- Ball bearing slides (11" actual extension)
- Fixed height platform (2.5" below worksurface)
- Black ¼" phenolic tray with a full width foam palm pad

Note: A Keyboard Holder comes standard on Electric and Manual Store-Away Desks

Product Code	Description	List Price
LOS-KB-DRAWER-19	19" wide platform	\$150
LOS-KB-DRAWER-25	25" wide platform	\$190
LOS-KB-DRAWER-19S	19" wide platform with a 8" left to right sliding mouse tray	\$250



Note: Slide brackets add 1" to overall platform width

LINE-OF-SIGHT


Desk Accessories

U.S. List Prices - Effective March 1, 2015

MONITOR ACCESSORIES

Swivel and Tilt Adapter


- Manually swivel and tilt the monitor
- Attaches to the vesa mount
- Swivels and tilts 10°
- Black finish



Product Code	List Price
LOS-MA-SWIVEL	\$105

Power Saver

- Automatically shuts off power to the monitor
- Saves energy cost and extends screen life
- Power saver switch is activated when the worksurface lid closes and the monitor is stored away
- When the lid opens, power is restored to the monitor



Product Code	List Price
LOS-PSSWITCH	\$50

ORDERING GUIDE

Order one Power Saver switch per monitor

Switch requires a single receptacle (one plug-in)

LINE-OF-SIGHT Desk Accessories

U.S. List Prices - Effective March 1, 2015

REMOTE CONTROL

Remote Control Handset

- Remote control capability is standard on all Electric Store-Away Desks
- Handset is required to operate remote control functions
- Raise or lower all monitors in a classroom by pressing the Up or Down button
- Lock or unlock all desk switches by pressing the Lock or Unlock button
- RF (radio frequency) signal will operate desks from anywhere in the classroom
- Handset allows for the use of different frequencies for different classrooms
- Uses one A23 battery (included)

Product Code	List Price
HANDSET	
LOS-HANDSET	\$53
BATTERY	
SA-HS-N-BA	\$21



ORDERING GUIDE

Original Desk Order

If a handset is ordered on an original desk order, the handset and the desks will be synchronized to the same remote control frequency.


After Original Desk Order

If a handset is ordered after the original desk order, the handset and the desks will require re-synchronization to the same remote control frequency. Instructions can be downloaded from www.ise-group.com

Handset Holder

- Holds the remote control handset
- Mounts under the worksurface
- 16 ga. steel, powdercoat finish

Product Code	List Price
LOS-HS-HOLDER- <input type="text"/> <input type="text"/>	\$50



ORDERING GUIDE

Enter the color code as follows:

LOS-HS-HOLDER -

Color Code
<input type="text"/> <input type="text"/>

BK Black
SM Silver
WH White

REMOTE CONTROL

Wireless Automation Control

- Wirelessly control all the monitors in a classroom through a Crestron, Extron, or AMX control system
- Instructor has full control of all desk functions through the automation system interface
- Raise or lower all monitors, or lock or unlock all desk switches simultaneously
- System components include a PC interface, controller, and multifunction desk interface

Product Code	List Price
LOS-WAC	\$1000



AUTOMATION SYSTEM
INTERFACE



CONTROLLER

ORDERING GUIDE

Wireless Capability

Remote control capability is standard on all Electric Multifunction Desks.

To use wireless automation control, no additional cabling to or between the desks is required. There is no limit on the number of desks controlled.

The wireless automation control kit LOS-WAC includes a PC interface, controller, and a multifunction desk interface. One kit per classroom is required.

System overview and installation instructions can be downloaded from www.ise-group.com

LINE-OF-SIGHT

Desk Accessories


U.S. List Prices - Effective March 1, 2015

STORAGE SOLUTIONS

Storage Tray

- Tray stores letter size paper, manuals, headphones etc.
- Attaches to the CPU Holder (p.29)
- Dimensions 10"W x 11"D x 3"H
- 14 ga. steel, powdercoat finish

Product Code	List Price
LOS-SHELF-1010- <input type="text"/> <input type="text"/>	\$100



ORDERING GUIDE

Enter the color code as follows:

LOS-SHELF-1010- Color Code
BK Black
SM Silver
WH White

When installed, the CPU Holder maximum height range is 10" to 18", and the maximum width is 6" to 11"

Pen Tray

- Tray stores pens, pencils, paper clips, Post-It notes etc.
- Mounts under the worksurface
- Swivels-out to open
- Black plastic construction

Product Code	List Price
LOS-PEN-TRAY	\$30



LINE-OF-SIGHT

Desk Accessories


U.S. List Prices - Effective March 1, 2015

SECURITY LOCKS

Lid Lock

- Key lock prevents opening of worksurface lid
- Provides security for the monitor
- For use with Manual Store-Away Desks only

Product Code	List Price
LOS-LOCK	\$53



Security Lock

- Cable lock secures CPUs, monitors, laptop computers
- Provides a physical and visual theft deterrent
- 6' steel cable, padlock, 2 keys included

Product Code	List Price
LOS-SECLOCK	\$83



LINE-OF-SIGHT

Desk Accessories


U.S. List Prices - Effective March 1, 2015

DESK ADD-ONS

Power & Data & USB Centers

- Single circuit 15 Amp 125V
- 3 power receptacles
- Choose from either 2 ethernet ports or 2 passive USB ports
- Unit rotates 180° from a flat stored position to reveal connections
- 8' power cord
- UL/cUL

Product Code	Description	List Price
SA-PT-3-2	3 power receptacles and 2 CAT5 ethernet connections	\$158
SA-PT-3-2USB	3 power receptacles and 2 passive USB connections	\$158




LINE-OF-SIGHT Desk Accessories

U.S. List Prices - Effective March 1, 2015


DESK ADD-ONS

Grommet

- Black plastic construction
- Price includes hole cut-out charge in worksurface



SA-GR-2




LOS-GROMMET


Product Code	Cover Diameter	Hole Size	Cover Style	List Price
LOS-SA-GR-2	2-3/8"	2"	removable cover	\$27
LOS-GROMMET	3"	2-3/4"	removable tabbed cover	\$32

Casters

- Low profile twin wheel swivel caster
- Black finish
- Casters increase desk height by 3/4"
- Four casters required per desk
- Sold individually



NON-LOCKING



LOCKING

Product Code	Wheel Diameter	Stem Length	Caster Style	List Price
SA-CAS-1.5-LOS	1-3/8"	1-3/8"	non-locking	\$7
SA-CAL-1.5-LOS	1-3/8"	1-3/8"	locking	\$13

LINE-OF-SIGHT

Desk Finishing

U.S. List Prices - Effective March 1, 2015











MODESTY PANELS

Front and Rear Modesty Panels

- For Electric and Manual Store-Away Desks
- Several optional design choices are available for front (user side) and rear (approach side) modesty panels
- Standard design is a full front modesty panel with removable access cover(s), and a full rear modesty panel that is non-removable
- Optional choices M1 to M4 are shown below

Product Code	List Price Upcharge
STANDARD DESIGN	No Upcharge
M1	No Upcharge
M2	\$50 single desk \$50 dual desk
M3	\$120 single desk \$190 dual desk
M4	\$170 single desk \$240 dual desk

PRODUCT CHART - DUAL USER DESKS

Product Code	Front Modesty	Rear Modesty
	Removable Access Covers	Non-Removable
STANDARD DESIGN		
M1	Non-Removable	Removable with Thumb Turn Latches
		
M2	Non-Removable	Removable with Key Locks
		
M3	Removable Access Covers	Removable with Thumb Turn Latches
		
M4	Removable Access Covers	Removable with Key Locks
		











LINE-OF-SIGHT Desk Finishing

U.S. List Prices - Effective March 1, 2015

MODESTY PANELS

Front and Rear Modesty Panels (continued)

PRODUCT CHART - SINGLE USER DESKS

Product Code	Front Modesty	Rear Modesty
STANDARD DESIGN	Removable Access Cover 	Non-Removable 
M1	Non-Removable 	Removable with Thumb Turn Latches 
M2	Non-Removable 	Removable with Key Locks 
M3	Removable Access Cover 	Removable with Thumb Turn Latches 
M4	Removable Access Cover 	Removable with Key Locks 

ORDERING GUIDE

Please see next page

LINE-OF-SIGHT

Desk Finishing

U.S. List Prices - Effective March 1, 2015

MODESTY PANELS

Front and Rear Modesty Panels (continued)

ORDERING GUIDE

1. For optional Panels, choose one of: M1, M2, M3, M4

2. Enter the code as follows:

Eg. Electric Store-Away Desk with M1 Front and Rear Modesty Panels

LOS2-E21-FI-3060-BK-SO-M1

Desk Product Code Modesty Code

3. For M2 and M4 only, choose the Key type:

Code	Type	List Price Upcharge to M2 and M4
KA	Keyed Alike - multiple locks that open with the same key (additional keys sold separately*)	No upcharge
KDMK	Keyed Different with Master Key - each lock opens with a different key and a master key (master key sold separately**)	\$20 per desk

Enter the code as follows:

Eg. LOS2-E21-FI-3060-BK-SO-M2-KA

Desk Product Code Key Type

* For additional keys, order ALIKE-KEY at \$20 list each, on a separate order line

** For additional keys, order MASTERKEY at \$20 list each, on a separate order line

Front Modesty Panel

- For use on Basic Computer Desk only (p.20)
- 12" high
- Includes two 3" grommets
- 3/4" black melamine



Product Code	Modesty Length	For Desk Width	List Price
LOS-FMB-3612	36"	36"	\$75
LOS-FMB-4812	48"	48"	\$95
LOS-FMB-6012	60"	60"	\$120
LOS-FMB-6612	66"	66"	\$130
LOS-FMB-7212	72"	72"	\$140

LINE-OF-SIGHT


Desk Finishing

U.S. List Prices - Effective March 1, 2015

END PANELS

End Filler Panel

- Provides a finished look to an end-of-row desk
- Restricts access to the desk interior to improve security
- 16 ga. steel, powdercoat finish
- Sold individually



Product Code	For Desk Type	List Price
LOS2-SFP-□□	Electric, Manual, Matching desks	\$58
LOS2-SFP-ADA2-□□	ADA fixed height desk p.13	\$58
LOS2-SFP-LEC-□□	Lectern desk p.11	\$78
LOS2-SFP-RMS-□□	Recessed desk p.18	\$58
LOS2-SFP-SPL-□□	Split level desk p.19	\$48
LOS2-SFP-BA-□□	Basic desk p.20	\$58

ORDERING GUIDE

1. Enter the color code as follows:

Color Code
 LOS2-SFP-[TYPE]-□□
 BK Black
 SM Silver
 WH White

2. Note: End Filler Panel does not come standard with a grommet. To add a grommet (LOS-GROMMET p.37) add GR3 as follows:

Color Code
 LOS2-SFP-[TYPE]-□□ -GR3 no upcharge for grommet

3. Note: End Filler Panel is available with a cut-out to mount a Network Cable Harness receptacle plate (p.28) To order an end panel with plate cut-out, add EH as follows:

Color Code
 LOS2-SFP-[TYPE]-□□ -EH no upcharge for cut-out

LINE-OF-SIGHT


Desk Finishing

U.S. List Prices - Effective March 1, 2015


END PANELS

Decorative End Panel


- Provides an expanded design choice
- Construction is ¼" phenolic that is laminated on one or two sides to match the worksurface
- Sold individually



SINGLE DESK PANEL
RIGHT SIDE



SINGLE DESK PANEL
LEFT SIDE



BACK-TO-BACK DESK PANEL

Product Code	# of Sides Laminated	List Price
SINGLE DESK - LEFT PANEL		
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -1S-L	1	\$200
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -2S-L	2	\$250
SINGLE DESK - RIGHT PANEL		
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -1S-R	1	\$200
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -2S-R	2	\$250
BACK-TO-BACK DESKS		
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -1S-D	1	\$400
LOS2-SFP-TP- <input type="checkbox"/> <input type="checkbox"/> -2S-D	2	\$500

ORDERING GUIDE

1. Choose any standard laminate from the Color Guide (p.195) and enter the code into the product code.

Eg. Single desk panel, right side, laminated on two sides in cherry laminate:

LOS2-SFP-TP-CH-2S-R

|
Laminate Code

2. Note: Decorative End Panel does not come standard with a grommet. To add a grommet (LOS-GROMMET p.37) add GR3 as follows:

Eg. LOS2-SFP-TP-CH-2S-R-GR3 no upcharge for grommet

3. Mounting Brackets

Original Order

Original desk orders that include decorative end panels will ship with the required panel mounting brackets pre-installed on the desks.

Field Retrofits

Adding a decorative end panel to a previously installed desk requires bracket installation. Please contact ISE Customer Service for assistance.



LINE-OF-SIGHT Desk Finishing

U.S. List Prices - Effective March 1, 2015

DESK LAYOUT

Filler Channel

- For use in back-to-back installations of Electric or Manual Store-Away Desks
- Top Channel conceals the space required to accommodate lid opening
- End Panel provides a finished look and restricts access to the desks
- 16 ga. steel, powdercoat finish



Product Code	For Desk Width	List Price
TOP CHANNELS		
LOS2-FC-36- <input type="text"/> <input type="text"/>	36"	\$40
LOS2-FC-48- <input type="text"/> <input type="text"/>	48"	\$60
LOS2-FC-60- <input type="text"/> <input type="text"/>	60"	\$70
LOS2-FC-66- <input type="text"/> <input type="text"/>	66"	\$75
LOS2-FC-72- <input type="text"/> <input type="text"/>	72"	\$80
END PANEL		
LOS2-FC-SFP- <input type="text"/> <input type="text"/>		\$174

ORDERING GUIDE

1. Enter the color code as follows:

Top Channel

Eg. LOS2-FC-36-
 Color Code
 BK Black
 SM Silver
 WH White

End Panel

Eg. LOS2-FC-SFP-
 Color Code

2. Note: End Panel does not come standard with grommets.
 To add grommets (LOS-GROMMET p.37) add GR3 as follows:

LOS2-FC-SFP--GR3 no upcharge for grommet
 Color Code

LINE-OF-SIGHT Desk Finishing


U.S. List Prices - Effective March 1, 2015

DESK LAYOUT



Curved Desks

- Classroom layouts featuring curved rows of desks can improve instructor - student sightlines and interaction
- One-piece Curved Worksurfaces are available for Line-of-Sight Desks
- Please contact ISE Customer Service for further information



LINE-OF-SIGHT


Desk Finishing

U.S. List Prices - Effective March 1, 2015

DESK LAYOUT

Classroom Design Services

- ISE Design Services is available to help you create a customized classroom layout
- Our experienced team can provide dimensioned drawings to illustrate desk types, sizes, and density
- This complimentary service is available through your local ISE Representative



LINE-OF-SIGHT

Terms Of Sale

U.S. List Prices - Effective March 1, 2015

Prices

Prices in this guide are effective as of March 1, 2015. Prices shown apply to standard products and finishes.

Delivery

Standard lead time is 4 - 6 weeks from receipt of order including Line-of-Sight Checklist. FOB point is Buffalo, NY for U.S. orders, or Toronto, ON for Canadian orders.

When ordering custom configurations, custom laminates, and custom edges, the standard lead time would commence with the receipt of a signed drawing, and custom laminates and custom edges if applicable.

Freight

Freight cost is waived to any destination in Canada or the continental U.S. for all orders over \$20,000 list. All orders under \$20,000 list are subject to the following freight charges: Eastern Canada/U.S. – an additional 5% of the total list price; Western Canada/U.S. – an additional 8% of the total list price. All orders will be subject to a minimum freight charge of \$150.

Standard delivery is dock to dock, Monday to Friday, during normal business hours. ISE will accommodate requests for a specific delivery time, but we cannot guarantee it and cannot be held responsible should this not occur.

The customer will be responsible for all special delivery costs including: after-hour, holiday, weekend, guaranteed delivery time; special carrier or shipping method; call before charges; need for special delivery equipment, including lift gates; absence of a loading dock; inside delivery; street unloads; extra manpower; detention charges; residential delivery (upcharge of \$50); re-routing or re-delivery; improper refusal of product; and storage fees.

Packaging

Desk bases are shipped disassembled (knock-down). Fully factory assembled desks are optionally available at a list price upcharge of \$100 per single desk and \$150 per dual desk. One fully assembled desk is shipped with each order as an installation guide.

Freight Claims

All product is securely packed and leaves our facility in good condition. The carrier upon acceptance of the shipment assumes responsibility for its safe delivery. Claims for loss or damage sustained in transit must be made with the carrier. Any external evidence of damage or shortage must be carefully noted on the bill of lading or delivery receipt and signed by the carrier agent. Then immediately file a claim with the carrier. For concealed damage, immediately file a claim with the carrier, and request an inspection. All freight claims must be filed within 30 days of receipt of goods.

Customization

Most of our products can be customized to meet your specific needs. Please obtain a custom request form from your dealer or ISE Customer Service. Return the completed form to ISE to receive a quotation.

Payment Terms

Payment is due within 30 days of invoice date. Returns – contact ISE Customer Service for restocking fees if applicable.

Order Tracking

Click on Track My Order at www.ise-group.com for fast, simple and up-to-date order tracking.

Help

ISE Customer Service will be pleased to answer your questions. Call us toll free 1-800-463-7731 or fax 1-800-461-3182 or e-mail info@ise-group.com

LINE-OF-SIGHT

Warranty

U.S. List Prices - Effective March 1, 2015

Warranty

ISE warrants to the original end user of its Line-of-Sight Desk product, that they are free from defects in material and workmanship for a period of three (3) years for electrical components and manual lift mechanisms and ten (10) years for desk parts. ISE will, at its option, either repair or replace any part of its products that prove defective by reason of improper workmanship or materials. Repaired parts, or replacement products, will be provided by ISE on an exchange basis, and will be either new or refurbished to be functionally equivalent to new.

This warranty does not cover any damage to a Line-of-Sight Desk product that results from improper installation, accident, abuse, natural disaster, insufficient or excessive electrical supply, abnormal mechanical or environmental conditions, or any unauthorized disassembly, repair or modification. This warranty also does not apply to any product on which the original identification information has been altered, obliterated or removed, has not been handled correctly, or has been resold.









This warranty covers only repair, replacement, or refund for defective products, as provided above. ISE does not accept liability for loss of use, consequential damage or injury.

HEIGHT ADJUSTABLE TABLES






OVERVIEW 51 - 68




WORKSURFACES

Rectangular	 69 - 72
Peninsula	 73 - 75
Transition	 76 - 77
Equal Corner	 78 - 81
Extended Corner	 82 - 85
Wing	 86 - 87
Collaboration	 88
Meeting	 89

BASES

Electric	 90 - 106
Crank	 108 - 109
Fixed Height	 110

ACCESSORIES

Cable Management	 112 - 113
Power and Data	 114 - 115
Privacy and Modesty	 116 - 117

MOBILE TABLES	 120 - 121
----------------------	---	-----------------

RESOURCES

Terms of Sale 122
Warranty 123

Ergonomic Guidelines to Height Adjustable Tables

U.S. List Prices - Effective March 1, 2015

HFES (The Human Factors and Ergonomics Society) and BIFMA (The Business and Institutional Furniture Manufacturers Association) provide guidelines for the design of ergonomic office workstations that will accommodate the needs of 90% of the North American workforce (HFES), or the 5th percentile female to the 95th percentile male of the North American population (BIFMA).

ANSI / HFES 100 - 2007

Human Factors Engineering of Computer Workstations

8.3.2.4.3 Sit / Stand Working Postures

If height adjustable only, the input device support surface designed for both sitting and standing work postures: shall adjust in height between 22 and 46.5 in. as measured from the floor to the surface at the front edge of the support.

BIFMA G1 - 2002

Ergonomic Guideline for VDT (Visual Display Terminal) Furniture Used in Office Workspaces

8.3.1 Recommendation for Support Surface Height for Input Device – Sitting

Adjustable input device support surfaces that are horizontal should include an adjustment range from 22.2 in. to 28.5 in. as measured to the top of the worksurface

8.3.2 Recommendation for Support Surface Height for Input Device – Standing

An adjustable support surface is recommended. In order to maintain an appropriate elbow rest height, it should include an adjustment range from 36.7 in. to 45.6 in. as measured from the top of the support surface.


RISE

RISE Electric Height Adjustable 22" to 48"	RISE S2 Electric Height Adjustable 27" to 46"	RISE Crank Height Adjustable 25" to 39"
Complies	For compliance, include a Leader Standard Keyboard System	For compliance, include a Leader Sit-Stand Keyboard System
Complies	For compliance, include a Leader Standard Keyboard System	For compliance, include a Leader Sit-Stand Keyboard System

RECTANGULAR



Rectangular



Concave




Bi-Level




Dual Tier


PENINSULA



Peninsula




P Peninsula Left




P Peninsula Right

TRANSITION




Left




Right


EQUAL CORNER




Equal Corner



Concave




Bi-Level




Bi-Level Concave


EXTENDED CORNER




24" Left



24" Right




30" Left




30" Right

WING




90 Degree




120 Degree

COLLABORATION



Square End



Round End

MEETING



Rectangular

Worksurfaces Specifications

U.S. List Prices - Effective March 1, 2015

Cores

- 1" thick, M3 rated, 45 pound, furniture-grade particle board
- ISO 14001 certification and are made from 100% pre-consumer recycled content
- Environmentally preferable product certification by the CPA relating to their formaldehyde emissions, which are rated at 0.2 ppm meeting the California Air Resources (CARB) requirement
- FSC certified and formaldehyde-free cores are available on special quote


Laminates

- Standard surfaces are 0.028" high pressure laminates with a balanced construction backer
- Laminates exceed the performance requirements of NEMA LD3
- SCS Certified for Recycled Content, Greenguard Indoor Air Quality Certified. Greenguard Children & Schools Certified, SCS Indoor Advantage Gold Certified for Low Emitting Products
- Adhesives are solvent-free, water-based PVA (poly vinyl acetate)




Edges

- Edge choices are Edge Band or T-Mold
- Edge Band is 2mm thick and PVC-free
- Edge Band colors match ISE Standard Laminates
- Other Edge Styles: Please call ISE Customer Service for postformed or self edged worksurfaces



Edge Band Edge (PVC-free)



T-Mold Edge

Worksurfaces


Specifications

U.S. List Prices - Effective March 1, 2015


Pinch Clearances

- Actual worksurface dimensions are 1" shorter in depth, and 1" shorter in width than nominal dimensions to allow for cord management and to minimize potential pinch hazard
- Unless otherwise requested, actual worksurface dimensions will be automatically provided
- To order a worksurface without reductions for pinch points, add "AD" for Actual Dimensions after the worksurface size in the product code. For example, to order a 24"x 48" rectangular worksurface with actual dimensions of 24" and 48", specify ST-RES-3-2448AD-XX

Nominal Dimensions




Actual Dimensions



Grommets

- Standard positions can be specified Left, Right, or Centered
- Non-standard positions require customer approval of a drawing
- Standard grommet hole size is 2" diameter; other sizes available on request


Standard Grommet Positions



One Grommet







Two Grommets



Three Grommets


Grain Patterns

- Grain direction on all wood grain laminates runs as shown below
- Alternative grain directions are available at an upcharge




RISE ELECTRIC HEIGHT ADJUSTABLE




Height Range



Front View



Side View




Bases

Statement of Line


U.S. List Prices - Effective March 1, 2015

RISE S2 ELECTRIC HEIGHT ADJUSTABLE




Height Range



Front View




Side View




RISE FRONT CRANK HEIGHT ADJUSTABLE



Height Range



Front View



Side View




Bases

Statement of Line


U.S. List Prices - Effective March 1, 2015

FIXED HEIGHT




Height Range




Front View




Side View



RISE ELECTRIC HEIGHT ADJUSTABLE




2-Leg




3-Leg

Type:	2-Leg, 3-Leg, 4-Leg, 6-Leg base
Mechanism:	Electric Bosch motor (one in each leg)
Activation:	Push button up-down switch
Height Range:	22" to 48" (26" travel range)
Travel Speed:	Up to 1.6" per second
Maximum Load:	225 lbs. (2-Leg) or 350 lbs (3-Leg) distributed top load including worksurface For 2-Leg base only, optional Upgraded Lift Capacity Switch or Digital Read Out Memory Switch increases load capacity to 300 lbs.
Electrical:	120V, 60Hz, single phase, 10% duty cycle, maximum draw 88W/1A going up with 175 lbs; 35W/0.3A going down, standby power 0.05W, 38db sound level
Glides/Casters:	Standard glides. Optional casters
Certifications:	UL/cUL, ANSI BIFMA X5.5 – 2008
Application Notes:	Motors will automatically shut off after 2 minutes of continuous operation to avoid overheating and damage

RISE S2 ELECTRIC HEIGHT ADJUSTABLE




2-Leg



3-Leg

Type:	2-Leg, 3-Leg, 4-Leg, 6-Leg base
Mechanism:	Electric Bosch motor (one in each leg)
Activation:	Push button up-down switch
Height Range:	27" to 46" (19" travel range)
Travel Speed:	Up to 1.6" per second
Maximum Load:	225 lbs. (2-Leg) or 350 lbs (3-Leg) distributed top load including worksurface For 2-Leg base only, optional Upgraded Lift Capacity Switch or Digital Read Out Memory Switch increases load capacity to 300 lbs.
Electrical:	120V, 60Hz, single phase, 10% duty cycle, maximum draw 88W/1A going up with 175 lbs; 35W/0.3A going down, standby power 0.05 W, 38db sound level
Glides/Casters:	Standard glides. Optional casters
Certifications:	UL/cUL, ANSI BIFMA X5.5 – 2008
Application Notes:	Motors will automatically shut off after 2 minutes of continuous operation to avoid overheating and damage


RISE FRONT CRANK HEIGHT ADJUSTABLE




2-Leg

Type:	2-Leg base
Mechanism:	Crank height adjustment
Activation:	Front crank handle (left or right reversible on-site)
Height Range:	25" to 39" (14" travel range)
Travel Speed:	6 cranks per inch
Maximum Load:	170 lbs. distributed top load including worksurface
Glides/Casters:	Standard glides. Optional casters
Certifications:	ANSI BIFMA X5.5 – 2008
Application Notes:	Front crank handle is retractable under the worksurface

FIXED HEIGHT




2-Leg



3-Leg


Type:	2-Leg, 3-Leg, 4-Leg, 6-Leg base
Mechanism:	Fixed height column
Height:	29.5"
Maximum Load:	400 lbs. distributed top load including worksurface on a 2-Leg base
Glides/Casters:	Standard glides. Optional casters
Certifications:	ANSI BIFMA X5.5 – 2008
Application Notes:	Not upgradeable to a height adjustable mechanism

RISE AND S2 ELECTRIC - STANDARD CONTROL SWITCHES



Standard Switch for 2-Leg Electric Base


- Push button up-down switch
- Built-in controller ensures synchronous operation of the lifting columns
- Anti-collision automatically stops motors and reverses direction when the worksurface hits an immovable object
- 120V, straight plug with 10' power cord



Standard Switch for 3-Leg, 4-Leg or 6-Leg Electric Base


- Push button up-down switch
- Switch connects to a separate controller that ensures synchronous operation of the lifting columns
- Anti-collision automatically stops motors and reverses direction when the worksurface hits an immovable object
- Programmable height control allows the users to set a maximum and/or minimum height for the worksurface
- 120V, grounded straight plug with a 9.5' power cord

RISE AND S2 ELECTRIC - OPTIONAL CONTROL SWITCHES




Upgraded Lift Capacity Switch for 2-Leg Electric Base

- Upgraded load capacity up-down switch
- Increases 2-Leg load capacity to 300 lbs. including worksurface
- Push button up-down switch
- Switch connects to a separate controller that ensures synchronous operation of the lifting columns
- Anti-collision automatically stops motors and reverses direction when the worksurface hits an immovable object
- Programmable height control allows the users to set a maximum and/or minimum height for the worksurface
- 120V, grounded straight plug with a 9.5' power cord



Digital Read-Out Memory Switch for Electric Base

- Push button up-down switch with LED read-out display
- Four user-programmable height settings
- Switch connects to a separate controller that ensures synchronous operation of the lifting columns
- Anti-collision automatically stops motors and reverses direction when the worksurface hits an immovable object
- Programmable height control allows the users to set a maximum and/or minimum height for the worksurface
- 120V, grounded straight plug with a 9.5' power cord



In-Surface Digital Read-Out Memory Switch for Electric Base

- Push button up-down switch with LED read-out display
- Two user-programmable height settings
- Switch connects to a separate controller that ensures synchronous operation of the lifting columns
- Anti-collision automatically stops motors and reverses direction when the worksurface hits an immovable object
- Programmable height control allows the users to set a maximum and/or minimum height for the worksurface
- 120V, grounded straight plug with a 9.5' power cord


Keyboard Systems Installation Guidelines

U.S. List Prices - Effective March 1, 2015


OVERVIEW

- Most 2-Leg RISE bases are designed to accommodate keyboard tracks without the use of spacers (see examples below)
- 3-Leg RISE bases normally require the use of spacers to mount keyboard tracks
- Front Crank bases require spacers
- Please contact ISE Customer Service to determine if your desired configuration requires spacers


2-Leg Base with Rectangular Worksurface




Worksurface: Rectangular, 23" actual depth
Base: 2-Leg / SML 36" - 47"W
Spacers: None
Note: Use shallow platform to store under worksurface



Worksurface: Rectangular, 23" actual depth
Base: 2-Leg / MED 48" - 84"W
Spacers: None
Note: Use shallow platform to store under worksurface



Worksurface: Rectangular, 29" actual depth
Base: 2-Leg / SML 36" - 47"W
Spacers: None




Worksurface: Rectangular, 29" actual depth
Base: 2-Leg / MED 48" - 84"W
Spacers: None


Keyboard Systems Installation Guidelines

U.S. List Prices - Effective March 1, 2015

2-Leg Base with Rectangular Worksurface (continued)




Worksurface: Rectangular, 23" actual depth
Base: 2-Leg / LRG 85" - 90"W
Spacers: Required – use SB-SPACERSET-CRP24 List \$50




Worksurface: Rectangular, 29" actual depth
Base: 2-Leg / LRG 85" - 90"W
Spacers: Required – use SB-SPACERSET-CRP30 List \$50

2-Leg Base with Equal Corner Worksurface



Worksurface: Equal Corner, 23" actual depth
Base: 2-Leg / SML 36" - 48"W
Spacers: None




Worksurface: Equal Corner, 29" actual depth
Base: 2-Leg / MED 36" - 48"W
Spacers: None


Keyboard Systems Installation Guidelines

U.S. List Prices - Effective March 1, 2015


2-Leg Base with Extended Corner Worksurface




Worksurface: Extended Corner, 23" actual depth
Base: 2-Leg / SML 36" - 47"W
Spacers: None



Worksurface: Extended Corner, 23" actual depth
Base: 2-Leg / MED 48" - 84"W
Spacers: None
Note: Side location – use shallow platform to store under worksurface



Worksurface: Extended Corner, 29" actual depth
Base: 2-Leg / SML 36" - 47"W
Spacers: None




Worksurface: Extended Corner, 29" actual depth
Base: 2-Leg / MED 48" - 84"W
Spacers: None
Note: Side location – use shallow platform to store under worksurface

Keyboard Systems Installation Guidelines

U.S. List Prices - Effective March 1, 2015

2-Leg Base with Extended Corner Worksurface (continued)




Worksurface: Extended Corner, 23" actual depth

Base: 2-Leg / LRG 85" - 90"W

Spacers: Required – use SB-SPACERSET-CRP24 List \$50

Note: Side location – use shallow platform to store under worksurface




Worksurface: Extended Corner, 29" actual depth

Base: 2-Leg / LRG 85" - 90"W

Spacers: Required – use SB-SPACERSET-CRP24 List \$50

Front Crank Base with Rectangular Worksurface




Worksurface: Rectangular, 23" or 29" actual depth


Base: 2-Leg Front Crank / 30" - 72" W

Spacers: Required – 23" use SB-SPACERSET-CRP24 List \$50
– 29" use SB-SPACERSET-CRP30 List \$50

COMPLETE TABLE



BASE ONLY



STEP 1 Select Worksurface Shape

Rectangular	pages 69-72
Peninsula	pages 73-75
Transition	pages 76-77
Equal Corner	pages 78-81
Extended Corner	pages 82-85
Wing	pages 86-87
Collaboration	page 88
Meeting	page 89

STEP 2 Select Base Type

Electric	pages 90-106
Counterbalance	page 107
Crank	pages 108-109
Fixed Height	page 110

STEP 3 Select Accessories pages 111-119

STEP 1 Select Base Type

Electric	pages 90-106
Counterbalance	page 107
Crank	pages 108-109
Fixed Height	page 110

STEP 2 Select Accessories pages 111-119

IMPORTANT NOTES:

PINCH CLEARANCES

- Actual worksurface dimensions are 1" shorter in depth, and 1" shorter in width, than nominal dimensions to allow for cord management and to minimize potential pinch hazard
- Unless otherwise requested, actual worksurface dimensions will be automatically provided
- To order a worksurface without reductions for pinch points, add "AD" for Actual Dimensions after the worksurface size in the product code. For example, to order a 24"x 48" rectangular worksurface with actual dimensions of 24" and 48", specify ST-RES-3-2448AD-XX


PACKAGING

- Bases and worksurfaces are shipped disassembled (knock-down)
- On orders of 1 to 9 units, bases are shipped individually packaged
- On orders of 10 or more units, bases are shipped bulk packaged (individually packaged bases available at an upcharge)





































































































RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



RECTANGULAR

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
24	30	23	29	ST-RES	- 	- 2430	-  	-  		\$131
24	36	23	35	ST-RES	- 	- 2436	-  	-  		\$158
24	42	23	41	ST-RES	- 	- 2442	-  	-  		\$184
24	48	23	47	ST-RES	- 	- 2448	-  	-  		\$210
24	54	23	53	ST-RES	- 	- 2454	-  	-  		\$236
24	60	23	59	ST-RES	- 	- 2460	-  	-  		\$263
24	66	23	65	ST-RES	- 	- 2466	-  	-  		\$289
24	72	23	71	ST-RES	- 	- 2472	-  	-  		\$315
24	84	23	83	ST-RES	- 	- 2484	-  	-  		\$368
24	90	23	89	ST-RES	- 	- 2490	-  	-  		\$394
30	30	29	29	ST-RES	- 	- 3030	-  	-  		\$168
30	36	29	35	ST-RES	- 	- 3036	-  	-  		\$200
30	42	29	41	ST-RES	- 	- 3042	-  	-  		\$231
30	48	29	47	ST-RES	- 	- 3048	-  	-  		\$263
30	54	29	53	ST-RES	- 	- 3054	-  	-  		\$296
30	60	29	59	ST-RES	- 	- 3060	-  	-  		\$326
30	66	29	65	ST-RES	- 	- 3066	-  	-  		\$362
30	72	29	71	ST-RES	- 	- 3072	-  	-  		\$389
30	84	29	83	ST-RES	- 	- 3084	-  	-  		\$460
30	90	29	89	ST-RES	- 	- 3090	-  	-  		\$493

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-RES

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 2430

4 Laminate Color
Please see Color
Guide p.195

5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.


To order Base:

Electric p.90, Counterbalance p.107, Crank p.108, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



RECTANGULAR CONCAVE

Nominal Dimensions		Actual Dimensions			Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	Product	Edge Style		Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
24	30	23	29	21	ST-REC	-	<input type="checkbox"/>	- 2430	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$131
24	36	23	35	20	ST-REC	-	<input type="checkbox"/>	- 2436	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$158
24	42	23	41	20	ST-REC	-	<input type="checkbox"/>	- 2442	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$184
24	48	23	47	20	ST-REC	-	<input type="checkbox"/>	- 2448	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$210
24	54	23	53	20	ST-REC	-	<input type="checkbox"/>	- 2454	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$236
24	60	23	59	19.5	ST-REC	-	<input type="checkbox"/>	- 2460	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$263
24	66	23	65	19.5	ST-REC	-	<input type="checkbox"/>	- 2466	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$289
24	72	23	71	19.5	ST-REC	-	<input type="checkbox"/>	- 2472	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$315
24	84	23	83	19	ST-REC	-	<input type="checkbox"/>	- 2484	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$368
24	90	23	89	19	ST-REC	-	<input type="checkbox"/>	- 2490	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$394
30	30	29	29	27	ST-REC	-	<input type="checkbox"/>	- 3030	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$168
30	36	29	35	26	ST-REC	-	<input type="checkbox"/>	- 3036	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$200
30	42	29	41	26	ST-REC	-	<input type="checkbox"/>	- 3042	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$231
30	48	29	47	26	ST-REC	-	<input type="checkbox"/>	- 3048	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$263
30	54	29	53	26	ST-REC	-	<input type="checkbox"/>	- 3054	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$296
30	60	29	59	25.5	ST-REC	-	<input type="checkbox"/>	- 3060	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$326
30	66	29	65	25.5	ST-REC	-	<input type="checkbox"/>	- 3066	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$362
30	72	29	71	25.5	ST-REC	-	<input type="checkbox"/>	- 3072	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$389
30	84	29	83	25	ST-REC	-	<input type="checkbox"/>	- 3084	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$460
30	90	29	89	25	ST-REC	-	<input type="checkbox"/>	- 3090	- <input type="checkbox"/>	<input type="checkbox"/>	- <input type="checkbox"/>	\$493

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-REC

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 2430

4 Laminate Color
Please see Color
Guide p.195

5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.


To order Base:

Electric p.90, Crank p.108, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



RECTANGULAR BI-LEVEL (DUAL ARM MECHANISM INCLUDED)

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	30	29	29	ST-RDS	- <input type="checkbox"/>	- 3030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$677
30	36	29	35	ST-RDS	- <input type="checkbox"/>	- 3036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$704
30	42	29	41	ST-RDS	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$730
30	48	29	47	ST-RDS	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$751
30	54	29	53	ST-RDS	- <input type="checkbox"/>	- 3054	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$796
30	60	29	59	ST-RDS	- <input type="checkbox"/>	- 3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$840

NOTES

- Worksurface list price includes a A-7090 dual arm mechanism
- Front worksurface depth 11", rear worksurface depth 17"
- Front surface laminate and edge matches the rear worksurface

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-RDS

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 3030

4 Laminate Color
Please see Color
Guide p.195

5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.


To order Base:

Electric p.91, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



RECTANGULAR DUAL TIER (FOR USE WITH DUAL TIER BASE)

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	48	29	47	ST-DTS	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$302
30	54	29	53	ST-DTS	- <input type="checkbox"/>	- 3054	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$340
30	60	29	59	ST-DTS	- <input type="checkbox"/>	- 3060	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$378
30	66	29	65	ST-DTS	- <input type="checkbox"/>	- 3066	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$416
30	72	29	71	ST-DTS	- <input type="checkbox"/>	- 3072	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$446
30	84	29	83	ST-DTS	- <input type="checkbox"/>	- 3084	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$529
30	90	29	89	ST-DTS	- <input type="checkbox"/>	- 3090	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$567

NOTES

- For use with a 4-Leg Dual Tier base
- Front and rear worksurfaces have a depth of 14" each
- Front surface laminate and edge matches the rear worksurface

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-DTS

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 3030

4 Laminate Color
Please see Color
Guide p.195


5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.

To order Base:
Electric p.92

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
24	36	23	35	ST-PEN	- <input type="checkbox"/>	- 2436	- <input type="checkbox"/>	- <input type="checkbox"/>		\$158
24	42	23	41	ST-PEN	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/>	- <input type="checkbox"/>		\$184
24	48	23	47	ST-PEN	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/>	- <input type="checkbox"/>		\$210
24	54	23	53	ST-PEN	- <input type="checkbox"/>	- 2454	- <input type="checkbox"/>	- <input type="checkbox"/>		\$236
24	60	23	59	ST-PEN	- <input type="checkbox"/>	- 2460	- <input type="checkbox"/>	- <input type="checkbox"/>		\$263
24	66	23	65	ST-PEN	- <input type="checkbox"/>	- 2466	- <input type="checkbox"/>	- <input type="checkbox"/>		\$289
24	72	23	71	ST-PEN	- <input type="checkbox"/>	- 2472	- <input type="checkbox"/>	- <input type="checkbox"/>		\$315
24	78	23	77	ST-PEN	- <input type="checkbox"/>	- 2478	- <input type="checkbox"/>	- <input type="checkbox"/>		\$342
24	84	23	83	ST-PEN	- <input type="checkbox"/>	- 2484	- <input type="checkbox"/>	- <input type="checkbox"/>		\$368
24	90	23	89	ST-PEN	- <input type="checkbox"/>	- 2490	- <input type="checkbox"/>	- <input type="checkbox"/>		\$394
30	36	29	35	ST-PEN	- <input type="checkbox"/>	- 3036	- <input type="checkbox"/>	- <input type="checkbox"/>		\$200
30	42	29	41	ST-PEN	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/>	- <input type="checkbox"/>		\$231
30	48	29	47	ST-PEN	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/>	- <input type="checkbox"/>		\$263
30	54	29	53	ST-PEN	- <input type="checkbox"/>	- 3054	- <input type="checkbox"/>	- <input type="checkbox"/>		\$296
30	60	29	59	ST-PEN	- <input type="checkbox"/>	- 3060	- <input type="checkbox"/>	- <input type="checkbox"/>		\$326
30	66	29	65	ST-PEN	- <input type="checkbox"/>	- 3066	- <input type="checkbox"/>	- <input type="checkbox"/>		\$362
30	72	29	71	ST-PEN	- <input type="checkbox"/>	- 3072	- <input type="checkbox"/>	- <input type="checkbox"/>		\$389
30	78	29	77	ST-PEN	- <input type="checkbox"/>	- 3078	- <input type="checkbox"/>	- <input type="checkbox"/>		\$427
30	84	29	83	ST-PEN	- <input type="checkbox"/>	- 3084	- <input type="checkbox"/>	- <input type="checkbox"/>		\$460
30	90	29	89	ST-PEN	- <input type="checkbox"/>	- 3090	- <input type="checkbox"/>	- <input type="checkbox"/>		\$493

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-PEN
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 2436
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.93, Crank p.109, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



P PENINSULA LEFT

Nominal Dimensions			Actual Dimensions			Worksurface Product Code						Worksurface List Price	
A	B	C	A	B	C	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
30	60	24	29	59	23	ST-PPL	- <input type="checkbox"/>	306024	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$326	
30	66	24	29	65	23	ST-PPL	- <input type="checkbox"/>	306624	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$362	
30	72	24	29	71	23	ST-PPL	- <input type="checkbox"/>	307224	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$389	
30	78	24	29	77	23	ST-PPL	- <input type="checkbox"/>	307824	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$427	
30	84	24	29	83	23	ST-PPL	- <input type="checkbox"/>	308424	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$460	
36	60	30	35	59	29	ST-PPL	- <input type="checkbox"/>	366030	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$395	
36	66	30	35	65	29	ST-PPL	- <input type="checkbox"/>	366630	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$434	
36	72	30	35	71	29	ST-PPL	- <input type="checkbox"/>	367230	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$473	
36	78	30	35	77	29	ST-PPL	- <input type="checkbox"/>	367830	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$513	
36	84	30	35	83	29	ST-PPL	- <input type="checkbox"/>	368430	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$552	

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-PPL
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 306024
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.94, Crank p.109, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



P PENINSULA RIGHT

Nominal Dimensions			Actual Dimensions			Worksurface Product Code					Worksurface List Price		
A	B	C	A	B	C	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	60	30	23	59	29	ST-PPR	- <input type="checkbox"/>	- 246030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$326	
24	66	30	23	65	29	ST-PPR	- <input type="checkbox"/>	- 246630	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$362	
24	72	30	23	71	29	ST-PPR	- <input type="checkbox"/>	- 247230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$389	
24	78	30	23	77	29	ST-PPR	- <input type="checkbox"/>	- 247830	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$427	
24	84	30	23	83	29	ST-PPR	- <input type="checkbox"/>	- 248430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$460	
30	60	36	29	59	35	ST-PPR	- <input type="checkbox"/>	- 306036	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$395	
30	66	36	29	65	35	ST-PPR	- <input type="checkbox"/>	- 306636	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$434	
30	72	36	29	71	35	ST-PPR	- <input type="checkbox"/>	- 307236	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$473	
30	78	36	29	77	35	ST-PPR	- <input type="checkbox"/>	- 307836	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$513	
30	84	36	29	83	35	ST-PPR	- <input type="checkbox"/>	- 308436	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$552	

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-PPR

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 246030

4 Laminate Color
Please see Color
Guide p.195

5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.


To order Base:

Electric p.94, Crank p.109, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



TRANSITION LEFT

Nominal Dimensions			Actual Dimensions			Worksurface Product Code						Worksurface List Price	
A	B	C	A	B	C	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
30	30	24	29	29	23	ST-RTL	- <input type="checkbox"/>	- 303024	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$168	
30	36	24	29	35	23	ST-RTL	- <input type="checkbox"/>	- 303624	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$200	
30	42	24	29	41	23	ST-RTL	- <input type="checkbox"/>	- 304224	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$231	
30	48	24	29	47	23	ST-RTL	- <input type="checkbox"/>	- 304824	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$263	
30	54	24	29	53	23	ST-RTL	- <input type="checkbox"/>	- 305424	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$296	
30	60	24	29	59	23	ST-RTL	- <input type="checkbox"/>	- 303024	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$326	
30	66	24	29	65	23	ST-RTL	- <input type="checkbox"/>	- 306624	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$362	
30	72	24	29	71	23	ST-RTL	- <input type="checkbox"/>	- 307224	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$389	
30	78	24	29	77	23	ST-RTL	- <input type="checkbox"/>	- 307824	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$427	
30	84	24	29	83	23	ST-RTL	- <input type="checkbox"/>	- 308424	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$460	
30	90	24	29	89	23	ST-RTL	- <input type="checkbox"/>	- 309024	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$493	

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-RTL
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 303024
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.95, Crank p.109, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



Nominal Dimensions			Actual Dimensions			Worksurface Product Code						Worksurface List Price	
A	B	C	A	B	C	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	30	30	23	29	29	ST-RTR	- <input type="checkbox"/>	- 243030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$168	
24	36	30	23	35	29	ST-RTR	- <input type="checkbox"/>	- 243630	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$200	
24	42	30	23	41	29	ST-RTR	- <input type="checkbox"/>	- 244230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$231	
24	48	30	23	47	29	ST-RTR	- <input type="checkbox"/>	- 244830	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$263	
24	54	30	23	53	29	ST-RTR	- <input type="checkbox"/>	- 245430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$296	
24	60	30	23	59	29	ST-RTR	- <input type="checkbox"/>	- 246030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$326	
24	66	30	23	65	29	ST-RTR	- <input type="checkbox"/>	- 246630	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$362	
24	72	30	23	71	29	ST-RTR	- <input type="checkbox"/>	- 247230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$389	
24	78	30	23	77	29	ST-RTR	- <input type="checkbox"/>	- 247830	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$427	
24	84	30	23	83	29	ST-RTR	- <input type="checkbox"/>	- 248430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$460	
24	90	30	23	89	29	ST-RTR	- <input type="checkbox"/>	- 249030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$493	

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-RTR
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 243030
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.95, Crank p.109, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EQUAL CORNER

Nominal Dimensions		Actual Dimensions				Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	36	23	35	17	32.5	ST-COS	- <input type="checkbox"/>	- 2436	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$257	
24	42	23	41	25.5	37	ST-COS	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$368	
24	48	23	47	34	41	ST-COS	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$462	
30	42	29	41	17	42	ST-COS	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$368	
30	48	29	47	25.5	45	ST-COS	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$462	

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-COS
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 2436
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.96, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EQUAL CORNER CONCAVE

Nominal Dimensions		Actual Dimensions				Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	36	23	35	17	32.5	ST-COC	- <input type="checkbox"/>	- 2436	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$257	
24	42	23	41	25.5	37	ST-COC	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$368	
24	48	23	47	34	41	ST-COC	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$462	
30	42	29	41	17	42	ST-COC	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$368	
30	48	29	47	25.5	45	ST-COC	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$462	

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-COC

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 2436

4 Laminate Color
Please see Color
Guide p.195


5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.

To order Base:
Electric p.96, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EQUAL CORNER BI-LEVEL (DUAL ARM MECHANISM INCLUDED)

Nominal Dimensions		Actual Dimensions				Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	36	23	35	17	32.5	ST-CDS	- <input type="checkbox"/>	- 2436	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$425	
24	42	23	41	25.5	37	ST-CDS	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$803	
24	48	23	47	34	41	ST-CDS	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$903	
30	42	29	41	17	42	ST-CDS	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$509	
30	48	29	47	25.5	45	ST-CDS	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$903	

NOTES

- Worksurface list price includes a A-7090 dual arm mechanism
- Front worksurface depth 11"
- Front surface laminate and edge matches rear worksurface

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-CDS
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 2436
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.97, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EQUAL CORNER BI-LEVEL CONCAVE (DUAL ARM MECHANISM INCLUDED)

Nominal Dimensions		Actual Dimensions				Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	36	23	35	17	32.5	ST-CDC	- <input type="checkbox"/>	- 2436	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$425	
24	42	23	41	25.5	37	ST-CDC	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$803	
24	48	23	47	34	41	ST-CDC	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$903	
30	42	29	41	17	42	ST-CDC	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$509	
30	48	29	47	25.5	45	ST-CDC	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/>	- <input type="checkbox"/>	- <input type="checkbox"/>	\$903	

NOTES


- Worksurface list price includes a A-7090 dual arm mechanism
- Front worksurface depth 11"
- Front surface laminate and edge matches rear worksurface

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-CDC
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 2436
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.

To order Base:

Electric p.97, Fixed Height p.110



EXTENDED CORNER LEFT 24" RETURNS


Nominal Dimensions			Actual Dimensions				Worksurface Product Code						Worksurface List Price
A	B	C	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
24	60	36	23	59	35	23	ST-ECO	- <input type="checkbox"/>	- 246036	- <input type="checkbox"/>	- <input type="checkbox"/>		\$395
24	60	42	23	59	41	23	ST-ECO	- <input type="checkbox"/>	- 246042	- <input type="checkbox"/>	- <input type="checkbox"/>		\$461
24	60	48	23	59	47	23	ST-ECO	- <input type="checkbox"/>	- 246048	- <input type="checkbox"/>	- <input type="checkbox"/>		\$526
24	60	54	23	59	53	23	ST-ECO	- <input type="checkbox"/>	- 246054	- <input type="checkbox"/>	- <input type="checkbox"/>		\$592
24	72	36	23	71	35	23	ST-ECO	- <input type="checkbox"/>	- 247236	- <input type="checkbox"/>	- <input type="checkbox"/>		\$475
24	72	42	23	71	41	23	ST-ECO	- <input type="checkbox"/>	- 247242	- <input type="checkbox"/>	- <input type="checkbox"/>		\$750
24	72	48	23	71	47	23	ST-ECO	- <input type="checkbox"/>	- 247248	- <input type="checkbox"/>	- <input type="checkbox"/>		\$750
24	72	54	23	71	53	23	ST-ECO	- <input type="checkbox"/>	- 247254	- <input type="checkbox"/>	- <input type="checkbox"/>		\$770
24	72	60	23	71	59	23	ST-ECO	- <input type="checkbox"/>	- 247260	- <input type="checkbox"/>	- <input type="checkbox"/>		\$829
24	84	36	23	83	35	23	ST-ECO	- <input type="checkbox"/>	- 248436	- <input type="checkbox"/>	- <input type="checkbox"/>		\$553
24	84	42	23	83	41	23	ST-ECO	- <input type="checkbox"/>	- 248442	- <input type="checkbox"/>	- <input type="checkbox"/>		\$875
24	84	48	23	83	47	23	ST-ECO	- <input type="checkbox"/>	- 248448	- <input type="checkbox"/>	- <input type="checkbox"/>		\$775
24	84	54	23	83	53	23	ST-ECO	- <input type="checkbox"/>	- 248454	- <input type="checkbox"/>	- <input type="checkbox"/>		\$830
24	84	60	23	83	59	23	ST-ECO	- <input type="checkbox"/>	- 248460	- <input type="checkbox"/>	- <input type="checkbox"/>		\$850
24	84	72	23	83	71	23	ST-ECO	- <input type="checkbox"/>	- 248472	- <input type="checkbox"/>	- <input type="checkbox"/>		\$855
24	90	36	23	89	35	23	ST-ECO	- <input type="checkbox"/>	- 249036	- <input type="checkbox"/>	- <input type="checkbox"/>		\$592
24	90	42	23	89	41	23	ST-ECO	- <input type="checkbox"/>	- 249042	- <input type="checkbox"/>	- <input type="checkbox"/>		\$937
24	90	48	23	89	47	23	ST-ECO	- <input type="checkbox"/>	- 249048	- <input type="checkbox"/>	- <input type="checkbox"/>		\$810
24	90	54	23	89	53	23	ST-ECO	- <input type="checkbox"/>	- 249054	- <input type="checkbox"/>	- <input type="checkbox"/>		\$875
24	90	60	23	89	59	23	ST-ECO	- <input type="checkbox"/>	- 249060	- <input type="checkbox"/>	- <input type="checkbox"/>		\$921
24	90	72	23	89	71	23	ST-ECO	- <input type="checkbox"/>	- 249072	- <input type="checkbox"/>	- <input type="checkbox"/>		\$950

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-ECO
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 246036
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.

To order Base:

Electric p.98 & 100, Fixed Height p.110



EXTENDED CORNER RIGHT 24" RETURNS

Nominal Dimensions			Actual Dimensions				Worksurface Product Code					Worksurface List Price	
A	B	C	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
36	60	24	35	59	23	23	ST-ECO	- <input type="checkbox"/>	366024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$395
42	60	24	41	59	23	23	ST-ECO	- <input type="checkbox"/>	426024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$461
48	60	24	47	59	23	23	ST-ECO	- <input type="checkbox"/>	486024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$526
54	60	24	53	59	23	23	ST-ECO	- <input type="checkbox"/>	546024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$592
36	72	24	35	71	23	23	ST-ECO	- <input type="checkbox"/>	367224	- <input type="checkbox"/>	- <input type="checkbox"/>		\$475
42	72	24	41	71	23	23	ST-ECO	- <input type="checkbox"/>	427224	- <input type="checkbox"/>	- <input type="checkbox"/>		\$750
48	72	24	47	71	23	23	ST-ECO	- <input type="checkbox"/>	487224	- <input type="checkbox"/>	- <input type="checkbox"/>		\$750
54	72	24	53	71	23	23	ST-ECO	- <input type="checkbox"/>	547224	- <input type="checkbox"/>	- <input type="checkbox"/>		\$770
60	72	24	59	71	23	23	ST-ECO	- <input type="checkbox"/>	607224	- <input type="checkbox"/>	- <input type="checkbox"/>		\$829
36	84	24	35	83	23	23	ST-ECO	- <input type="checkbox"/>	368424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$553
42	84	24	41	83	23	23	ST-ECO	- <input type="checkbox"/>	428424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$875
48	84	24	47	83	23	23	ST-ECO	- <input type="checkbox"/>	488424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$775
54	84	24	53	83	23	23	ST-ECO	- <input type="checkbox"/>	548424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$830
60	84	24	59	83	23	23	ST-ECO	- <input type="checkbox"/>	608424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$850
72	84	24	71	83	23	23	ST-ECO	- <input type="checkbox"/>	728424	- <input type="checkbox"/>	- <input type="checkbox"/>		\$855
36	90	24	35	89	23	23	ST-ECO	- <input type="checkbox"/>	369024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$592
42	90	24	41	89	23	23	ST-ECO	- <input type="checkbox"/>	429024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$937
48	90	24	47	89	23	23	ST-ECO	- <input type="checkbox"/>	489024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$810
54	90	24	53	89	23	23	ST-ECO	- <input type="checkbox"/>	549024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$875
60	90	24	59	89	23	23	ST-ECO	- <input type="checkbox"/>	609024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$921
72	90	24	71	89	23	23	ST-ECO	- <input type="checkbox"/>	729024	- <input type="checkbox"/>	- <input type="checkbox"/>		\$950

TO ORDER WORKSURFACE - SPECIFY:

- Product**
eg. ST-ECO
- Edge Style**
T-Mold: 2
Edge Band: 3
- Size**
eg. - 366024
- Laminate Color**
Please see Color Guide p.195
- Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.98 & 100, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EXTENDED CORNER LEFT 30" RETURNS

Nominal Dimensions			Actual Dimensions			Worksurface Product Code						Worksurface List Price	
A	B	C	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	60	42	29	59	41	29	ST-ECO	- <input type="checkbox"/>	- 306042	- <input type="checkbox"/>	- <input type="checkbox"/>	\$461	
30	60	48	29	59	47	29	ST-ECO	- <input type="checkbox"/>	- 306048	- <input type="checkbox"/>	- <input type="checkbox"/>	\$526	
30	60	54	29	59	53	29	ST-ECO	- <input type="checkbox"/>	- 306054	- <input type="checkbox"/>	- <input type="checkbox"/>	\$592	
30	72	42	29	71	41	29	ST-ECO	- <input type="checkbox"/>	- 307242	- <input type="checkbox"/>	- <input type="checkbox"/>	\$750	
30	72	48	29	71	47	29	ST-ECO	- <input type="checkbox"/>	- 307248	- <input type="checkbox"/>	- <input type="checkbox"/>	\$825	
30	72	54	29	71	53	29	ST-ECO	- <input type="checkbox"/>	- 307254	- <input type="checkbox"/>	- <input type="checkbox"/>	\$810	
30	72	60	29	71	59	29	ST-ECO	- <input type="checkbox"/>	- 307260	- <input type="checkbox"/>	- <input type="checkbox"/>	\$850	
30	84	42	29	83	41	29	ST-ECO	- <input type="checkbox"/>	- 308442	- <input type="checkbox"/>	- <input type="checkbox"/>	\$875	
30	84	48	29	83	47	29	ST-ECO	- <input type="checkbox"/>	- 308448	- <input type="checkbox"/>	- <input type="checkbox"/>	\$855	
30	84	54	29	83	53	29	ST-ECO	- <input type="checkbox"/>	- 308454	- <input type="checkbox"/>	- <input type="checkbox"/>	\$860	
30	84	60	29	83	59	29	ST-ECO	- <input type="checkbox"/>	- 308460	- <input type="checkbox"/>	- <input type="checkbox"/>	\$900	
30	84	72	29	83	71	29	ST-ECO	- <input type="checkbox"/>	- 308472	- <input type="checkbox"/>	- <input type="checkbox"/>	\$921	
30	90	42	29	89	41	29	ST-ECO	- <input type="checkbox"/>	- 309042	- <input type="checkbox"/>	- <input type="checkbox"/>	\$937	
30	90	48	29	89	47	29	ST-ECO	- <input type="checkbox"/>	- 309048	- <input type="checkbox"/>	- <input type="checkbox"/>	\$875	
30	90	54	29	89	53	29	ST-ECO	- <input type="checkbox"/>	- 309054	- <input type="checkbox"/>	- <input type="checkbox"/>	\$921	
30	90	60	29	89	59	29	ST-ECO	- <input type="checkbox"/>	- 309060	- <input type="checkbox"/>	- <input type="checkbox"/>	\$930	
30	90	72	29	89	71	29	ST-ECO	- <input type="checkbox"/>	- 309072	- <input type="checkbox"/>	- <input type="checkbox"/>	\$1050	

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-ECO
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 306042
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.98 & 100, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



EXTENDED CORNER RIGHT 30" RETURNS

Nominal Dimensions			Actual Dimensions				Worksurface Product Code						Worksurface List Price
A	B	C	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
42	60	30	41	59	29	29	ST-ECO	- <input type="checkbox"/>	- 426030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$461
48	60	30	47	59	29	29	ST-ECO	- <input type="checkbox"/>	- 486030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$526
54	60	30	53	59	29	29	ST-ECO	- <input type="checkbox"/>	- 546030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$592
42	72	30	41	71	29	29	ST-ECO	- <input type="checkbox"/>	- 427230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$750
48	72	30	47	71	29	29	ST-ECO	- <input type="checkbox"/>	- 487230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$825
54	72	30	53	71	29	29	ST-ECO	- <input type="checkbox"/>	- 547230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$810
60	72	30	59	71	29	29	ST-ECO	- <input type="checkbox"/>	- 607230	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$850
42	84	30	41	83	29	29	ST-ECO	- <input type="checkbox"/>	- 428430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$875
48	84	30	47	83	29	29	ST-ECO	- <input type="checkbox"/>	- 488430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$855
54	84	30	53	83	29	29	ST-ECO	- <input type="checkbox"/>	- 548430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$860
60	84	30	59	83	29	29	ST-ECO	- <input type="checkbox"/>	- 608430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$900
72	84	30	71	83	29	29	ST-ECO	- <input type="checkbox"/>	- 728430	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$921
42	90	30	41	89	29	29	ST-ECO	- <input type="checkbox"/>	- 429030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$937
48	90	30	47	89	29	29	ST-ECO	- <input type="checkbox"/>	- 489030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$875
54	90	30	53	89	29	29	ST-ECO	- <input type="checkbox"/>	- 549030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$921
60	90	30	59	89	29	29	ST-ECO	- <input type="checkbox"/>	- 609030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$930
72	90	30	71	89	29	29	ST-ECO	- <input type="checkbox"/>	- 729030	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$1050

TO ORDER WORKSURFACE - SPECIFY:

- Product**
eg. ST-ECO
- Edge Style**
T-Mold: 2
Edge Band: 3
- Size**
eg. - 426030
- Laminate Color**
Please see Color Guide p.195
- Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.98 & 100, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



90 DEGREE WING

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price	
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	36	23	35	ST-WIN	- <input type="checkbox"/>	2436	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$260	
24	42	23	41	ST-WIN	- <input type="checkbox"/>	2442	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$368	
24	48	23	47	ST-WIN	- <input type="checkbox"/>	2448	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$462	
24	54	23	53	ST-WIN	- <input type="checkbox"/>	2454	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$580	
24	60	23	59	ST-WIN	- <input type="checkbox"/>	2460	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$600	
24	66	23	65	ST-WIN	- <input type="checkbox"/>	2466	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$700	
24	72	23	71	ST-WIN	- <input type="checkbox"/>	2472	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$775	
24	84	23	83	ST-WIN	- <input type="checkbox"/>	2484	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$855	
30	42	29	41	ST-WIN	- <input type="checkbox"/>	3042	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$368	
30	48	29	47	ST-WIN	- <input type="checkbox"/>	3048	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$462	
30	54	29	53	ST-WIN	- <input type="checkbox"/>	3054	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$580	
30	60	29	59	ST-WIN	- <input type="checkbox"/>	3060	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$600	
30	66	29	65	ST-WIN	- <input type="checkbox"/>	3066	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$750	
30	72	29	71	ST-WIN	- <input type="checkbox"/>	3072	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$850	
30	84	29	83	ST-WIN	- <input type="checkbox"/>	3084	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	\$921	

TO ORDER WORKSURFACE - SPECIFY:

- Product**
eg. ST-WIN
- Edge Style**
T-Mold: 2
Edge Band: 3
- Size**
eg. - 2436
- Laminate Color**
Please see Color Guide p.195
- Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.99 & 100, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



120 DEGREE WING

Nominal Dimensions		Actual Dimensions				Worksurface Product Code						Worksurface List Price	
A	B	A	B	C	D	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band		
24	42	23	41	40	71	ST-120	- <input type="checkbox"/>	- 2442	- <input type="checkbox"/>	- <input type="checkbox"/>		\$710	
24	48	23	47	43	82	ST-120	- <input type="checkbox"/>	- 2448	- <input type="checkbox"/>	- <input type="checkbox"/>		\$829	
24	54	23	53	46	92	ST-120	- <input type="checkbox"/>	- 2454	- <input type="checkbox"/>	- <input type="checkbox"/>		\$958	
24	60	23	59	49	103	ST-120	- <input type="checkbox"/>	- 2460	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1129	
24	66	23	65	52	113	ST-120	- <input type="checkbox"/>	- 2466	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1238	
24	72	23	71	55	123	ST-120	- <input type="checkbox"/>	- 2472	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1348	
30	42	29	41	45	71	ST-120	- <input type="checkbox"/>	- 3042	- <input type="checkbox"/>	- <input type="checkbox"/>		\$789	
30	48	29	47	48	82	ST-120	- <input type="checkbox"/>	- 3048	- <input type="checkbox"/>	- <input type="checkbox"/>		\$921	
30	54	29	53	51	92	ST-120	- <input type="checkbox"/>	- 3054	- <input type="checkbox"/>	- <input type="checkbox"/>		\$958	
30	60	29	59	54	103	ST-120	- <input type="checkbox"/>	- 3060	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1129	
30	66	29	65	57	113	ST-120	- <input type="checkbox"/>	- 3066	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1238	
30	72	29	71	60	123	ST-120	- <input type="checkbox"/>	- 3072	- <input type="checkbox"/>	- <input type="checkbox"/>		\$1348	

TO ORDER WORKSURFACE - SPECIFY:

1 Product
eg. ST-120

2 Edge Style
T-Mold: 2
Edge Band: 3

3 Size
eg. - 2442

4 Laminate Color
Please see Color
Guide p.195

5 Edge Color (T-Mold only)
T-Mold: See Color Guide
Edge Band: Edge Color code
is not required - edge color
matches laminate.


To order Base:

Electric p.101 & 102, Fixed Height p.110

RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



TRYSS COLLABORATION

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
CURVED ENDS										
27	60	26	59	ST-TYC	- <input type="checkbox"/>	2760	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$1300
SQUARED ENDS										
27	60	26	59	ST-TYS	- <input type="checkbox"/>	2760	- <input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>		\$1300

TO ORDER WORKSURFACE - SPECIFY:

- 1 Product**
eg. ST-TYC
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 2760
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.


To order Base:

Electric p.103, Fixed Height p.110



















































RISE

Worksurfaces

U.S. List Prices - Effective March 1, 2015



MEETING TABLE

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
A	B	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
48	72	47	71	ST-RES	- 	4872	-  	-  		\$631
48	84	47	83	ST-RES	- 	4884	-  	-  		\$736
48	96	47	95	ST-RES	- 	4896	-  	-  		\$842
60	72	59	71	ST-RES	- 	6072	-  	-  		\$789
60	84	59	83	ST-RES	- 	6084	-  	-  		\$921
60	96	59	95	ST-RES	- 	6096	-  	-  		\$1052
60	108	59	107	ST-RES	- 	60108	-  	-  		\$1184
60	120	59	119	ST-RES	- 	60120	-  	-  		\$1315
60	132	59	131	ST-RES	- 	60132	-  	-  		\$1447
60	140	59	139	ST-RES	- 	60140	-  	-  		\$1578

NOTES

- Number of Worksurface Pieces

A	B						
	72"	84"	96"	108"	120"	132"	140"
48"	2	2	2				
60"	2	2	2	3	3	3	3

- For other worksurface sizes, please contact ISE Customer Service

TO ORDER WORKSURFACE - SPECIFY:



- 1 Product**
eg. ST-RES
- 2 Edge Style**
T-Mold: 2
Edge Band: 3
- 3 Size**
eg. - 4872
- 4 Laminate Color**
Please see Color Guide p.195
- 5 Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate.

To order Base:

Electric p.104, Fixed Height p.110

RISE Bases

U.S. List Prices - Effective March 1, 2015



ELECTRIC 2-LEG BASE FOR

- Rectangular Worksurface
- Rectangular Concave Worksurface







Base Size Chart

		B			
		Worksurface Dimensions	30" - 35"	36" - 47"	48" - 84"
A	19" - 23"	19-30C	19-SML	19-MED	19-LRG
	24" - 30"	23-30C	23-SML	23-MED	23-LRG
	31" - 36"	29-30C	29-SML	29-MED	29-LRG

Height Range		Base Product Code			Base List Price	
		Product	Base Size	Base Color	For any size 2-Leg Electric Base	
22"- 48"		SB-RISE-2	-	-	\$1690	
27"- 46"		SB-RS2-2	-	-	\$1490	

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:



RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

1 Product

eg. SB-RISE-2

2 Base Size

Identify worksurface dimensions A and B in the chart above. Enter the corresponding base size into the product code.
eg. 19-30C

3 Base Color


Silver SM
Black BK
White WH

4 Control Switch (optional)

Base includes a standard control switch. To order an optional control switch (p.111) please use a separate order line.

Note:

Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- Rectangular Bi-Level Worksurface


Base Size Chart

A	B	
	Worksurface Dimensions	
	36" – 47"	48" – 60"
	30"	23-SML 23-MED

Base Product Code		Base List Price	
Height Range	Product	Base Size	Base Color
22" - 48"	SB-RISE-2	-	-
27" - 46"	SB-RS2-2	-	-

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:



Note: A-7090 Dual Arm is included in the Rectangular Bi-Level Worksurface list price. Dual Arm mechanism has a height range of 13.5" (7" above and 6.5" below) and a tilt range of +/- 15°


RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2
- Base Size**
Identify worksurface dimensions A and B in the chart above. Enter the corresponding base size into the product code.
eg. 23 - SML
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:

Worksurface sold separately



ELECTRIC 4-LEG BASE FOR

- Rectangular Dual Tier Worksurface


Worksurface Dimensions

A	30"
B	30" - 90"

Height Range	Product	Base Product Code				Base List Price
		A	B	Base Color	For any size 4-Leg Electric Base	
22" - 48"	SB-RISE-4-DTS	-		-		\$3450
27" - 46"	SB-RS2-4-DTS	-		-		\$3050

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-4-DTS
- Base Size**
Identify worksurface dimensions A and B in the chart above. Enter the dimensions into the product code.
eg. 30 - 60
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes two standard control switches. To order optional control switches (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- Peninsula Worksurface







Base Size Chart

A	Worksurface Dimensions	B			
		36" - 38"	39" - 53"	54" - 83"	84" - 89"
	24" - 30"	23-30C	23-SML	23-MED	23-LRG

Height Range		Base Product Code			Base List Price	
Product		Base Size			For any size 2-Leg Electric Base	
22" - 48"	SB-RISE-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1690
27" - 46"	SB-RS2-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1490

Adjustable Ranges of Each Base Size

RISE bases are designed to be width adjustable so one base can fit on a range of top widths. The top widths are:



RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:


- 1 Product**
eg. SB-RISE-2

- 2 Base Size**
Identify worksurface dimensions A and B in the chart above. Enter the corresponding base size into the product code.
eg. 23 - 30C

- 3 Base Color**
Silver SM
Black BK
White WH

- 4 Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- P - Peninsula Worksurface




Base Size Chart

A	B	
	Worksurface Dimensions	60" - 84"
	30"	23-MED
	36"	29-MED

Height Range		Base Product Code			Base List Price	
Product	Base Size	Base Color	For any size 2-Leg Electric Base			
22" - 48"	SB-RISE-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1690
27" - 46"	SB-RS2-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1490

Adjustable Ranges of Each Base Size

RISE bases are designed to be width adjustable so one base can fit on a range of top widths. The top widths are:



RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:


1 Product
eg. SB-RISE-2

2 Base Size
Identify worksurface dimensions A and B in the chart above. Enter the corresponding base size into the product code.
eg. 23-MED


3 Base Color
Silver SM
Black BK
White WH

4 Control Switch (optional)
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



Left



Right

ELECTRIC 2-LEG BASE FOR

- Transition Worksurface




Base Size Chart

A	B				
	Worksurface Dimensions	30" - 35"	36" - 47"	48" - 84"	85" - 90"
	24" - 30"	23-30C	23-SML	23-MED	23-LRG


Height Range		Base Product Code			Base List Price	
Product		Base Size			Base Color	
For any size 2-Leg Electric Base						
22" - 48"	SB-RISE-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1690
27" - 46"	SB-RS2-2	-	<input type="checkbox"/> <input type="checkbox"/> - <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1490

Adjustable Ranges of Each Base Size


RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




30C NON-ADJUSTABLE



SML



MED



LRG



RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2
- Base Size**
Identify worksurface dimensions A and B in the chart above. Insert the corresponding base size into the product code.
eg. 23 - 30C
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:

Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- Equal Corner Worksurface
- Equal Corner Concave Worksurface





Minimum + Maximum Worksurface Dimensions

	A	B
Min.	24"	36"
Max.	30"	48"

Height Range	Base Product Code					Base List Price
	Product	A	B	Base Color	For any size 2-Leg Electric Base	
22" - 48"	SB-RISE-2-EQ	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1690
27" - 46"	SB-RS2-2-EQ	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1490

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:





RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- 1 Product**
eg. SB-RISE-2-EQ
- 2 Base Size**
Insert actual worksurface dimensions A and B into the base product code.
eg. 24 - 48
- 3 Base Color**
Silver SM
Black BK
White WH
- 4 Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- Equal Corner Bi-Level Worksurface
- Equal Corner Bi-Level Concave Worksurface



Minimum + Maximum Worksurface Dimensions

	A	B
Min.	24"	36"
Max.	30"	48"

Height Range	Base Product Code					Base List Price
	Product	A	B	Base Color	For any size 2-Leg Electric Base	
22" - 48"	SB-RISE-2-EQ	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1690
27" - 46"	SB-RS2-2-EQ	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	\$1490

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




Note: A-7090 Dual Arm is included in the Rectangular Bi-Level Worksurface list price. Dual Arm mechanism has a height range of 13.5" (7" above and 6.5" below) and a tilt range of +/- 15°

RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2-EQ
- Base Size**
Insert actual worksurface dimensions A and B into the base product code.
eg. 24 - 48
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- Extended Corner Worksurface



Minimum + Maximum Worksurface Dimensions


	A	B	C	D
Min.	19"	36"	36"	19"
Max.	36"	90"	42"	36"

Height Range	Product	Base Product Code					Base List Price
		A	B	C	D	Base Color	
22" - 48"	SB-RISE-2-EXT	-		-		-	\$1690
27" - 46"	SB-RS2-2-EXT	-		-		-	\$1490

Note: For dimension C greater than 42", a 3-Leg base is recommended (p.100)

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2-EXT
- Worksurface Dimensions**
Insert actual worksurface dimensions A-B-C-D into the base product code.
eg. 24 - 60 - 36 - 24
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- 90° Wing Worksurface



Minimum + Maximum Worksurface Dimensions




	A	B
Min.	19"	36"
Max.	36"	48"

Height Range	Product	Base Product Code				Base List Price
		A	B	Base Color	For any size 2-Leg Electric Base	
22" - 48"	SB-RISE-2-EQ	-	<input type="text"/> <input type="text"/>	-	<input type="text"/> <input type="text"/>	\$1690
27" - 46"	SB-RS2-2-EQ	-	<input type="text"/> <input type="text"/>	-	<input type="text"/> <input type="text"/>	\$1490

Note: For dimension B greater than 48", a 3-Leg base is recommended (p.100)

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:



RISE is available in custom sizes. Please contact us with any request.


TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2-EQ
- Worksurface Dimensions**
Insert actual worksurface dimensions A and B into the base product code.
eg. 24 - 48
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately

RISE Bases

U.S. List Prices - Effective March 1, 2015



ELECTRIC 3-LEG BASE FOR

- Extended Corner Worksurface
- 90° Wing Worksurface



Minimum + Maximum Worksurface Dimensions


	A	B	C	D
Min.	19"	49"	43"	19"
Max.	36"	90"	72"	36"

Height Range	Product	Base Product Code					Base List Price
		A	B	C	D	Base Color	
22" - 48"	SB-RISE-3-90	-		-		-	\$2475
27" - 46"	SB-RS2-3-90	-		-		-	\$2175

Note: For dimension C less than 43", a 2-Leg base is recommended (p.98 & 99)

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-3-90
- Worksurface Dimensions**
Insert actual worksurface dimensions A-B-C-D into the base product code.
eg. 24 - 60 - 54 - 24
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:

Worksurface sold separately



ELECTRIC 2-LEG BASE FOR

- 120° Wing Workspace



Minimum + Maximum Workspace Dimensions


	A	B
Min.	19"	36"
Max.	36"	48"

Height Range	Base Product Code					Base List Price For any size 2-Leg Electric Base
	Product	A	B	Base Color		
22" - 48"	SB-RISE-2-120	-	<input type="text"/>	-	<input type="text"/>	\$1690
27" - 46"	SB-RS2-2-120	-	<input type="text"/>	-	<input type="text"/>	\$1490

Note: For dimension B greater than 48", a 3-Leg base is recommended (p.102)

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of workspace widths. The widths are:




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-2-120
- Workspace Dimensions**
Insert actual workspace dimensions A and B into the base product code.
eg. 24 - 48
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Workspace sold separately



ELECTRIC 3-LEG BASE FOR

- 120° Wing Worksurface



Minimum + Maximum Worksurface Dimensions


	A	B
Min.	19"	49"
Max.	36"	72"

Height Range	Base Product Code						Base List Price
	Product	A	B	Base Color		For any size 3-Leg Electric Base	
22" - 48"	SB-RISE-3-120	-		-			\$2750
27" - 46"	SB-RS2-3-120	-		-			\$2450

Note: For dimension B less than 49", a 2-Leg base is recommended (p.101)

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:





RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-3-120
- Worksurface Dimensions**
Insert actual worksurface dimensions A and B into the base product code.
eg. 30 - 72
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:
Worksurface sold separately



ELECTRIC 3-LEG BASE FOR



- Tryss Collaboration Worksurface



Worksurface Dimensions

	A	B
Tryss	27"	60"

Height Range	Base Product Code						Base List Price
	Product		A		B	Base Color	
22" - 48"	SB-RISE-3-TRY	-	27	-	60	- <input type="checkbox"/> <input type="checkbox"/>	\$2700
27" - 46"	SB-RS2-3-TRY	-	27	-	60	- <input type="checkbox"/> <input type="checkbox"/>	\$2400




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-3-TRY
- Base Size**
Insert worksurface dimensions A and B from the chart above into the base product code.
i.e. 27 – 60
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:

Worksurface sold separately



ELECTRIC 4-LEG AND 6-LEG BASE FOR

- Meeting Worksurface

Minimum + Maximum Worksurface Dimensions


4-Leg Base	A	B
Min.	48"	72"
Max.	60"	96"

6-Leg Base	A	B
Min.	60"	97"
Max.	60"	140"


Height Range	Base Product Code						Base List Price
	Product		A		B	Base Color	
22" - 48"	SB-RISE-4	-		-		-	\$3875
22" - 48"	SB-RISE-6	-		-		-	\$5800
27" - 46"	SB-RS2-4	-		-		-	\$3475
27" - 46"	SB-RS2-6	-		-		-	\$5400

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:



Weight capacity: 475 lbs
(including worksurface)



Weight capacity: 575 lbs
(including worksurface)

RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:


- Product**
eg. SB-RISE-4
- Base Size**
Insert worksurface dimensions A and B into the base product code.
eg. 48 – 72
- Base Color**
Silver SM
Black BK
White WH
- Control Switch (optional)**
Base includes a standard control switch. To order an optional control switch (p.111), please use a separate order line.

Note:

Worksurface sold separately

ASCENT Bases

U.S. List Prices - Effective March 1, 2015
Ascent is Not Offered on GSA Schedule



ASCENT ELECTRIC 2-LEG BASE FOR

- Rectangular Worksurface



Size Chart


A	B	
	Worksurface Dimensions	48" - 84"
	24" - 29"	23
	30" - 36"	29

Height Range	Base Product Code					Base List Price
	Product	Size	Base Color	Switch	2-Leg Electric Base	
24.5" - 50"	SB-ASCENT-2	- □ □ - □ □	- □ □	- DRMS		\$1250

- Ascent Features:
- 24.5" - 50" height range
 - Adjustable to fit worksurfaces 48" - 84"
 - 200lbs weight capacity including worksurface
 - Centered T-foot style
 - Standard 4 position digital display memory switch
 - Silver finish

Adjustable Ranges of Each Base Size

Ascent is width adjustable so one base can fit on a range of worksurface widths. The widths are:




TO ORDER BASE - SPECIFY:

- 1 Product**
eg. SB-ASCENT-2
- 2 Size**
Identify worksurface dimensions A and B in the chart above. Insert the corresponding size into the product code.
eg. 23
- 3 Base Color**
Silver SM
(special order colors are available on a project basis)
- 4 Control Switch**
Base includes a standard 4 position digital display memory switch i.e. DRMS

Note:
Worksurface sold separately

ASCENT Bases

U.S. List Prices - Effective March 1, 2015
Ascent is Not Offered on GSA Schedule



ASCENT ELECTRIC 3-LEG BASE FOR

- Extended Corner Worksurface
- 90° Wing Worksurface



Minimum + Maximum Worksurface Dimensions


	A	B	C	D
Min.	24"	48"	48"	24"
Max.	36"	72"	72"	36"

Height Range	Worksurface Depth	Base Product Code				Base List Price
		Product	Base Color	Switch	3-Leg Electric Base	
24.5" - 50"	24" - 29"	SB-ASCENT-3-23	- <input type="checkbox"/> <input type="checkbox"/>	- DRMS		\$1850
24.5" - 50"	30" - 36"	SB-ASCENT-3-29	- <input type="checkbox"/> <input type="checkbox"/>	- DRMS		\$1850

- Ascent Features:
- 24.5" - 50" height range
 - Adjustable to fit worksurfaces 48" - 72"
 - 300lbs weight capacity including worksurface
 - Centered T-foot style
 - Standard 4 position digital display memory switch
 - Silver finish

Adjustable Ranges of Each Base Size

Ascent is width adjustable so one base can fit on a range of worksurface widths. The widths are:



TO ORDER BASE - SPECIFY:

1 Product

eg. SB-ASCENT-3-23

2 Base Color

Silver SM
(special order colors are available on a project basis)

3 Control Switch

Base includes a standard 4 position digital display memory switch i.e. DRMS


Note:

Worksurface sold separately.

COUNTERBALANCE

Bases

U.S. List Prices - Effective March 1, 2015



COUNTERBALANCE 2-LEG BASE FOR

- Rectangular Worksurface

Base Size Chart

A	B						
	Worksurface Dimensions	48"	54"	60"	66"	72"	78"
	24"	2448	2454	2460	2466	2472	2478
	30"	3048	3054	3060	3066	3072	3078

Height Range	Base Product Code				Base List Price
	Product	Base Size	Weight	Base Color	For any size 2-Leg Base
27" - 47"	SB-RISE-CB	- <input type="text"/> <input type="text"/> <input type="text"/> <input type="text"/>	- <input type="text"/> <input type="text"/> <input type="text"/> N	- <input type="text"/> <input type="text"/>	\$2175

Features:

- 27" - 47" height range
- Smooth and silent adjustment
- No need for power
- Centered T-foot style
- Handle can be mounted anywhere on worksurface
- Silver, black or white finish

Weight Ranges:

Counterbalance must be specified with the desired weight capacity. See chart below and enter the desired weight into the code above. Weight ranges include worksurface.



Weight Range	30lbs - 70lbs	32lbs - 82lbs	53lbs - 93lbs	64lbs - 104lbs	75lbs - 115lbs	98lbs - 138lbs	120lbs - 160lbs	143lbs - 183lbs
Code	100N	150N	200N	250N	300N	400N	500N	600N

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RISE-CB
- Base Size**
Identify worksurface dimensions A and B in the chart above. Enter the corresponding base size into the product code.
eg. 2448
- Weight Capacity**
Choose desired weight range from chart
eg. 100N
- Base Color**
Silver SM
Black BK
White WH

Note:

Worksurface sold separately. Not keyboard compatible.



FRONT CRANK 2-LEG BASE FOR

- Rectangular Worksurface
- Rectangular Concave Worksurface





Minimum + Maximum Worksurface Dimensions

	A	B
Min.	24"	30"
Max.	30"	72"

Height Range	Base Product Code					Base List Price
	Product	A	B	Base Color	For any size 2-Leg Crank Base	
25" - 39"	SB-RFC-2	-		-		\$1350

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:




RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RFC-2
- Base Size**
Insert actual worksurface dimensions A and B into the base product code.
eg. 24 - 72
- Base Color**
Silver SM
Black BK
- Crank Handle**
Note: base includes a standard right hand crank handle which is reversible on-site to left hand.

Note:
Worksurface sold separately



FRONT CRANK 2-LEG BASE FOR

- Peninsula Worksurface
- P-Peninsula Worksurface
- Transition Worksurface




Minimum + Maximum Worksurface Dimensions

	A	B
Min.	24"	30"
Max.	30"	72"

Height Range		Base Product Code			Base List Price	
Product		A	B	Base Color	For any size 2-Leg Crank Base	
25" - 39"	SB-RFC-2	-		-		\$1350

Adjustable Ranges of Each Base Size

RISE bases are width adjustable so one base can fit on a range of worksurface widths. The widths are:



RISE is available in custom sizes. Please contact us with any request.

TO ORDER BASE - SPECIFY:

- Product**
eg. SB-RFC-2
- Base Size**
Insert actual worksurface dimensions A and B into the base product code.
eg. 24 - 72
- Base Color**
Silver SM
Black BK
- Crank Handle**
Note: base includes a standard right hand crank handle which is reversible on-site to left hand.

Note:
Worksurface sold separately

FIXED HEIGHT 2-LEG, 3-LEG, 4-LEG, 6-LEG BASES FOR

- All RISE Worksurfaces



ORDERING GUIDE Fixed Height Bases

All shapes and sizes of RISE Worksurfaces can be ordered with 29.5" Fixed Height bases.


Available colors are silver or black (white available with extended lead time).

To order a fixed height base for a RISE Worksurface, see the electric base page for the desired worksurface. Fixed height bases and frames are identical to electric bases and frames but without the height adjustability.

To specify a fixed height base, replace 'RISE' in the Base Product Code with 'RFX' as follows:

Base Type	Base Product Code	List Price
2-Leg Fixed Height Base	SB-RFX-2-[Base Size]-[Base Color]	\$672
3-Leg Fixed Height Base	SB-RFX-3-[Base Size]-[Base Color]	\$1010
4-Leg Fixed Height Base	SB-RFX-4-[Base Size]-[Base Color]	\$1344
6-Leg Fixed Height Base	SB-RFX-6-[Base Size]-[Base Color]	\$2020

OPTIONAL CONTROL SWITCHES




Upgraded Lift Capacity Switch

- For 2-Leg Electric Rise and S2 bases
- Increases lift capacity for 2-Leg electric base to 300 lbs including worksurface
- See p.63 for specifications

Product Code	List Price
RISE-SWITCH-HD	\$60
RISE-SWITCH-HD-A	\$110

PRODUCT CHART

RISE-SWITCH-HD	As option to standard switch on original table order
RISE-SWITCH-HD-A	When purchased separately as an addition



Digital Read-Out Memory Switch

- For Electric Rise and S2 bases
- 4 user-programmable height settings
- See p.63 for specifications

Product Code	List Price
RISE-SWITCH-DRMS	\$105
RISE-SWITCH-DRMS-A	\$147

PRODUCT CHART

RISE-SWITCH-DRMS	As option to standard switch on original table order
RISE-SWITCH-DRMS-A	When purchased separately as an addition



In-Surface Digital Read-Out Memory Switch



- For Electric Rise and S2 bases
- 2 user-programmable height settings
- See p.63 for specifications
- Worksurface hole cut-out charge included
- Hole for switch is located 2" from front edge and 3" from side edge of worksurface

Product Code	List Price
RISE-SWITCH-SUMS-□	\$135
RISE-SWITCH-SUMS-A	\$189

PRODUCT CHART

RISE-SWITCH-SUMS	As option to standard switch on original table order □ is for switch location (L left or R right)
RISE-SWITCH-SUMS-A	When purchased separately as an addition

CABLE MANAGEMENT



SA-VW-LINK

Vertical Cable Manager

- Flexible interlocking blocks
- Four channels to manage cables
- Top bracket attaches to worksurface
- Weighted metal base (7" dia)
- Assembled lengths from 26" to 50"
- Black plastic finish
- Add-on links sold singly (SA-VW-LINK)

Product Code	List Price
SA-VW-26	\$118
SA-VW-32	\$147
SA-VW-44	\$198
SA-VW-50	\$228
SA-VW-LINK	\$8.00

Fit Chart

	No Modesty Panel	With 12" Modesty	With 18" Modesty
RISE	50"	44"	44"
RS2	44"	32"	32"
Crank	44"	32"	26"
Fixed	32"	26"	26"



Vertical Cable Sleeve

- Flexible braided sleeve
- Sleeve expands from 1" dia. to 2-1/8" dia.
- Five foot length
- Color – grey

Product Code	List Price
ACC5-WR-G	\$41

RISE


Accessories

U.S. List Prices - Effective March 1, 2015

CABLE MANAGEMENT

Cable Trough

- Mounts under the worksurface
- Cut-out for vertical cable manager
- Dimensions 5"H x 3"W x L
- 16 ga. metal with powdercoat finish



Product Code	Trough Length	For Worksurface Width	List Price
SA-CTB-24- <input type="text"/> <input type="text"/>	24"	30"	\$57
SA-CTB-30- <input type="text"/> <input type="text"/>	30"	36"	\$64
SA-CTB-36- <input type="text"/> <input type="text"/>	36"	42"	\$71
SA-CTB-42- <input type="text"/> <input type="text"/>	42"	48"	\$79
SA-CTB-54- <input type="text"/> <input type="text"/>	54"	60"	\$98
SA-CTB-66- <input type="text"/> <input type="text"/>	66"	72"	\$116

ORDERING GUIDE


Enter the color code (BK Black, SM Silver, WH White) as follows:

Eg. SA-CTB-24- Color Code

POWER CENTERS



SA-EDGE-2P1D2USB



SIDE VIEW



ADAPTER KIT


Power & Data & USB Centers

- Clamps to the worksurface
- Power receptacles have 15 Amp rating
- Data openings for data or voice jacks (adapter kit included; jacks supplied by others)
- USB charging module has two connection ports per module
- 72" power cord
- Clear anodized aluminum finish
- UL/cUL

Product Code	List Price
SA-EDGE-2P2D	\$255
SA-EDGE-3P2D	\$305
SA-EDGE-2P1D2USB	\$350

PRODUCT CHART

Product Code	Power Receptacles	Data Openings	USB Modules	Dimensions (Above Worksurface)
SA-EDGE-2P2D	2	2	0	8.5"L x 2-3/4"W x 3-7/8"H
SA-EDGE-3P2D	3	2	0	10"L x 2-3/4"W x 3-7/8"H
SA-EDGE-2P1D2USB	2	1	1	8.5"L x 2-3/4"W x 3-7/8"H



Mini Power Bar

- Mounts under the worksurface
- Three power receptacles with 12 Amp rating
- 65" power cord
- Black finish
- UL/CSA

Product Code	List Price
SA-MM05-3	\$120

POWER STRIPS



8 Receptacles



6 Receptacles

Power Strips

- Surge Protectors
- 6 or 8 receptacles
- Built-in surge protection
- UL/cUL

Product Code	List Price
SA-PB-6-4	\$63
SA-PB-8-6	\$84


SPECIFICATIONS CHART

	SA-PB-6-4	SA-PB-8-6
Number Of Receptacles	6	8 (3 spaced for transformer blocks)
Cord length	4'	6' (360 degree plug)
Clamping voltage	330V AC	330V AC
Energy dissipation	270 joules	1020 joules
Circuit breaker	15A	15A
EMI-RFI filter	40dB	58dB
On/off switch	yes	yes
Surge indicator	lighted	lighted/audible
Fax/modem protection	n/a	yes
Dimensions	11" x 2" x 1.25"	9.5" x 4" x 1.5"

MODESTY PANELS

Modesty Panel

- Mounts under the worksurface
- 12" or 16" high
- Built-in cable trough
- Cutouts for cables and vertical cable manager
- 16 ga. metal with powdercoat finish



Product Code	Modesty Length	For Worksurface Width	List Price
12" HIGH			
SM-SMB-1224- <input type="text"/> <input type="text"/>	24"	30"	\$127
SM-SMB-1230- <input type="text"/> <input type="text"/>	30"	36"	\$127
SM-SMB-1236- <input type="text"/> <input type="text"/>	36"	42"	\$158
SM-SMB-1242- <input type="text"/> <input type="text"/>	42"	48"	\$205
SM-SMB-1254- <input type="text"/> <input type="text"/>	54"	60"	\$229
SM-SMB-1266- <input type="text"/> <input type="text"/>	66"	72"	\$234
16" HIGH			
SM-SMB-1824- <input type="text"/> <input type="text"/>	24"	30"	\$158
SM-SMB-1830- <input type="text"/> <input type="text"/>	30"	36"	\$158
SM-SMB-1836- <input type="text"/> <input type="text"/>	36"	42"	\$210
SM-SMB-1842- <input type="text"/> <input type="text"/>	42"	48"	\$221
SM-SMB-1854- <input type="text"/> <input type="text"/>	54"	60"	\$269
SM-SMB-1866- <input type="text"/> <input type="text"/>	66"	72"	\$273


ORDERING GUIDE

Enter the color code (BK Black, SM Silver, WH White) as follows:

Eg. SM-SMB-1224 - Color Code

Corner Filler Modesty

- Provides complete modesty on a 90° corner workstation
- Mounts under the worksurface
- Built-in cable trough
- 16 ga. metal with powdercoat finish



Product Code	Height	Width	List Price
SM-SMB-1210CN- <input type="text"/> <input type="text"/>	12"	10"	\$127
SM-SMB-1812CN- <input type="text"/> <input type="text"/>	16"	12"	\$158

ORDERING GUIDE


Enter the color code (BK Black, SM Silver, WH White) as follows:

Eg. SM-SMB-1210CN - Color Code

PRIVACY PANEL AND PEDESTALS

Privacy and Modesty Screen

- Mounts under the worksurface
- White frosted acrylic
- Privacy extends 12" above the worksurface
- Modesty extends 17" below the worksurface
- Moves in tandem with the worksurface height




Product Code	Screen Length	For Worksurface Width	List Price
SM-ACR-24	24"	30"	\$255
SM-ACR-30	30"	36"	\$275
SM-ACR-36	36"	42"	\$295
SM-ACR-42	42"	48"	\$315
SM-ACR-54	54"	60"	\$355
SM-ACR-66	66"	72"	\$420

Mobile Pedestals

- Box/File (BF) or Box/Box/File (BBF)
- Lockable
- Two locking and two non-locking casters
- Metal construction
- Black powdercoat finish


Product Code	Type	Dimensions (including casters)	List Price
ST-MB-BF	Box/File	21.125"H x 15.25"W x 21.875"D	\$725
ST-MP-BBF	Box/Box/File	28"H x 15"W x 22"D	\$850




CASTERS

Casters

- Low profile twin wheel swivel caster
- Black finish
- Casters increase table height by 1-1/2"
- Four casters required for 2-Leg bases
- Six casters required for 3-Leg bases (3-Leg bases require a 23" foot for the middle leg – see below)
- Sold individually
- Note: Glides are standard on all bases



Non-Locking



Locking

Product Code	Description	List Price
SINGLE CASTERS		
RISE-CASTER-S	non-locking	\$7
RISE-CASTER-L	locking	\$13
3-LEG CASTER KITS		
SA-CAS-3L-RISE- <input type="checkbox"/> <input type="checkbox"/>	6 non-locking casters and a 23" foot	\$92
SA-CAL-3L-RISE- <input type="checkbox"/> <input type="checkbox"/>	6 locking casters and a 23" foot	\$128

ORDERING GUIDE

Original Base Order

1. If casters are required, add CAS (for non-locking casters) or CAL (for locking casters) to the base product code as follows:

Eg. Non-locking casters for a 2-Leg base

SB-RISE-2-23-MED-SM-CAS

Base Product Code

Caster Code (4 non-locking RISE-CASTER-S casters will be added to the order)

Eg. Locking casters for a 3-Leg base

SB-RISE-3-90-30-60-SM-CAL

Base Product Code

Caster Code (6 locking RISE-CASTER-L casters and a 23" foot will be added to the order)

2. Increase the total list price of the base to include the casters:

2-Leg base - add \$28 list for non-locking or \$52 list for locking

3-Leg base - add \$92 list for non-locking or \$128 list for locking (includes list price of \$50 for a 23" foot)

After Original Base Order


If casters are required for a 3-Leg base, order a 3-Leg Caster Kit as follows:

Caster Style	Foot Color
SA- <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> -3L-RISE-	<input type="checkbox"/> <input type="checkbox"/>
CAS Non-Locking	BK Black
CAL Locking	SM Silver
	WH White

Eg. 3-Leg Caster Kit with 6 non-locking casters and a black finish foot

SA-CAS-3L-RISE-BK


GLIDES AND GROMMETS



Carpet Gripper Glide

- Special glides for soft carpeted surfaces to provide extra grip
- Compatible with RISE and Ascent bases
- 4 glides required for a 2-Leg base
- Sold as a set of 4 glides
- Black finish

Product Code	List Price
RISE-GLIDASET-CARPET	\$25



Grommet

- 2-3/8" round (2" hole dia.)
- Removable cover
- Black plastic finish
- Sold individually
- Worksurface hole-cut-out change is extra. If required order SA-GR-SP at \$11 list each
- For standard grommet positions see p.55


Product Code	List Price
SA-GR-2	\$16

Mobile Tables

Base Specifications


U.S. List Prices - Effective March 1, 2015

POLISHED ALUMINUM BASE



- Base:** Polished aluminum 5-Star base, 27" diameter
- Casters:** 2 locking and 3 free-wheeling chrome carpet casters
- Gas Lift:** 10" stroke, low pressure, non-swivel, chromed gas lift (standard table height range is 22"- 32" including 1" thick top)
- Mechanism:** Low profile mechanism with activation handle, black finish
- Capacity:** 250 lbs.
- Option:** 10" stroke, low pressure, swivel type, chromed gas lift can be substituted at no upcharge. Please add the suffix "SW" to the base product codes on page 121. Eg. Polished aluminum base with swivel gas lift ST-P-BASE-SW

BLACK PLASTIC BASE




- Base:** Black plastic 5-Star base, 24" diameter
- Casters:** 2 locking and 3 free-wheeling black carpet casters
- Gas Lift:** 10" stroke, low pressure, non-swivel, black gas lift (standard table height range is 22"- 32" including 1" thick top)
- Mechanism:** Low profile mechanism with activation handle, black finish
- Capacity:** 250 lbs
- Option:** 10" stroke, low pressure, swivel type, black gas lift can be substituted at no upcharge. Please add the suffix "SW" to the base product code on page 121. Eg. Black finish base with swivel gas lift ST-B-BASE-SW

Mobile Tables

Ordering Guide

U.S. List Prices - Effective March 1, 2015



Shown: ST-SQU-2 (worksurface) and ST-B-BASE (base)

Worksurface Product Code					Description	Worksurface List Price
Product	Laminate Color		Edge Color			T-Mold Edge
ST-RND-2	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	Round	\$158
ST-OVL-2	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	Oval	\$158
ST-SQU-2	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	Square	\$158
ST-TDR-2	-	<input type="checkbox"/> <input type="checkbox"/>	-	<input type="checkbox"/> <input type="checkbox"/>	Teardrop	\$158

Base Product Code	Description	Base List Price
ST-P-BASE	Polished aluminum base with chrome gas lift	\$368
ST-B-BASE	Black plastic base with black gas lift	\$210

TO ORDER MOBILE TABLE - SPECIFY:

- 1 Worksurface**
eg. ST-RND-2
- 2 Laminate Color**
Please see Color Guide p.195
- 3 Edge Color**
Please see Color Guide for T-Mold colors
- 4 Base**
eg. ST-P-BASE
Please use separate order line

Terms Of Sale

Prices

Prices in this guide are effective as of March 1, 2015. Prices shown apply to standard products and finishes.

Delivery

Standard lead time is 4 - 6 weeks from receipt of order. For lead times on all larger quantities of bases or worksurfaces, please contact ISE Customer Service. FOB point is Buffalo, NY for U.S. orders, or Toronto, ON for Canadian orders.

Quickship

ISE offers 1 week lead time from approved order on up to 50 Electric 2-leg and 3-Leg bases; and up to 50 Front Crank 2-Leg bases. Please specify Quickship on your order.

Freight

Freight cost is waived to any destination in Canada or the continental U.S. for all orders over \$10,000 list. All orders under \$10,000 list are subject to the following freight charges: A) An additional 5% of the total list price for orders shipping to Eastern U.S./Canada, or an additional 8% of the total list price for orders shipping to Western U.S./Canada - subject to a minimum \$150 freight charge; B) Orders for Height Adjustable Bases Only (i.e. without worksurface or any other accessory) - a special minimum freight charge of \$75 per base for a 2-Leg base, or \$150 per base for a 3-Leg base will apply.

Packaging

Bases and worksurfaces are shipped dissassembled (knock-down). On orders of 1 – 9 units, bases are shipped individually packed. On orders of 10 or more units, bases are shipped bulk packed. Individually packed bases on orders of 10 or more units are available for an extra charge.

Customization

Most of our products can be customized to meet your specific needs. Please obtain a custom request form from your dealer or ISE Customer Service. Return the completed form to ISE to receive a quotation.

Payment Terms

Payment is due within 30 days of invoice date. Returns – contact ISE Customer Service for restocking fees if applicable.

Order Tracking

Click on Track My Order at www.ise-group.com for fast, simple and up-to-date order tracking.

Help

ISE Customer Service will be pleased to answer your questions. Call us toll free 1-800-463-7731 or fax 1-800-461-3182 or e-mail info@ise-group.com

Warranty

Warranty

ISE warrants to the original end user of its Height Adjustable Table product, that they are free from defects in material and workmanship for a period of three (3) years for electrical components (2 years for Ascent electrical components) and ten (10) years for table parts. ISE will, at its option, either repair or replace any part of its products that prove defective by reason of improper workmanship or materials. Repaired parts, or replacement products, will be provided by ISE on an exchange basis, and will be either new or refurbished to be functionally equivalent to new.

This warranty does not cover any damage to a Height Adjustable Table product that results from improper installation, accident, abuse, natural disaster, insufficient or excessive electrical supply, abnormal mechanical or environmental conditions, or any unauthorized disassembly, repair or modification. This warranty also does not apply to any product on which the original identification information has been altered, obliterated or removed, has not been handled correctly, or has been resold.

This warranty covers only repair, replacement, or refund for defective products, as provided above. ISE does not accept liability for loss of use, consequential damage or injury.

ERGONOMIC ACCESSORIES



MONITOR ARMS

Savoy 128-129

MA5000 130-133

MA4000 134-137

MA2000 138-143

KEYBOARD SYSTEMS

Metro 145

Leader 146-151

Easy Rider 152-154

Value 155

TABLET/LAPTOP DRAWERS 157

WORKSTATION TOOLS

Corner Makers 158

Keyboard Drawers 159

CPU Holders 160-161

Lock Boxes 162

Foot Rests 163

Copy Holders 164

Slatwall 166-167

LIGHTING 168-171

RESOURCES

Terms of Sale 172

Warranty 173


Bifma Ergonomic Guidelines

A Condensed Summary

U.S. List Prices - Effective March 1, 2015

CHOOSE ISE FOR PRODUCTS THAT MEET OR EXCEED BIFMA GUIDELINES


Seated Recommendations



Keyboard Height

Minimum adjustment range from 22.2" to 28.5" as measured to the top of the surface (5th percentile female to 95th percentile male). (BIFMA G1-2002 section 8.3.1)


Standing Recommendations



Keyboard Height

An adjustable support surface is recommended. It should include adjustment range from 36.7" to 45.6" as measured from the top of the support surface (5th percentile female to 95th percentile male). (BIFMA G1-2002 section 8.3.3)

Support Surface Depth for VDT's



Seated and Standing Position

No specific numeric recommendation. With the user seated (or standing as appropriate) in a normal posture, the viewing distance should be greater than 15.7". (BIFMA G1-2002 section 8.4)

Video Display Terminal (VDT) Height

No specific numeric recommendation. The support surface should be at a height that allows the user, when seated [standing] in an upright posture, to view the entire VDT screen at a position between horizontal eye level and 60° below eye level, preferably at a position between 20° [15°] and 50° [45°] below eye level. The top of the screen should not be closer to the eyes than the bottom of the screen. (BIFMA G1-2002 section 8.3.2 [section 8.3.4])

Leed Eligible Products

A Condensed Summary

Product Group	Eligible for Leed Credit
Savoy / MA5000 / MA2000 / MA4000 Monitor Arms	Materials and Resources - Credit 4.2 Recycled Content - 20% (post-consumer + 1/2 pre-consumer)
Metro/Leader/Easy Rider/Value Arm and Platform Packages	Materials and Resources - Credit 4.2 Recycled Content - 20% (post-consumer + 1/2 pre-consumer)
Corner Makers	Materials and Resources - Credit 4.2 Recycled Content - 20% (post-consumer + 1/2 pre-consumer)
CPU Holders	Materials and Resources - Credit 4.2 Recycled Content - 20% (post-consumer + 1/2 pre-consumer)
Pedestal Lock Boxes	Materials and Resources - Credit 4.2 Recycled Content - 20% (post-consumer + 1/2 pre-consumer)
Lighting Products	Energy and Atmosphere - Credit 1.1 Optimize Energy Performance - Lighting Power Indoor Environmental Quality - Credit 6.1 Controllability of Systems - Lighting

SAVOY

Monitor Arms


U.S. List Prices - Effective March 1, 2015
Savoy is Not Offered on GSA Schedule



Single Arm

- Quick connect 75/100mm Vesa mount
- 21.5" arm reach
- 3" depth when fully retracted
- 9.5" arm height adjustment range (17.7" maximum height)
- 1lb - 15.5 lbs monitor weight capacity
- 145° monitor tilt
- 360° monitor rotation with 180° limiter
- Clamp and grommet mount
- Silver with white accents


Product Code	List Price
SAVOY-1-C/G-SM	\$375



Dual Arm

- 24" maximum monitor size
- Quick connect 75/100mm Vesa mount
- 21.5" arm reach
- 3" depth when fully retracted
- 9.5" arm height adjustment range (17.7" maximum height)
- 1lb - 15.5 lbs monitor weight capacity per monitor
- 145° monitor tilt
- 360° monitor rotation with 180° limiter
- Clamp and grommet mount
- Silver with white accents


Product Code	List Price
SAVOY-2-C/G-SM	\$730



Dual Arm Upgrade Kit

- Kit to upgrade a single Savoy arm to a dual Savoy arm
- 24" maximum monitor size
- Quick connect 75/100mm Vesa mount
- 21.5" arm reach
- 3" depth when fully retracted
- 9.5" arm height adjustment range (17.7" maximum height)
- 1lb - 15.5 lbs monitor weight capacity
- 145° monitor tilt
- 360° monitor rotation with 180° limiter
- Clamp and grommet mount
- Silver with white accents

Product Code	List Price
SAVOY-2-UPG-SM	\$355



Tablet Mount

- Attaches to Savoy monitor arm via quick connect
- Universal mount fits tablets from 9"-10.5" in length and 6"-7.5" in width
- Lockable to prevent tablet removal
- Silver with white accents

Product Code	List Price
SAVOY-TAB-SM	\$160

MA5000 Monitor Arms

U.S. List Prices - Effective March 1, 2015

Long Arm




Quickship

- Gas lift monitor arm for one monitor – 23.5" arm reach
- Quick connect 75/100mm Vesa mount and fold-back cable holders
- 4" depth when fully retracted
- 11.25" arm height adjustment range
- 360° monitor rotation and +35°/-25° monitor tilt
- Silver or black finish - ships fully assembled

Product Code	Mount	Color	Max Height	Load Range	List Price
MA5000-1-L-C* MA5000-1-L-G	Clamp Grommet	Silver	16.25"	8.8-19.8 LBS	\$355
MA5000BK-1-L-C MA5000BK-1-L-G	Clamp Grommet	Black	16.25"	8.8-19.8 LBS	\$355

*Shown

Extended Arm




Quickship

- Gas lift monitor arm for one monitor – 31" arm reach
- Quick connect 75/100mm Vesa mount and fold-back cable holders
- 4" depth when fully retracted
- 11.25" arm height adjustment range
- 360° monitor rotation and +35°/-25° monitor tilt
- Silver or black finish - ships fully assembled


Product Code	Mount	Color	Max Height	Load Range	List Price
MA5000-1-XL-C* MA5000-1-XL-G	Clamp Grommet	Silver	19"	8.8-19.8 LBS	\$400
MA5000BK-1-XL-C MA5000BK-1-XL-G	Clamp Grommet	Black	19"	8.8-19.8 LBS	\$400

*Shown



MA5000 Standard Clamp

- Used on MA5000-1-L-C and MA5000-1-L-C-LT
- Fits surfaces up to 1.75" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 3/16" clearance between desk and panel or wall). Turn-handle allows clamp repositioning without tools



MA5000 Large Clamp

- Used on MA5000-1-XL-C, MA5000-1-L-C-HC, and MA5000-2-S-C
- Fits surfaces up to 2.75" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall for surfaces up to 1.5" thick; 1/2" clearance for surfaces 1.5" to 2.75"). Turn-handle allows clamp repositioning without tools

MA5000 Monitor Arms

U.S. List Prices - Effective March 1, 2015



Quickship

High Capacity

- Gas lift monitor arm for one monitor – 17.6 lbs to 33 lbs
- Quick connect 75/100mm Vesa mount and fold-back cable holders
- 4" depth when fully retracted
- 11.25" arm height adjustment range
- 360° monitor rotation and +35°/-25° monitor tilt
- Silver or black finish - ships fully assembled

Product Code	Mount	Color	Arm Length	Max Height	List Price
MA5000-1-L-C-HC MA5000-1-L-G-HC*	Clamp Grommet	Silver	23.5"	16.25"	\$530
MA5000BK-1-L-C-HC MA5000BK-1-L-G-HC	Clamp Grommet	Black	23.5"	16.25"	\$530

*Shown




Quickship

Sit To Stand

- Gas lift monitor arm for one monitor – use either sitting or standing
- Available in three pole heights to provide the following monitor height positions (measured from top of desk to center of Vesa mount – see note below):
11" pole for monitor height 12" to 24"
17" pole for monitor height 18" to 30"
23" pole for monitor height 24" to 36"
Specify -[11], -[17], or [23] for pole height in product code

Product Code	Mount	Color	Arm Length	Load Range	List Price
MA5000-1-L-C-SS-[]* MA5000-1-L-G-SS-[]	Clamp Grommet	Silver	23.5"	8.8-19.8 LBS	\$390
MA5000BK-1-L-C-SS-[] MA5000BK-1-L-G-SS-[]	Clamp Grommet	Black	23.5"	8.8-19.8 LBS	\$390

*Shown: 11" POLE



MA5000 Grommet/Bolt-Through Mount

- Fits surfaces up to 2" thick. Fastens together using 3/8" dia. bolt and 3.75" long clamping bar. Arm base will cover hole up to 2.5" diameter
- For thicker surfaces 2" to 2.75", order LONGBOLT-HEX bolt (list price \$4.50 ea.)

Sit to Stand Arm

- As a rule-of-thumb, using a 29"H worksurface, 11" pole fits 5th percentile female, 17" pole fits median height, 23" pole fits 95th percentile male
- Retrofit Kit – an existing MA5000 arm can be changed to a sit to stand arm. Order MA5000-SSKIT-()-[] List \$170
() is desired pole height in inches
[] is clamp or grommet mount
Eg. MA5000-SSKIT-17-C retrofit kit with 17" pole and clamp

MA5000

Monitor Arms

U.S. List Prices - Effective March 1, 2015



Quickship

Wall Mount

- Gas lift monitor arm for one monitor – wall mounted arm
- 12" arm height adjustment range
- Quick connect 75/100mm Vesa mount and fold-back cable holders
- 4" depth when fully retracted
- 360° monitor rotation and +35°/-25° monitor tilt
- Ships fully assembled

Product Code	Arm Type	Color	Arm Length	Load Range	List Price
MA5000-1-J-W	Joint Arm	Silver	5"	8.8-19.8 LBS	\$175
MA5000-1-S-W	Short Arm		17.5"		\$330
MA5000-1-L-W*	Long Arm		23.5"		\$355
MA5000BK-1-J-W	Joint Arm	Black	5"	8.8-19.8 LBS	\$175
MA5000BK-1-S-W	Short Arm		17.5"		\$330
MA5000BK-1-L-W	Long Arm		23.5"		\$355

*Shown: LONG ARM




Quickship

Slatwall Mount

- Universal slatwall mount fits most slatwall styles
- 12" arm height adjustment range
- Quick connect 75/100mm Vesa mount and fold-back cable holders
- 4" depth when fully retracted
- 360° monitor rotation and +35°/-25° monitor tilt
- Ships fully assembled


Product Code	Arm Type	Color	Arm Length	Load Range	List Price
MA5000-1-J-S-U	Joint Arm	Silver	5"	8.8-19.8 LBS	\$175
MA5000-1-S-S-U*	Short Arm		17.5"		\$330
MA5000-1-L-S-U	Long Arm		23.5"		\$355
MA5000BK-1-J-S-U	Joint Arm	Black	5"	8.8-19.8 LBS	\$175
MA5000BK-1-S-S-U	Short Arm		17.5"		\$330
MA5000BK-1-L-S-U	Long Arm		23.5"		\$355

*Shown: SHORT ARM



MA5000 Wall Mount

- Secure wall mount bracket firmly to a solid cement wall using three expansion bolts (not supplied)
- Secure wall mount bracket firmly to a solid wood wall using three lag bolts (not supplied)




MA5000 Slatwall Mount

- Universal mount fits most slatwall styles
- Can be installed or repositioned quickly and easily using an Allen key (supplied)

MA5000

Monitor Arms

U.S. List Prices - Effective March 1, 2015




Quickship

Dual Arm

- Gas lift monitor arm for two monitors
- 24" maximum monitor size
- Load range 17.6 lbs to 33 lbs total
- 11.25" arm height adjustment range
- Arm can effortlessly adjust two monitors in tandem
- Quick connect 75/100mm Vesa mount and fold-back cable holders

Product Code	Mount	Color	Arm Length	Max Height	List Price
MA5000-2-S-C* MA5000-2-S-G	Clamp Grommet	Silver	19.5"	15.25"	\$545
MA5000BK-2-S-C MA5000BK-2-S-G	Clamp Grommet	Black	19.5"	15.25"	\$545

*Shown



Quickship

Laptop Arm

- Gas lift monitor arm for one laptop computer – long length arm
- Self-locking gas lift lets you type on computer while arm holds its height
- Laptop tray tilts 60° and holds laptop up to 15.25"W x 1.25"thick
- Available in clamp –[C], grommet –[G], wall –[W], slatwall –[S] mounts
- Silver finish
- Ships fully assembled

Product Code	Color	Arm Length	Max Height	Load Range	List Price
MA5000-1-L-[]-LT	Silver	23.5"	16"	2.2-11 LBS	\$550

*Shown: CLAMP MOUNT


MA5000 Mounts Only

PRODUCT CODE	MOUNT	LIST PRICE
LA-901D	Standard Clamp	\$53
LA-901AA	Large Clamp	\$81
LA-902	Grommet/Bolt-Through	\$53
LA-909	Slatwall	\$100
LA-950	Wall	\$100

Note: MA5000 Sit to Stand arm uses MA2000 mounts p.142

Weight Plate

- Adds additional weight to the monitor if required
- Weight plate mounts between the monitor and the vesa mount
- MA-100WEIGHT (list price \$16):
One 100x100mm plate (2.4 lb per plate)
4 each M4 x 20 mm screws included



MA4000

Monitor Arms

U.S. List Prices - Effective March 1, 2015



Quickship

Single Arm

- Pole mount monitor arm for one monitor - 24.5" arm reach
- Height adjustment collar keeps the arm at the desired height
- Height adjustable front segment with 13" height range
- Quick connect 75/100mm Vesa mount and cable organizers
- Clamp and grommet included
- Silver or black finish – stainless steel pole

Product Code	Mount	Color	Pole Height	Load Range	List Price
MA4000-1-AH-C/G*	Clamp/ Grommet	Silver	12.5"	5-20 LBS	\$320
MA4000BK-1-AH-C/G	Clamp/ Grommet	Black	12.5"	5-20 LBS	\$320

*Shown: CLAMP




Quickship

Dual Arm

- Pole mount monitor arm for two monitors - 24.5" arm reach
- 27" maximum monitor size
- Height adjustment collar keeps the arm at the desired height
- Height adjustable front segment with 13" height range
- Quick connect 75/100mm Vesa mount and cable organizers
- Clamp and grommet included
- Silver or black finish – stainless steel pole

Product Code	Mount	Color	Pole Height	Load per Arm	List Price
MA4000-2-AH-C/G*	Clamp/ Grommet	Silver	12.5"	5-20 LBS	\$550
MA4000BK-2-AH-C/G	Clamp/ Grommet	Black	12.5"	5-20 LBS	\$550

*Shown: GROMMET




MA4000 Clamp Mount

- Clamp mount fits surfaces up to 2-5/8" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 3/16" clearance between desk and panel or wall)

MA4000

Monitor Arms

U.S. List Prices - Effective March 1, 2015




LEAD TIME
1-3 WEEKS

Dual Arm - Crossbar

- Crossbar mount for two monitors
- Ideal for shallow depth worksurfaces
- 4-3/8" depth when fully retracted
- Preset 5° parabolic array for easier viewing
- Maximum width for each monitor is 22.0" (23" monitor size)
- 13" front arm height adjustment range

Product Code	Mount	Color	Arm Length	Load Range	List Price
MA4000-2-AF-BAR-C/G	Clamp/ Grommet	Silver	26"	2-20 LBS	\$435
MA4000BK-2-AF-BAR-C/G	Clamp/ Grommet	Black	26"	2-20 LBS	\$435




LEAD TIME
1-3 WEEKS

Quad Arm - Beam Mount

- Beam mounted monitor arm for four monitors
- Beam uses two poles to provide additional support (eg. when using various weight monitors)
- 52" long beam fits up to 27" monitors
- Each arm has a height adjustable front segment with 13" height range
- Quick connect 75/100mm Vesa mount and cable organizers
- Silver or black finish – stainless steel pole

Product Code	Mount	Color	Arm Length	Load per Arm	List Price
MA4000-4-AH-C/G-2PBM4	Clamp/ Grommet	Silver	24.5"	5-20 LBS	\$1520
MA4000BK-4-AH-C/G-2PBM4	Clamp/ Grommet	Black	24.5"	5-20 LBS	\$1520



MA4000 Grommet/Bolt-Through Mount

- Grommet/bolt-through mount fits surfaces up to 3-1/2" thick. Fastens together using 3/8" bolt and 5"L x 3.25"W x 2"H clamping plate.
- Arm base will cover hole up to 2" diameter.

MA4000

Monitor Arm Components

U.S. List Prices - Effective March 1, 2015

- Customize or build-your-own MA4000 monitor arm

LEAD TIME
1-3 WEEKS

POLES AND MOUNTS

Standard Pole

- Includes clamp and grommet mounts
- Silver or black finish – stainless steel pole



Product Code	Pole Height	Color	List Price
7801AS12	12.5"	Silver	\$90
7801AB12	12.5"	Black	\$90
7801AS16	16.5"	Silver	\$100
7801AB16	16.5"	Black	\$100


Large Pole

- Includes clamp and grommet mounts
- Silver or black finish – stainless steel pole



Product Code	Pole Height	Color	List Price
7801AS30	30.5"	Silver	\$110
7801AB30	30.5"	Black	\$110


EXTENSIONS WITH MONITOR MOUNTS



Height Adjustable Extension With Monitor Mount

- Mount to pole or beam
- Provides 13" of height adjustment; 5 lbs – 20 lbs load capacity

Product Code	Mount To	Color	List Price
7801VSH	Pole	Silver	\$230
7801VBH	Pole	Black	\$230
7801WSH	Beam	Silver	\$230
7801WBH	Beam	Black	\$230



Horizontal Extension With Monitor Mount

- Mount to pole or beam
- Non-height adjustable; 30 lbs load capacity

Product Code	Mount To	Color	List Price
7801VS	Pole	Silver	\$175
7801VB	Pole	Black	\$175
7801WS	Beam	Silver	\$175
7801WB	Beam	Black	\$175

Notes


- Hardware included:
Poles include height adjustment collar, pole cap
Beams include height adjustment collar, beam end caps, and cable clips

MA4000

Monitor Arm Components

U.S. List Prices - Effective March 1, 2015

MONITOR MOUNTS








Vesa Mount

- Mount to pole or beam
- 75/100mm Vesa mount; 30 lbs load capacity

Product Code	Mount To	Color	List Price
7801BS	Pole	Silver	\$100
7801BB	Pole	Black	\$100
7801CS	Beam	Silver	\$100
7801CB	Beam	Black	\$100

BEAMS



- Use with Standard Pole or Large Pole (pole extra)
- Height adjustment on pole using supplied Allen key
- Made from extruded aluminum
- Silver or black finish

Product Code	Description	Color	List Price
7801GS24	22" Beam (one pole)	Silver	\$255
7801GS32	34" Beam (one pole)	Silver	\$300
7801GS48	50" Beam (one pole)	Silver	\$360
7803GS48	52" Beam (two poles)	Silver	\$400
7803GS60	64" Beam (two poles)	Silver	\$460
7801GB24	22" Beam (one pole)	Black	\$255
7801GB32	34" Beam (one pole)	Black	\$300
7801GB48	50" Beam (one pole)	Black	\$360
7803GB48	52" Beam (two poles)	Black	\$400
7803GB60	64" Beam (two poles)	Black	\$460

Beam Mounted Monitor Arm Examples



MA4000-3-AH-C/G-BM4
List Price: \$1150



MA4000-2-AH-C/G-BM2
List Price: \$815


Notes

- Extensions are shipped fully assembled
- For clamp and grommet installation, see page 134 & 135

MA2000 Monitor Arms

U.S. List Prices - Effective March 1, 2015

Single Arm




Quickship

- Pole mount monitor arm for one monitor
- 26.5" arm reach
- Height adjustment lever for simple adjustment of the arm to the desired height
- Quick connect 75/100mm Vesa mount and cable organizers
- Silver finish

Product Code	Mount	Arm Length	Pole Height	Maximum Load	List Price
MA-1-L-C*	Standard Clamp	26.5"	16"	17.5 LBS	\$340
MA-1-L-C1	Deep Clamp	26.5"	16"	17.5 LBS	\$408
MA-1-L-G	Grommet	26.5"	16"	17.5 LBS	\$340

*Shown



Quickship

Dual Arm


- Pole mount monitor arm for two monitors
- 27" maximum monitor size
- Height adjustable on the pole using supplied Allen key
- Quick connect 75/100mm Vesa mount and cable organizers
- Silver finish

Product Code	Mount	Arm Length	Pole Height	Maximum Load	List Price
MA-2-L-C	Standard Clamp	26.5"	16"	35 LBS	\$545
MA-2-L-C1	Deep Clamp	26.5"	16"	35 LBS	\$613
MA-2-L-G*	Grommet	26.5"	16"	35 LBS	\$545

*Shown


MA2000 Standard Clamp

- Fits surfaces up to 2.75" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall for surfaces up to 1.5" thick; 1/2" clearance for surfaces 1.5"-2.75"). Turn-handle allows clamp repositioning without tools.




MA2000 Deep Clamp

- Designed for radius underside surfaces. Fits surfaces up to 3" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall for surfaces up to 1.5" thick; 5/8" clearance for surfaces 1.5" - 3"). Turn-handle allows clamp repositioning without tools.
- For deep clamp only, order C1 at \$68 list



MA2000 Monitor Arms

U.S. List Prices - Effective March 1, 2015



Quad Arm

- Pole mount monitor arm for four monitors
- 27" maximum monitor size
- Height adjustable on the pole using supplied Allen key
- Quick connect 75/100mm Vesa mount and cable organizers
- Silver finish

Product Code	Mount	Arm Length	Pole Height	Maximum Load	List Price
MA-4-C*	Large Clamp	26.5"	27.75"	70 LBS	\$1031
MA-4-G	Grommet	26.5"	27.75"	70 LBS	\$1031

*Shown



Wall Mount


- Monitor arm for one monitor – wall mounted
- Available in joint arm, short arm, long arm configurations
- Quick connect 75/100mm Vesa mount
- Cable clips under arms
- Silver finish

Product Code	Mount & Arm	Arm Length	Height Range	Maximum Load	List Price
MA-1-J-W	Wall-Joint	9.5"	-	26 LBS	\$173
MA-1-S-W	Wall-Short	19.25"	-	22 LBS	\$232
MA-1-L-W*	Wall-Long	26"	-	17.5 LBS	\$284

*Shown: LONG ARM


MA2000 Large Clamp

- Fits surfaces up to 2.75" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall for surfaces up to 1.5" thick; 1/2" clearance for surfaces 1.5"-2.75"). Turn-handle allows clamp repositioning without tools.



MA2000 Grommet/ Bolt-Through Mount

- Fits surfaces up to 1.5" thick. Fastens together using 3/8" dia. bolt and 3.75" long clamping bar. Grommet base will cover hole up to 2.5" diameter.
- For thicker surfaces 1.5" to 3", order LONGBOLT-SLOT bolt (list price \$4.50 ea)



MA2000 Monitor Arms

U.S. List Prices - Effective March 1, 2015



Slatwall Mount

- Monitor arm for one monitor – slatwall mounted
- Available in joint arm, short arm, long arm configurations
- Quick connect 75/100mm Vesa mount
- Cable clips under arms
- Silver finish



Product Code	Mount & Arm	Arm Length	Height Range	Maximum Load	List Price
MA-1-J-S-U	Slatwall-Joint	9.5"	-	26 LBS	\$188
MA-1-S-S-U*	Slatwall-Short	19.25"	-	22 LBS	\$247
MA-1-L-S-U	Slatwall-Long	26.5"	-	17.5 LBS	\$299

*Shown: SHORT ARM



Laptop and Monitor Arm


- Pole mount arm for one laptop computer and one monitor
- Height adjustment levers for simple adjustment of arms to the desired height
- Laptop tray tilts 60° and holds laptop up to 15.25"W x 1.25"thick
- Quick connect 75/100mm Vesa mount and cable organizers
- Silver finish



Product Code	Mount	Arm Length	Pole Height	Maximum Load	List Price
MA-2-L-C-LT	Standard Clamp	26.5"	16"	35 LBS	\$650
MA-2-L-C1-LT	Deep Clamp	26.5"	16"	35 LBS	\$718
MA-2-L-G-LT*	Grommet	26.5"	16"	35 LBS	\$650


MA2000 Slatwall Mount

- Universal mount fits most slatwall styles
- Can be installed or repositioned quickly and easily using an Allen key (supplied)



MA2000 Wall Mount

- Secure wall mount bracket firmly to a solid cement wall using four expansion bolts (not supplied)
- Secure wall mount bracket firmly to a solid wood wall using four lag bolts (not supplied)



MA5000/MA2000

Rail Mount For Monitor Arms

U.S. List Prices - Effective March 1, 2015



SHOWN WITH
OPTIONAL
MONITOR ARM



One Rail And Two Posts

- Rail accommodates MA5000 or MA2000 slatwall mount monitor arms (arm extra)
- 17" H posts attach securely to desk using clamp or grommet
- Aluminum construction provides strong, stable structure
- Rail (3.5"H) mounts to post (1-5/8" dia) at any height
- Clear plastic clips on back of rail and down the posts for cable management
- Adjacent rails can mount to post at 90° or 180° angles
- Specify clamp mount –[C] or grommet mount –[G] in product code
- Silver finish

Product Code	For Table Width	Description	List Price
MA-RAIL24-2P17-[]	30"	one 24"rail, two 17"posts with mounts	\$474
MA-RAIL30-2P17-[]	36"	one 30"rail, two 17"posts with mounts	\$489
MA-RAIL36-2P17-[]	42"	one 36"rail, two 17"posts with mounts	\$505
MA-RAIL42-2P17-[]	48"	one 42"rail, two 17"posts with mounts	\$520
MA-RAIL48-2P17-[]	54"	one 48"rail, two 17"posts with mounts	\$536
MA-RAIL54-2P17-[]	60"	one 54"rail, two 17"posts with mounts	\$551
MA-RAIL60-2P17-[]	66"	one 60"rail, two 17"posts with mounts	\$567

Two Rails And Two Posts

- Rail accommodates MA5000 or MA2000 slatwall mount monitor arms (arm extra)
- 28" H posts attach attach securely to desk using clamp or grommet
- See above for specifications
- Specify clamp mount –[C] or grommet mount –[G] in product code
- Silver finish



Product Code	For Table Width	Description	List Price
MA-2RAIL24-2P30-[]	30"	two 24"rails, two 30"posts with mounts	\$752
MA-2RAIL30-2P30-[]	36"	two 30"rails, two 30"posts with mounts	\$783
MA-2RAIL36-2P30-[]	42"	two 36"rails, two 30"posts with mounts	\$814
MA-2RAIL42-2P30-[]	48"	two 42"rails, two 30"posts with mounts	\$845
MA-2RAIL48-2P30-[]	54"	two 48"rails, two 30"posts with mounts	\$876
MA-2RAIL54-2P30-[]	60"	two 54"rails, two 30"posts with mounts	\$906
MA-2RAIL60-2P30-[]	66"	two 60"rails, two 30"posts with mounts	\$937

Clamp Mount

- Standard clamp mount fits surfaces up to 2.75" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall for surfaces up to 1.5" thick; 1/2" clearance for surfaces 1.5"-2.75"). Turn-handle allows clamp repositioning without tools.
- Clamp mount shown on page 138

Grommet/Bolt-Through Mount

- Grommet mount fits surfaces up to 1.5" thick. Fastens together using 3/8" bolt and 3.75" long clamping bar. Grommet base will cover hole up to 2.5" diameter.
- For thicker surfaces 1.5" to 3", order LONGBOLT-SLOT bolt (list price \$4.50 ea)
- Grommet mount shown on page 139

MA2000

Monitor Arm Components


U.S. List Prices - Effective March 1, 2015

- Customize or build-your-own MA2000 monitor arm



DESK MOUNTS

Clamp



LA-201B

- Mounts pole to desk
- Use Standard Clamp with Standard Pole; Large Clamp with Large Pole
- Silver finish

Product Code	Description	List Price
LA-201B	Standard Clamp	\$53
LA-901AA	Large Clamp	\$81

Grommet




- Mounts pole to desk
- Use with Standard Pole or Large Pole
- Silver finish

Product Code	Description	List Price
LA-502A	Grommet	\$53

POLES

Standard Pole



- 15.75\"H pole
- Mounts to Standard Clamp or Grommet
- Silver finish

Product Code	Description	List Price
LA-501A	Standard Pole	\$54

Large Pole



- 27.5\"H pole
- Mounts to Large Clamp or Grommet
- Silver finish

Product Code	Description	List Price
LA-501B	Large Pole	\$74

Notes


- Hardware included:
Poles include decorative base cover, pole clips, pole cap
Extensions include one set of connecting hardware with cable manager
- Clamp and grommet installation information see page 138 & 139

MA2000

Monitor Arm Components

U.S. List Prices - Effective March 1, 2015


CONNECTORS



Single Connector

- Used to mount one monitor
- Slide connector on to pole
- Height adjustment lever
- Silver finish

Product Code	Description	List Price
LA-514	Single Connector	\$49




Dual Connector

- Used to mount two monitors
- Slide connector on to pole
- Height adjustable using supplied Allen key
- Silver finish

Product Code	Description	List Price
LA-515	Dual Connector	\$70


EXTENSIONS



Short Extension

- Attach to connector or use with another extension
- Maximum two extensions per arm
- Silver finish

Product Code	Description	List Price
LA-512	Short Extension	\$52




Large Extension

- Attach to connector or use with another extension
- Maximum two extensions per arm
- Silver finish

Product Code	Description	List Price
LA-513	Large Extension	\$59

MONITOR MOUNT



Vesa Mount

- Quick connect 75/100mm Vesa mount
- Attach Vesa mount to extension or to connector
- Silver finish

Product Code	Description	List Price
LA-511Q	Vesa Mount	\$73

Notes

- Maximum load capacities per arm:
Using two extensions = 17.5 lbs
Using one extension = 22 lbs
Using Vesa mount only = 26 lbs

MA1500 Monitor Arm

U.S. List Prices - Effective March 1, 2015




LEAD TIME
3-4 WEEKS

Extra High Capacity

- Gas lift monitor arm for one extra-heavyweight monitor
- 35.5 lb to 54.0 lb capacity
- 75/100mm Vesa mount
- Includes clamp, grommet, bolt-through mounts
- Cable organizers under arms
- Steel construction – silver or black finish

Product Code	Color	Arm Length	Max Height	Height Range	List Price
MA1500	Silver	25"	22"	12"	\$1,365
MA1500BK	Black	25"	22"	12"	\$1,365




Quickship

Laptop Tray

- Laptop tray attaches to MA5000, MA4000, MA2000 monitor arms
- Laptop tray tilts 60° and holds laptop computer up to 15.25" wide x 1.25" thick
- For MA5000 monitor arm, choose MA5000-LAPTOP-TRAY

Product Code	Color	List Price
LAPTOP-TRAY	Silver	\$105
MA5000-LAPTOP-TRAY	Silver	\$105



Quickship

200 mm x 100 mm Vesa Plate

- Adapter plate to mount monitors requiring 200mm x 100mm Vesa hole pattern
- Converts a 75mm x 75mm or 100mm x 100mm monitor arm mount into a 200mm x 100mm mount
- Compatible with MA5000, MA4000, MA2000, MA1500 monitor arms
- reduces load range by 2 lbs

Product Code	Color	List Price
LA-100X200-PLATE	Silver	\$26

MA1500 Mounts

- Clamp mount fits surfaces up to 2.5" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 0.5" clearance between desk and panel or wall).
- Grommet mount fits surfaces up to 2.5" thick. In this installation, clamp mount is inserted into grommet hole - requires > 2.5" diameter hole. When installed, base will not completely cover hole.
- Bolt-through mount fits surfaces up to 1" thick. Fastens together using 3/8" diameter bolt and 3" long clamping bar. Can also be used in a 2" diameter or less grommet hole - base will cover hole. For thicker surfaces 1" to 3", order optional LONGBOLT-HEX bolt (list price \$4.50 ea).

METRO

Keyboard Systems


U.S. List Prices - Effective March 1, 2015

Platform Specifications

- Sophisticated and elegant lines by designer Mark Müller
- Thin 0.25" phenolic laminate with a sweeping radius edge
- Exceptional comfort from a unique extruded aluminum palm support, covered in a range of high grade leathers
- Integrated aluminum stopper keeps keyboard and mouse in position
- White or Black platform finish with a black accent edge
- Available as a platform only, or as an Arm and Platform Package that includes a matching Leader Standard Arm in white or black finish




Shown: METRO6-WH-WH



METRO2

- Large, retractable right-hand mousing surface
- Package includes: Leader Standard arm, MET-SWIVEL platform, 21-3/4" black track




METRO6

- Single surface keyboard and mouse platform
- Package includes: Leader Standard arm, MET-STRAIGHT platform, 21-3/4" black track

Product Code	Color	Palm Support Color	List Price
ARM AND PLATFORM PACKAGE			
METRO2 -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$430
PLATFORM ONLY			
MET-SWIVEL -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$219

Product Code	Color	Palm Support Color	List Price
ARM AND PLATFORM PACKAGE			
METRO6 -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$420
PLATFORM ONLY			
MET-STRAIGHT -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$209



METRO8

- Designed for diagonal corner workspaces
- Package includes: Leader Standard arm, MET-DIAGONAL platform, 21-3/4" black track

Product Code	Color	Palm Support Color	List Price
ARM AND PLATFORM PACKAGE			
METRO8 -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$420
PLATFORM ONLY			
MET-DIAGONAL -	<input type="checkbox"/> <input type="checkbox"/>	- <input type="checkbox"/> <input type="checkbox"/>	\$209

To Order, Specify

1 – Product

Eg. METRO2

2 – Package or Platform Color

Black – BK
White – WH

3 – Palm Support Leather Color

Arctic White – WH
Ash – AS
Coffee – CF
Jet Black – BK

4 – Positive Tilt Lock-Out (Optional)

To order, add the -PTLO to the Arm and Platform Package code eg. METRO2-BK-BK-PTLO
No upcharge for positive tilt lock-out

LEADER STANDARD

Arm and Platform Packages


U.S. List Prices - Effective March 1, 2015



SHOWN: LEADER7


Package Specifications

- Arm:** Lever-free articulating keyboard arm
8.88" height range (2.38" above, 6.5" below track)
Tilt range (-20° to +10°) with Dial-a-Tilt knob
Positive tilt lock-out available (no upcharge)
Height and tilt readout panel
Arm swivels 360° on the track
Meets ANSI/HFES 100-2007 and BIFMA GI-2002 ergonomic guidelines
Made from 60% recycled steel with plastic tray head
Smooth black powdercoat finish
- Track:** Teflon-coated steel track with a built-in rear track stop
21.75" track length (except Leader4 - 23" track)
Made from 60% recycled steel, black powdercoat finish
- Platform:** 0.25" phenolic laminate, radius self edge, black finish
Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel-foam in black finish
Hardware for screw attachment of platform to arm included



LEADER1

- Two retractable mousing surfaces
- Right or left hand mousing
- Package includes: Leader Standard arm, Swing platform, 21-3/4" track



LEADER2


- One retractable right hand mousing surface
- Package includes: Leader Standard arm, Swivel platform, 21-3/4" track

Quickship

Quickship

Product Code	Description	List Price
LEADER1	With Leather-Like Foam Palm Pad	\$396
LEADER1-G	With Gel-Foam Palm Pad	\$418

Product Code	Description	List Price
LEADER2	With Leather-Like Foam Palm Pad	\$363
LEADER2-G	With Gel-Foam Palm Pad	\$385



LEADER3

- One retractable right hand mousing surface that tilts independently, allowing the mouse to remain horizontal while the keyboard is tilted
- Package includes: Leader Standard arm, Swivel platform, 21-3/4" track



LEADER4


- Single surface platform allows for same plane mousing
- Interchangeable and removable palm/mousing pads for right or left hand mousing
- Package includes: Leader Standard arm, Skate platform, 23" track

Quickship

Quickship


Product Code	Description	List Price
LEADER3	With Leather-Like Foam Palm Pad	\$385
LEADER3-G	With Gel-Foam Palm Pad	\$407

Product Code	Description	List Price
LEADER4	With Leather-Like Foam Palm Pad	\$385
LEADER4-G	With Gel-Foam Palm Pad	\$407



DIAGONAL CORNER WORKSURFACE

- Measure diagonal as shown by D
- Arm and platform will fit in a D" or greater diagonal corner




CURVED CORNER WORKSURFACE

- Measure curve by subtracting return width from back width eg. 48" back - 30" return = 18" curve (C)
- Arm and platform will fit in a C" or greater curved corner

LEADER STANDARD

Arm and Platform Packages

U.S. List Prices - Effective March 1, 2015




LEADER5

- Swap mouse tray installs on right or left side of platform without tools
- Mouse tray has 6 height positions, plus swivel, tilt, over top
- Package includes: Leader Standard arm, Swap platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER5	With Leather-Like Foam Palm Pad	\$391
LEADER5-G	With Gel-Foam Palm Pad	\$413




LEADER6

- Single surface platform allows continuous same plane mousing
- Designed for straight worksurfaces
- Package includes: Leader Standard arm, Straight platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER6	With Leather-Like Foam Palm Pad	\$369
LEADER6-GF	With Gel-Foam Palm Pad	\$391




LEADER7

- Single surface platform allows continuous same plane mousing
- Designed for curved corner worksurfaces
- Package includes: Leader Standard arm, Curved platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER7	With Leather-Like Foam Palm Pad	\$369
LEADER7-GF	With Gel-Foam Palm Pad	\$391




LEADER8

- Single surface platform allows continuous same plane mousing
- Designed for diagonal corner worksurfaces
- Package includes: Leader Standard arm, Diagonal platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER8	With Leather-Like Foam Palm Pad	\$369
LEADER8-GF	With Gel-Foam Palm Pad	\$391




LEADER9

- Single round mousing surface that swivels and retracts under keyboard for ease of storage
- Package includes: Leader Standard arm, Simple platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER9	With Leather-Like Foam Palm Pad	\$349
LEADER9-G	With Gel-Foam Palm Pad	\$371



LEADER10


- Mousing surface can easily slide from right to left
- Ideal for multi-users
- Includes mouse palm support
- Package includes: Leader Standard arm, Slider platform, 21-3/4" track

Quickship

Product Code	Description	List Price
LEADER10	With Leather-Like Foam Palm Pad	\$391
LEADER10-G	With Gel-Foam Palm Pad	\$413

PLATFORM STORAGE

- 22" to 24" deep worksurface
- Platform will store under the worksurface with the arm and track supplied
- Track length is 21-3/4" except LEADER4 that has a 23" track. Track stop will add 1/8" to the track length



POSITIVE TILT LOCK-OUT

- To order, add the suffix -PTLO to the product code eg. LEADER1-PTLO
- No upcharge for positive tilt lock-out

LEADER SIT-STAND

Arm and Platform Packages

U.S. List Prices - Effective March 1, 2015



SHOWN: LSS1

Quickship

HEIGHT RANGE
14.25" ↑ 8.25"
6.0" ↓

TILT RANGE
-15° ↺ +10° ↻

Package Specifications

- Arm:** Lever-free articulating keyboard arm
14.25" height range (8.25" above, 6" below track) with height gauge
Tilt range (-15° to +10°) with Dial-a-Tilt knob and tilt indicator
Positive tilt lock-out available (no upcharge)
Arm swivels 360° on the track
Made from 60% recycled steel, with plastic tray head
Black powdercoat finish
- Track:** Teflon-coated steel track with a built-in rear track stop
23" track length
Made from 60% recycled steel, black powdercoat finish
- Platform:** 0.25" phenolic laminate, radius self edge, black finish
Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel-foam in black finish
Hardware for screw attachment of platform to arm included


Package	Application	Description	Product Code	List Price
		Package includes: Leader Sit-Stand arm Swing platform 23" track	LSS1 with leather-like foam palm pad LSS1-G with gel-foam palm pad	\$471 \$493
		Package includes: Leader Sit-Stand arm Swivel platform 23" track	LSS2 with leather-like foam palm pad LSS2-G with gel-foam palm pad	\$438 \$460
		Package includes: Leader Sit-Stand arm Swivel platform 23" track	LSS3 with leather-like foam palm pad LSS3-G with gel-foam palm pad	\$460 \$482
		Package includes: Leader Sit-Stand arm Skate platform 23" track	LSS4 with leather-like foam palm pad LSS4-G with gel-foam palm pad	\$460 \$482
		Package includes: Leader Sit-Stand arm Swap platform 23" track	LSS5 with leather-like foam palm pad LSS5-G with gel-foam palm pad	\$465 \$487
		Package includes: Leader Sit-Stand arm Straight platform 23" track	LSS6 with leather-like foam palm pad LSS6-GF with gel-foam palm pad	\$443 \$465
		Package includes: Leader Sit-Stand arm Curved platform 23" track	LSS7 with leather-like foam palm pad LSS7-GF with gel-foam palm pad	\$443 \$465
		Package includes: Leader Sit-Stand arm Diagonal platform 23" track	LSS8 with leather-like foam palm pad LSS8-GF with gel-foam palm pad	\$443 \$465
		Package includes: Leader Sit-Stand arm Simple platform 23" track	LSS9 with leather-like foam palm pad LSS9-G with gel-foam palm pad	\$424 \$446
		Package includes: Leader Sit-Stand arm Slider platform 23" track	LSS10 with leather-like foam palm pad LSS10-G with gel-foam palm pad	\$465 \$487

WORKSURFACE SHAPES

- See page 146 on how to measure diagonal corner and curved corner worksurfaces

PLATFORM STORAGE

- 24" deep worksurface
- Platform will store under the worksurface with the arm and track supplied
- Track length is 23". Track stop will add 1/8" to the track length



LEADER Arms

U.S. List Prices - Effective March 1, 2015

LEADER STANDARD ARM



- Lever-free articulating keyboard arm and track
- Arm height range 8.8" (2.38" above, 6.5" below track)
- Arm tilt range (-20° to +10°) with Dial-a-Tilt knob
- Positive tilt lock-out available (no upcharge)
- Height and tilt readout panel
- Arm rotates 360° on track
- Meets ANSI/HFES 100-2007 and BIFMA G1-2002 ergonomic guidelines
- Smooth black powdercoat finish



Product Code	Track Type	Track Length	List Price
A-LSTS	Teflon	17"	\$211
A-LSTT	Teflon	19.5"	\$211
A-LSTM	Teflon	21.75"	\$211
A-LSTL	Teflon	23"	\$211

(Leader Standard arm and platform packages on page 146)

LEADER SIT-STAND ARM




- Lever-free articulating keyboard arm and track
- Arm height range 14.25" (8.25" above, 6" below track) with height gauge
- Arm tilt range (-15° to +10°) with Dial-a-Tilt knob and tilt indicator
- Positive tilt lock-out available (no upcharge)
- Arm rotates 360° on track
- Black powdercoat finish



Product Code	Track Type	Track Length	List Price
A-LSSS	Teflon	17"	\$286
A-LSST	Teflon	19.5"	\$286
A-LSSM	Teflon	21.75"	\$286
A-LSSL	Teflon	23"	\$286

(Leader Sit-Stand arm and platform packages on page 148)

LEADER DUAL SWIVEL ARM




- Lever-free articulating keyboard arm and track
- Arm dual swivel allows for +/- 35° rotation
- Arm height range 10.5" (2.5" above, 8" below track) with height indicator
- Arm tilt range (-15° to +10°) with Dial-a-Tilt knob and tilt indicator
- Positive tilt lock-out available (no upcharge)
- Arm rotates 360° on track
- Black powdercoat finish

LEAD TIME
1-3 WEEKS

Product Code	Track Type	Track Length	List Price
A-LSVS	Teflon	17"	\$297
A-LSVT	Teflon	19.5"	\$297
A-LSVM	Teflon	21.75"	\$297
A-LSVL	Teflon	23"	\$297

LEADER DUAL ARM



- Dual arm provides extra support for large keyboard surfaces
- Arm height range:
A-7080D 19" (12.5" above, 6.5" below track)
A-7090D 16" (9.5" above, 6.5" below track)
- Paddle actuator handle
- Arm tilt range (-15° to +15°) with tilt knob
- Slim arms (less than 0.75" each) for better knee clearance
- Choose from fixed mount or retractable mount (arm attached to two 17" ball-bearing tracks)

LEAD TIME
1-3 WEEKS

Product Code	Track Type	Track Length	List Price
A-7080D	Fixed	—	\$603
A-7080D-RET17	Retractable	17"	\$853
A-7090D*	Fixed	—	\$462
A-7090D-RET17	Retractable	17"	\$609

*Shown

CONSTRUCTION

- Arm is made from 60% recycled steel, black powdercoat finish
- Track is made from 60% recycled steel with built-in rear track stop, black powdercoat finish
- Hardware for screw attachment of platform to arm included

POSITIVE TILT LOCK-OUT


- To order, add the suffix -PTLO to the arm product code eg. A-LSTM-PTLO
- No upcharge for positive tilt lockout

LEADER

Moveable Mouse Plane Platforms

U.S. List Prices - Effective March 1, 2015

SWING PLATFORM




- Two retractable mousing surfaces for right or left hand mousing
- Wire mouse guards and optical mousing surfaces
- Black finish

Quickship

Product Code	Description	List Price
SWING	With Leather-Like Foam Palm Pad	\$185
SWING-G	With Gel-Foam Palm Pad	\$207
SWING-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$185

SWIVEL PLATFORM




- One retractable right hand mousing surface
- Wire mouse guard and optical mousing surface
- Black finish

Quickship

Product Code	Description	List Price
SWIVEL	With Leather-Like Foam Palm Pad	\$152
SWIVEL-G	With Gel-Foam Palm Pad	\$174
SWIVEL-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$152

SWIVET PLATFORM




- One retractable mousing surface that tilts independently, allowing the mouse to remain horizontal while the keyboard is tilted
- Wire mouse guard and optical mousing surface
- Black finish

Quickship

Product Code	Description	List Price
SWIVET	With Leather-Like Foam Palm Pad	\$174
SWIVET-G	With Gel-Foam Palm Pad	\$196
SWIVET-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$174

SWAP PLATFORM




- Swap mouse tray installs on right or left side of platform without tools
- Mouse tray has 6 height positions, plus swivel, tilt, over top
- Plastic mouse guard
- Black finish

Quickship

Product Code	Description	List Price
SWAP	With Leather-Like Foam Palm Pad	\$179
SWAP-G	With Gel-Foam Palm Pad	\$201
SWAP-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$179

SIMPLE PLATFORM




- Single round mousing surface that swivels and retracts under keyboard
- Plastic mouse guard and optical mousing surface
- Black finish

Quickship

Product Code	Description	List Price
SIMPLE	With Leather-Like Foam Palm Pad	\$138
SIMPLE-G	With Gel-Foam Palm Pad	\$160
SIMPLE-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$138

SLIDER PLATFORM



- Mousing surface can easily slide from left to right
- Ideal for multi-user workstations
- Includes mouse palm support
- Black finish

Quickship


Product Code	Description	List Price
SLIDER	With Leather-Like Foam Palm Pad	\$179
SLIDER-G	With Gel-Foam Palm Pad	\$201

CONSTRUCTION

- Made from 0.25" phenolic laminate, radius self edge, black finish
- Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel-foam in black finish
- Platforms fastens to arm tray head using four screws and nuts (supplied)

SHALLOW DEPTH WORKSURFACE

- For shallow depth worksurfaces (less than 22") specify the -SD9 option above and a Leader Standard arm with 19.5" track (A-LSTT on page 149)
- SD9 palm pads are 2" deep, and are not available in gel.




LEADER

Same Plane Mousing Platforms

U.S. List Prices - Effective March 1, 2015


STRAIGHT PLATFORM



- Single surface platform allows continuous same plane mousing
- Repositionable wire mouse guards
- Designed for straight worksurfaces
- Black finish

Product Code	Description	List Price
STRAIGHT	With Leather-Like Foam Palm Pad	\$157
STRAIGHT-GF	With Gel-Foam Palm Pad	\$179
STRAIGHT-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$157


DIAGONAL PLATFORM



- Single surface platform allows continuous same plane mousing
- Raised bumper guard around keyboard and mouse area
- Designed for diagonal corner worksurfaces
- Black finish

Product Code	Description	List Price
DIAGONAL	With Leather-Like Foam Palm Pad	\$157
DIAGONAL-GF	With Gel-Foam Palm Pad	\$179
DIAGONAL-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$157


CURVED PLATFORM



- Single surface platform allows continuous same plane mousing
- Raised bumper guard around keyboard and mouse area
- Designed for curved corner worksurfaces
- Black finish

Product Code	Description	List Price
CURVED	With Leather-Like Foam Palm Pad	\$157
CURVED-GF	With Gel-Foam Palm Pad	\$179
CURVED-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$157

SKATE PLATFORM



- Single surface platform allows continuous same plane mousing
- Interchangeable and removable palm and mouse pads for right or left hand mousing
- Wire mouse guards
- Black finish

Product Code	Description	List Price
SKATE	With Leather-Like Foam Palm Pad	\$174
SKATE-G	With Gel-Foam Palm Pad	\$196
SKATE-SD9	9" Shallow Depth Platform With Foam Palm Pad	\$174

DUAL PADS

- Straight, Curved, Diagonal platforms are available with dual pads
- To order, specify eg. STRAIGHT-DPSS

PRODUCT CODE		LIST PRICE UPCHARGE
[]-DPSS	Leather-like foam pads both with screws	\$33
[]-DPCC	Leather-like foam pads both with clips	\$33
[]-DPSS-G	Gel foam pads both with screws	\$55
[]-DPCC-G	Gel foam pads both with clips	\$55

SPECIAL WIDTH PLATFORMS

- Same plane mousing platforms (above) are available with special widths. Quickship not available.
- When ordering, use the suffix -SW[] for special width eg. STRAIGHT-SW25 is a STRAIGHT 25" wide platform.
- A 10% list price upcharge is applicable.

EASY RIDER STANDARD

Arm and Platform Packages

U.S. List Prices - Effective March 1, 2015



SHOWN: EASY5



Package Specifications

- Arm:** Lever-free and knob-free articulating keyboard arm
8" height range (3" above, 5" below track) with height gauge
Tilt range (-20° to +10°) with Dial-a-Tilt wheel and tilt gauge
Positive tilt lock-out available (no upcharge)
Arm swivels 360° on the track
Made from 30% recycled steel, black powdercoat finish
- Track:** Teflon-coated steel track with a rear track stop
21" track length
Made from 30% recycled steel, black powdercoat finish
- Platform:** 0.25" phenolic laminate, radius self edge, black finish
Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel foam in black finish


Package	Application	Description	Product Code	List Price
		Package includes: Easy Rider Standard arm Swing platform 21" track	EASY1 with leather-like foam palm pad EASY1-G with gel-foam palm pad	\$361 \$383
		Package includes: Easy Rider Standard arm Swivel platform 21" track	EASY2 with leather-like foam palm pad EASY2-G with gel-foam palm pad	\$328 \$350
		Package includes: Easy Rider Standard arm Swivel platform 21" track	EASY3 with leather-like foam palm pad EASY3-G with gel-foam palm pad	\$350 \$372
		Package includes: Easy Rider Standard arm Skate platform 21" track	EASY4 with leather-like foam palm pad EASY4-G with gel-foam palm pad	\$350 \$372
		Package includes: Easy Rider Standard arm Swap platform 21" track	EASY5 with leather-like foam palm pad EASY5-G with gel-foam palm pad	\$355 \$377
		Package includes: Easy Rider Standard arm Straight platform 21" track	EASY6 with leather-like foam palm pad EASY6-GF with gel-foam palm pad	\$333 \$355
		Package includes: Easy Rider Standard arm Curved platform 21" track	EASY7 with leather-like foam palm pad EASY7-GF with gel-foam palm pad	\$333 \$355
		Package includes: Easy Rider Standard arm Diagonal platform 21" track	EASY8 with leather-like foam palm pad EASY8-GF with gel-foam palm pad	\$333 \$355
		Package includes: Easy Rider Standard arm Simple platform 21" track	EASY9 with leather-like foam palm pad EASY9-G with gel-foam palm pad	\$314 \$336
		Package includes: Easy Rider Standard arm Slider platform 21" track	EASY10 with leather-like foam palm pad EASY10-G with gel-foam palm pad	\$355 \$377

WORKSURFACE SHAPES

- See page 146 on how to measure diagonal corner and curved corner worksurfaces

PLATFORM STORAGE

- 22" to 24" deep worksurface
- Platform will store under the worksurface with the arm and track supplied
- Track length is 21". Track stop will add 1/8" to the track length



EASY RIDER SIT-STAND

Arm and Platform Packages

U.S. List Prices - Effective March 1, 2015



SHOWN: RZT8

LEAD TIME
1-3 WEEKS

HEIGHT RANGE
12.7" ↑
7.1" ↓
5.6" ↓

TILT RANGE
-20° ↺
+10° ↻


Package Specifications

- Arm:** Lever-free and knob-free articulating keyboard arm
12.7" height range (7.1" above, 5.6" below track)
Tilt range (-20° to +10°) with Dial-a-Tilt wheel
Positive tilt lock-out available (no upcharge)
Arm swivels 360° on the track
Made from 30% recycled steel, black powdercoat finish
- Track:** Teflon-coated steel track with a rear track stop
23" track length
Made from 30% recycled steel, black powdercoat finish
- Platform:** 0.25" phenolic laminate, radius self edge, black finish
Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel-foam in black finish

Package	Application	Description	Product Code	List Price
		Package includes: Easy Rider Sit-Stand arm Swing platform 23" track	RZT1 with leather-like foam palm pad RZT1-G with gel-foam palm pad	\$427 \$449
		Package includes: Easy Rider Sit-Stand arm Swivel platform 23" track	RZT2 with leather-like foam palm pad RZT2-G with gel-foam palm pad	\$394 \$416
		Package includes: Easy Rider Sit-Stand arm Swivel platform 23" track	RZT3 with leather-like foam palm pad RZT3-G with gel-foam palm pad	\$416 \$438
		Package includes: Easy Rider Sit-Stand arm Skate platform 23" track	RZT4 with leather-like foam palm pad RZT4-G with gel-foam palm pad	\$416 \$438
		Package includes: Easy Rider Sit-Stand arm Swap platform 23" track	RZT5 with leather-like foam palm pad RZT5-G with gel-foam palm pad	\$421 \$443
		Package includes: Easy Rider Sit-Stand arm Straight platform 23" track	RZT6 with leather-like foam palm pad RZT6-GF with gel-foam palm pad	\$399 \$421
		Package includes: Easy Rider Sit-Stand arm Curved platform 23" track	RZT7 with leather-like foam palm pad RZT7-GF with gel-foam palm pad	\$399 \$421
		Package includes: Easy Rider Sit-Stand arm Diagonal platform 23" track	RZT8 with leather-like foam palm pad RZT8-GF with gel-foam palm pad	\$399 \$421
		Package includes: Easy Rider Sit-Stand arm Simple platform 23" track	RZT9 with leather-like foam palm pad RZT9-G with gel-foam palm pad	\$380 \$402
		Package includes: Easy Rider Sit-Stand arm Slider platform 23" teflon track	RZT10 with leather-like foam palm pad RZT10-G with gel-foam palm pad	\$421 \$443

PLATFORM STORAGE

- 24" deep worksurface
- Platform will store under the worksurface with the arm and track supplied
- Track length is 23". Track stop will add 1/8" to the track length



POSITIVE TILT LOCK-OUT

- To order, add the suffix -PTLO to the product code eg. RZT1-PTLO
- No upcharge for positive tilt lock-out

EASY RIDER AND VALUE Arms

U.S. List Prices - Effective March 1, 2015

EASY RIDER STANDARD ARM



HEIGHT RANGE
8" 3"
5"

TILT RANGE
+10°
-20°



- Lever-free and knob-free articulating keyboard arm and track
- Arm height range 8" (3" above, 5" below track) with height gauge
- Arm tilt range (-20° to +10°) with Dial-a-Tilt wheel and tilt indicator
- Positive tilt lock-out available (no upcharge)
- Arm rotates 360° on track
- Black powdercoat finish

Product Code	Track Type	Track Length	List Price
A-RSTS	Teflon	17.75"	\$176
A-RSTT	Teflon	19"	\$176
A-RSTM	Teflon	21"	\$176
A-RSTL	Teflon	23"	\$176

(Easy Rider Standard arm and platform packages on page ??)

EASY RIDER SIT-STAND ARM



HEIGHT RANGE
12.7" 7.1"
5.6"

TILT RANGE
+10°
-15°

- Lever-free and knob-free articulating keyboard arm and track
- Arm height range 12.7" (7.1" above, 5.6" below track)
- Arm tilt range (-20° to +10°) with Dial-a-Tilt wheel
- Positive tilt lock-out available (no upcharge)
- Arm rotates 360° on track
- Black powdercoat finish

LEAD TIME
1-3 WEEKS

Product Code	Track Type	Track Length	List Price
A-RZTS	Teflon	17.75"	\$242
A-RZTT	Teflon	19"	\$242
A-RZTM	Teflon	21"	\$242
A-RZTL	Teflon	23"	\$242

(Easy Rider Sit Stand arm and platform packages on page ??)

VALUE ARM



HEIGHT RANGE
6.0" 0.0"
6.0"

TILT RANGE
+10°
-15°



- Articulating keyboard arm and track
- Knob controls both height and tilt
- Arm height range 6" (0" above, 6" below track)
- Arm tilt range (-15° to +10°)
- Arm rotates 360° on track
- Black powdercoat finish

Product Code	Track Type	Track Length	List Price
A-5730	Teflon	17"	\$124

CONSTRUCTION

- Easy Rider [Value] arms are made from 30% [60%] recycled steel, black powdercoat finish
- Track is made from 30% [60%] recycled steel, black powdercoat finish
- Hardware for screw attachment of platform to arm included

POSITIVE TILT LOCK-OUT

- To order, add the suffix -PTLO to the arm product code eg. A-RSTM-PTLO
- No upcharge for positive tilt lock-out
- Positive tilt lock-out not available for Value arm


VALUE

Arm and Platform Packages

U.S. List Prices - Effective March 1, 2015




SHOWN: VALUE2



Package Specifications

- Arm:** Lever-free articulating keyboard arm
 Knob controls both height and tilt
 Arm height range 6" (0" above, 6" below track)
 Arm tilt range (-15° to +10°)
 Arm rotates 360° on the track
 Made from 60% recycled steel
 Black powdercoat finish
- Track:** Teflon-coated steel track with built-in rear track stop
 17" track length
 Made from 60% recycled steel, black powdercoat finish
- Platform:** 0.25" phenolic laminate, radius self edge, black finish
 Removable palm pad made from medium density foam with black vinyl leather-like cover, or molded gel-foam in black finish




VALUE 1

- 19" platform
- Package includes:
A-5730 Value arm,
BASIC platform,
17" track



Product Code	Description	List Price
VALUE 1	With Leather-Like Foam Palm Pad	\$204



VALUE 2

- Single round mousing surface that swivels and retracts under keyboard for ease of storage
- Package includes:
A-5730 Value arm,
BASIC-UR platform,
17" track



Product Code	Description	List Price
VALUE 2	With Leather-Like Foam Palm Pad	\$249



VALUE 3

- Single surface platform allows for same plane mousing
- Package includes:
A-5730 Value arm,
TP-27-55BK platform,
17" track



Product Code	Description	List Price
VALUE 3	With Leather-Like Foam Palm Pad	\$248

PACKAGE SPECIFICATIONS


- Positive tilt lock-out not available

SHALLOW DEPTH WORKSURFACE


- For full retraction, use a A-5730 arm with 17" track, and optional -SD9 keyboard platform.

ARM AND PLATFORM Accessories

U.S. List Prices - Effective March 1, 2015



Quickship



MOUSE TRAYS

- Mouse trays for Leader and Basis platforms
- Include optical mousing surface and wire mouse guards
- 0.25" phenolic laminate, radius self-edge, black finish

Product Code	Platform	Function	Side	List Price
MT-LEADS	LEADER	Swivel	RIGHT	\$56
MT-LEADST	LEADER	Swivel / Tilt	RIGHT	\$92
MT-LEADS-L	LEADER	Swivel	LEFT	\$56
MT-LEADST-L	LEADER	Swivel / Tilt	LEFT	\$92
MT-S	BASIS	Swivel	RIGHT	\$46
MT-ST	BASIS	Swivel / Tilt	RIGHT	\$92
MT-SO	BASIS	Swivel / Over Top	RIGHT	\$73
MT-STO	BASIS	Swivel / Tilt / Over Top	RIGHT	\$92

Note - For Basis, add -L to product code to order LEFT




LEAD TIME
1-3 WEEKS

SWAP MOUSE TRAY

- 9" diameter clamp-on mouse tray
- Fits 0.25" phenolic laminate keyboard platform
- Six user adjustable height positions, plus swivel, tilt, and over-top
- Includes mouse guard with cord management eyelet
- Black finish

Product Code	List Price
MT-ULTRA	\$77




Quickship

MOUSE TRAY ADD-ONS

- Rotomouse includes gel mouse pad and mouse guard rail (tray not included). Mouse guard has cord organizer and swivels independent of the mouse tray. Black finish.
- Clip-On Pad fits onto any mouse tray. Available in foam or gel-foam. Black finish. Tray extra.
- Mouse Pad has a built-in mouse palm support. 8.5" diameter. Black finish.

Product Code	Description	List Price
RM	Rotomouse	\$39
MTP5-C-55	5" Clip-On Foam Pad	\$17
MTP5-C-75	5" Clip-On Gel Pad	\$28
MOUSE PAD	8.5" Mouse Pad	\$28




LEAD TIME
1-3 WEEKS

TRACKS

- Steel glide tracks
- Choose tracks for LEADER/VALUE arms, or EASY RIDER arms
- Black powdercoat finish

Product Code		Pad Material		List Price
LEADER/VALUE	EASY RIDER	LEADER/VALUE	EASY RIDER	
A-TG-S*	A-TG-S-EZ	17"	17.75"	\$44
A-TG-T	A-TG-T-EZ	19.5"	19"	\$50
A-TG-M	A-TG-M-EZ	21.75"	21"	\$55
A-TG-L	A-TG-L-EZ	23"	23"	\$61

*Shown




LEAD TIME
1-3 WEEKS

SWIVEL MOUNT

- Provides dual swivel functionality
- Attaches to keyboard arm tray head
- Swivel platform left or right

Product Code	For Arm	Swivel Range	Mount Height	List Price
SWIVEL-LEAD*	LEADER	35°	1"	\$68
SWIVEL-EASY	EASY RIDER	75°	5/8"	\$68

*Shown



Quickship

REPLACEMENT PALM PADS

- 19" wide or 27" wide palm pads to fit ISE platforms
- 8" wide mousing pad to fit SKATE platform
- Foam pads made from medium density foam with black leather-like vinyl cover
- Gel-foam pads made from molded gel-foam with black finish

Product Code	Pad Width	Pad Mount	Pad Material	List Price
TP-PAD19-55	19"	Screw	Foam	\$22
TP-PAD19-45			Gel-Foam	\$44
TP-PAD27-55	27"	Screw	Foam	\$33
TP-PAD27-45			Gel-Foam	\$55
TP-PADSKATE-55-S-CLIP	8"	Clip Screw	Foam	\$22
TP-PADSKATE-55-S-SCRW			Foam	\$17

DUAL PADS

- Dual pads are available as an option to STRAIGHT, CURVED, DIAGONAL platforms
- Please see page 151 for information

TABLET AND LAPTOP Drawers

U.S. List Prices - Effective March 1, 2015



FRONT VIEW

RESTORE TABLET DRAWER

- Designed by Mark Müller
- Securely stores and charges iPads and tablets under the desk surface
- Slim profile drawer is 2" thick
- Fits all tablets up to 10" x 12"
- Push to close, and open with key lock
- Tablet is stored securely on memory foam
- Integrated USB charging point keeps tablet fully charged overnight

Product Code	List Price
--------------	------------

COMING SOON

LAPTOP DRAWER




- Under desktop mount
- Key lock prevents drawer opening
- Ball bearing drawer slides with 15" actual extension
- Outside dimensions 17.5"W x 16.5"D x 2"H
- Inside dimensions 15.25"W x 14"D
- Two cord management slots at rear
- Perforated holes on drawer bottom for cooling
- 16 ga. black metal finish - includes palm pad
- Keyed Different is standard – other keying options not available



Product Code	List Price
LAPTOP-DRAWER	\$139

BIG LAPTOP DRAWER



- Under desktop mount
- Key lock prevents drawer opening
- Ball bearing drawer slides with 18.5" actual extension
- Outside dimensions 26.25"W x 22"D x 4"H; Inside dimensions 25"W x 21"D x 4"H
- Three cord management holes at rear; perforated holes on drawer bottom for cooling
- Black metal finish
- Keyed Different is standard – other keying options available- see below

LEAD TIME
2-3 WEEKS


Product Code	Product Weight	List Price
LAPTOP-DRAWER-BIG	21 LBS	\$427

BIG LAPTOP DRAWER - KEYING

- Keyed Different is the standard key style (i.e. each lock opens with a different key)
 - Keyed Alike (i.e. multiple locks that open with the same key) is a no upcharge option
- To order Keyed Alike add KA as follows: LAPTOP-DRAWER-BIG-KA
Additional keys are sold separately at \$20 list each. To order use product code ALIKE-KEY on a separate order line.

- Keyed Different with Master Key (i.e. each lock opens with a different key and a master key) is available at an upcharge of \$10 list per drawer
- To order Keyed Different with Master Key add KDMK as follows:
LAPTOP DRAWER-BIG-KDMK
Additional Master Keys are sold separately at \$20 list per key. To order use product code MASTERKEY on a separate order line.

17" CORNER MAKER




- Converts any 90° corner into a diagonal to allow mounting of a keyboard arm
- Fits worksurfaces up to 1.5" thick
- Made from 14 ga steel
- Powdercoat finish

Quickship

Product Code	Color	List Price
CM17-BK	Black	\$84
CM17-SM	Silver	\$84
CM17-WH	White	\$84

THICK SURFACE 17" CORNER MAKER




- Converts any 90° corner into a diagonal to allow mounting of a keyboard arm
- Fits worksurfaces up to 2.5" thick
- Made from 14 ga steel
- Powdercoat finish

Quickship

Product Code	Color	List Price
CM17W-BK	Black	\$88
CM17W-SM	Silver	\$88
CM17W-WH	White	\$88

21" CORNER MAKER




- Converts any 90° corner into a diagonal to allow mounting of a keyboard arm
- Fits worksurfaces up to 1.5" thick
- Made from 14 ga steel
- Powdercoat finish

Quickship

Product Code	Color	List Price
CM21-BK	Black	\$97
CM21-SM	Silver	\$97
CM21-WH	White	\$97

28" INFILL MAKER




- Fills in existing keyboard cutouts and allows any ISE arm to be attached
- Fits worksurfaces up to 1.5" thick
- Made from 14 ga steel
- Powdercoat finish

Quickship

Product Code	Color	List Price
CM28-BK	Black	\$124
CM28-SM	Silver	\$124
CM28-WH	White	\$124

CORNER COMBO




- Combination arm, track, platform designed to fit into 90° corner without the need for a corner maker
- Easy Rider extended length arm (A-RXTL) on a 23" teflon track
- 0.25" phenolic platform (19" wide x 14" deep) with 8" diameter swivel mouse tray
- Arm and track made from 60% recycled steel
- Black powdercoat finish

Quickship

Product Code	List Price
CORNER-COMBO	\$319

M BOARD



- Corner maker designed for desktop keyboarding and mouse use
- Allows for mounting of a keyboard arm
- Optical mousing surfaces and leather-like foam palm pad
- Made from 14 ga steel
- Powdercoat finish


Quickship

Product Code	Color	List Price
M-BOARD-BK	Black	\$155
M-BOARD-SS	Silver	\$196

KEYBOARD DRAWERS

U.S. List Prices - Effective March 1, 2015

19" KEYBOARD DRAWER



- Pull out keyboard drawer
- 16" long ball bearing slides (11" actual extension)
- Height adjustments of 3", 3.5", 4"
- 0.25" phenolic platform
- Black finish



*Shown

Product Code	Description	List Price
DRW-TP-19-55BK*	With Leather-Like Foam Palm Pad	\$151
DRW-TP-19-00BK	No Palm Pad	\$129

27" KEYBOARD DRAWER




- Pull out keyboard drawer
- 16" long ball bearing slides (11" actual extension)
- Height adjustments of 3", 3.5", 4"
- 0.25" phenolic platform
- Black finish



*Shown

Product Code	Description	List Price
DRW-TP-27-55BK*	With Leather-Like Foam Palm Pad	\$189
DRW-TP-27-00BK	No Palm Pad	\$167

19" KEYBOARD DRAWER WITH MOUSE TRAY




- 19" wide pull out keyboard drawer
- Sliding left to right mouse tray
- 16" long ball bearing slides (11" actual extension)
- Height adjustments of 3", 3.5", 4"
- 0.25" phenolic platform
- Black finish



*Shown

Product Code	Description	List Price
DRW-TP-19S-55BK*	With Leather-Like Foam Palm Pad	\$257
DRW-TP-19S-00BK	No Palm Pad	\$235

PEN DRAWER



- Pull out pen drawer
- Ball bearing slides with mounting brackets
- Ribbed back compartment holds letter paper
- Front compartments hold common drawer items
- Black plastic

LEAD TIME
1-3 WEEKS


Product Code	List Price
PENDRAWER	\$62

CPU HOLDERS

Track and Trolley

U.S. List Prices - Effective March 1, 2015

TRACK MOUNT




Quickship

- Mounts CPU under worksurface
- CPU slides along teflon track and swivels 360° for one hand access to cables
- Keeps CPU within easy reach and frees-up desk space
- Accommodates CPUs from 3.5" to 9.3" wide and 13.5" to 22.5" high
- Steel construction with black powdercoat finish

Product Code	Track Type	Track Length	Max Load	List Price
VE-CPUS	Teflon	17"	85 LBS	\$175

TRACK MOUNT WITH LOCK




LEAD TIME
1-3 WEEKS

- Mounts CPU under worksurface
- Security knob prevents the CPU from being removed
- CPU slides along a teflon track and swivels 360° for one hand access to cables
- Accommodates CPUs from 3.5" to 9.3" wide and 12.5" to 22.5" high
- Steel construction with black powdercoat finish

Product Code	Track Type	Track Length	Max Load	List Price
VE-CPUSL	Teflon	17"	85 LBS	\$350

STRAP




Quickship

- Mounts CPU under worksurface
- An economical alternative
- CPU slides along a teflon track and swivels 360° for one hand access to cables
- Each strap is 1" wide x 5' long to accommodate most CPU's
- Steel construction with black powdercoat finish

Product Code	Track Type	Track Length	Max Load	List Price
VE-CPUST	Teflon	17"	50 LBS	\$118

SMALL CPU HOLDER




Quickship

- For small CPUs
- Mounts CPU under worksurface
- CPU slides along a teflon track and swivels 360° for one hand access to cables
- Accommodates CPUs from 1.75" to 4" wide and 7.75" to 14" high
- Steel construction with black powdercoat finish

Product Code	Track Type	Track Length	Max Load	List Price
VE-CPU-SMALL	Teflon	9.5"	22 LBS	\$144

TROLLEY




Quickship

- Moves on four casters for best positioning
- Keeps computer off floor
- Provides easy access to cables
- Accommodates CPU's from 2.5" to 5.75" wide
- Steel construction with black powdercoat finish
- Ships fully assembled

Product Code	Max Load	List Price
TROLLEY-BK	85 LBS	\$98

BIG TROLLEY



Quickship


- For larger CPU's
- Moves on four casters for best positioning
- Keeps computer off floor
- Provides easy access to cables
- Accommodates CPU's from 3.75" to 11" wide
- Steel construction with black powdercoat finish
- Ships fully assembled

Product Code	Max Load	List Price
BIG-TROLLEY-BK	75 LBS	\$139

CPU HOLDERS

Fixed Mount

U.S. List Prices - Effective March 1, 2015




Quickship

Product Code	Max Load	List Price
VE-CPUHV	85 LBS	\$180

VERTICAL OR HORIZONTAL MOUNT

- CPU can be mounted in either a vertical or horizontal position
- Fixed mount under worksurface
- Horizontal position - accommodates widths of 13" to 25" and heights of 7.5" to 12"
- Vertical position - accommodates widths of 5.5" to 10" and heights of 13.5" to 19.5"
- Steel construction with black powdercoat finish
- Ships fully assembled


HORIZONTAL MOUNT



Quickship

Product Code	Max Load	List Price
VE-CPUHT	85 LBS	\$165

VERTICAL MOUNT




- Fixed mount under worksurface
- CPU will swivel 360° for one hand access to cables
- Accommodates CPUs from 3.5" to 9.3" wide and 13.5" to 22.5" high.
- Steel construction with black powdercoat finish

LEAD TIME
1-3 WEEKS


Product Code	Max Load	List Price
VE-CPU	85 LBS	\$144

WALL MOUNT



Quickship

Product Code	Max Load	List Price
VE-CPU-SMALL-WALL	22 LBS	\$144




STEEL DOOR

- Designed to fit under worksurface
- Steel front door and 24" H steel case
- Four adjustable height shelves to hold up to five CPUs
- Perforated sides for ventilation
- Open back (closed back see below)
- Locking tab for added security - lock not included
- Casters or glides - casters add 2.5" H; glides add 1.5" H

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-S-C	Caster	73 LBS	\$769
LBOT5-S-G	Glide	73 LBS	\$769




STEEL MESH DOOR

- Designed to fit under worksurface
- Steel mesh front door and 24" H steel case
- Four adjustable height shelves to hold up to five CPUs
- Perforated sides for ventilation
- Open back (closed back see below)
- Locking tab for added security - lock not included
- Casters or glides - casters add 2.5" H; glides add 1.5" H

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-M-C	Caster	73 LBS	\$837
LBOT5-M-G	Glide	73 LBS	\$837




STEEL PERFORATED DOOR

- Designed to fit under worksurface
- Steel perforated front door and 24" H steel case
- Four adjustable height shelves to hold up to five CPUs
- Perforated sides for ventilation
- Open back (closed back see below)
- Locking tab for added security - lock not included
- Casters or glides - casters add 2.5" H; glides add 1.5" H

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-PS-C	Caster	73 LBS	\$837
LBOT5-PS-G	Glide	73 LBS	\$837




PLEXI GLASS DOOR

- Designed to fit under worksurface
- Plexi-glass front door and 24" H steel case
- Four adjustable height shelves to hold up to five CPUs
- Perforated sides for ventilation
- Open back (closed back see below)
- Locking tab for added security - lock not included
- Casters or glides - casters add 2.5" H; glides add 1.5" H

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-P-C	Caster	71 LBS	\$816
LBOT5-P-G	Glide	71 LBS	\$816




WOOD DOOR

- Designed to fit under worksurface
- Maple or Light Cherry laminate wood front door and 24" H steel case
- Four adjustable height shelves to hold up to five CPUs
- Perforated sides for ventilation
- Open back (closed back see below)
- Locking tab for added security - lock not included
- Casters or glides - casters add 2.5" H; glides add 1.5" H

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-W-C	Caster	76 LBS	\$905
LBOT5-W-G	Glide	76 LBS	\$905



VERTICAL DIVIDER LOCK BOX


- Designed to fit under worksurface
- Steel perforated front door and steel case
- Two adjustable height shelves and one removable 14" H vertical divider for tower CPU(s) and/or storage
- Perforated sides for ventilation
- Closed perforated back for security
- Locking tab for security - lock not included
- Casters for mobility or glides

LEAD TIME 4-5 WEEKS >\$10,000 LIST FREIGHT PREPAID

Product Code	Feet Type	Product Weight	List Price
LBOT5-PS-C-PB-VD	Caster	73 LBS	\$837
LBOT5-PS-G-PB-VD	Glide	73 LBS	\$837

CONSTRUCTION

- 14 ga steel
- Black powdercoat finish is standard
- Open back is standard
- Standard casters are 2" twin wheel, rated at 75 lbs.
- No ventilation is standard




Standard lock box (except Lock Box with vertical divider) includes four heavy gauge steel shelves that can be positioned within a 18" height adjustment range at 1.5" increments.
Box height with casters 26.5"
Box height with glides 25.5"
(glides are not height adjustable)

OPTIONS

- For closed perforated back, add -PB to product code eg. LBOT5-G-PB. List price upcharge is \$103
- Ventilation fans are available. Please call ISE Customer Service for specifications and upcharges

STEEL FOOT REST




Quickship

- Sturdy steel frame and steel platform combine strength and versatility
- Height adjustable from 4" to 16" in 1" increments
- Has three set tilt angles: 0°, 10°, or 20°. Includes skid resistant strips
- Platform dimension 19.5"W x 13.0"D
- Black finish

Product Code	List Price
QF-STL	\$278

ROCKING FOOT REST




Quickship

- Sturdy steel frame and durable textured composite wood platform
- Height adjustable from 4" to 16" in 1" increments
- As body position changes, the platform's fluid rocking motion (-5° to 14°) repositions the feet and lower legs
- Platform dimension 18.75"W x 11.75"D
- Black finish

Product Code	List Price
QF-CRH	\$242

LOW ROCKING FOOT REST




Quickship

- Tubular steel frame and durable textured platform
- As body position changes, the platform's fluid rocking motion (-5° to 14°) repositions the feet and lower legs
- Platform dimension 18.75"W x 11.75"D
- Black finish

Product Code	List Price
QF-CR3	\$103


FEET FIRST



Quickship

- Black plastic foot rest with tread bumps
- Features six levels of adjustability from 5° to 14°

Product Code	List Price
FEET-FIRST	\$46



COPYHOLDER - HEIGHT & ANGLE ADJUSTABLE


- Copy holder lets you easily adjust the height and angle of the easel
- Solid metal and phenolic laminate construction - slotted base for angle adjustment and wide opening for easy access to height adjustment knob
- Rigid lip (1" deep) provides support for document, binders, manuals
- Premium line guide included - made of semi-transparent plastic - slides easily and accurately
- 1/4" thick black phenolic and black powdercoat metal finish
- Ships fully assembled

LEAD TIME
1-3 WEEKS

Product Code	Easel Size	Height Range	Tilt Range	List Price
VE-COPY-12-BK	11"W x 12"H	5-3/8"	42° - 72°	\$171
VE-COPY-18-BK*	18"W x 12"H	5-3/8"	42° - 72°	\$184

*Shown

COPY HOLDER - STEEL




- Copy holder with rigid lip (0.5" deep) provides support for documents or binders
- Slotted base for angle adjustment
- Angle adjustable from 10° to 70°
- Manufactured from 16 ga steel with black powdercoat finish

Product Code	Easel Size	Height Range	Tilt Range	List Price
TB-9-11-BK	9"W x 11"H	-	10° - 70°	\$100
TB-9-15-BK	9"W x 15"H	-	10° - 70°	\$103
TB-20-11-BK*	20"W x 11"H	-	10° - 70°	\$111
TB-20-15-BK	20"W x 15"H	-	10° - 70°	\$113

*Shown

WRITING TABLET - STEEL




- Platform with 2" deep palm pad provides support while writing
- Can also be used to hold documents
- Slotted base for angle adjustment
- Angle adjustable from 10° to 70°
- Manufactured from 16 ga steel with black powdercoat finish

Product Code	Easel Size	Height Range	Tilt Range	List Price
TB-9-11P-BK	9"W x 11"H	-	10° - 70°	\$138
TB-9-15P-BK	9"W x 15"H	-	10° - 70°	\$140
TB-20-11P-BK*	20"W x 11"H	-	10° - 70°	\$152
TB-20-15P-BK	20"W x 15"H	-	10° - 70°	\$155

*Shown

COPY HOLDER - MELAMINE




- Copy holder with rigid lip (0.5" deep) provides support for documents or binder
- Angle adjustable from 10° to 70°
- Manufactured from 1/2" black melamine particle board with black t-mold edging

Product Code	Easel Size	Height Range	Tilt Range	List Price
SB-9-11-BK	9"W x 11"H	-	10° - 70°	\$100
SB-9-15-BK	9"W x 15"H	-	10° - 70°	\$103
SB-20-11-BK*	20"W x 11"H	-	10° - 70°	\$111
SB-20-15-BK	20"W x 15"H	-	10° - 70°	\$113

*Shown

WRITING TABLET - MELAMINE




- Platform with 2" deep palm pad provides support while writing
- Can also be used to hold documents
- Angle adjustable from 10° to 70°
- Manufactured from 1/2" black melamine particle board with black t-mold edging

Product Code	Easel Size	Height Range	Tilt Range	List Price
SB-9-11P-BK	9"W x 11"H	-	10° - 70°	\$138
SB-9-15P-BK	9"W x 15"H	-	10° - 70°	\$140
SB-20-11P-BK*	20"W x 11"H	-	10° - 70°	\$152
SB-20-15P-BK	20"W x 15"H	-	10° - 70°	\$155

*Shown

MONITOR RISERS

U.S. List Prices - Effective March 1, 2015



TRIMLINE RISER


- Adjust monitor height for better viewing angle
- Black 0.25" trimline surface
- Includes black anodized aluminum leg set and 0.25" leveling feet
- Leg sets provide heights of 2.75", 4.75", 7"



Product Code	List Price
--------------	------------

TR-1212-LSTACK-BK

\$186



RISER WITH SWIVEL TRAY


- Two storage options in one
- Raises monitor above worksurface for better viewing angle
- Swivel-out storage tray keeps common office items within reach eg. pencils, paper clips, 3" x 3" note pad, also includes a built-in cellulose tape holder and cutter
- Black 0.25" trimline surface



Product Code	List Price
--------------	------------

RISER-4

\$107




MONITOR RISER

- Sturdy black 0.75" melamine surface
- Includes four black anodized aluminum legs and 0.25" leveling feet
- Raises monitor above worksurface for better viewing angle
- Leg height available at 2.5", 4", 6" or 8"




Product Code	Dimensions (W x D x H)	List Price
MR-1612-L25-BK	16 x 12 x 2.5	\$79
MR-1612-L4-BK	16 x 12 x 4	\$79
MR-1612-L6-BK	16 x 12 x 6	\$79
MR-1612-L8-BK	16 x 12 x 8	\$79
MR-1616-L25-BK	16 x 16 x 2.5	\$85
MR-1616-L4-BK	16 x 16 x 4	\$85
MR-1616-L6-BK	16 x 16 x 6	\$85
MR-1616-L8-BK	16 x 16 x 8	\$85
MR-2412-L25-BK	24 x 12 x 2.5	\$91
MR-2412-L4-BK	24 x 12 x 4	\$91
MR-2412-L6-BK	24 x 12 x 6	\$91
MR-2412-L8-BK	24 x 12 x 8	\$91
MR-2416-L25-BK	24 x 16 x 2.5	\$96
MR-2416-L4-BK	24 x 16 x 4	\$96
MR-2416-L6-BK	24 x 16 x 6	\$96
MR-2416-L8-BK	24 x 16 x 8	\$96

**SLATWALL**

- Slatwall keeps work tools organized and within easy reach
- Aluminum construction
- Available in silver or black finish
- For custom lengths contact ISE Customer Service


Quickship

Product Code	Finish Color	Dimensions (W x D x H)	List Price
AAWS-30	Silver	30" x 0.5" x 7"	\$80
AAWS-36	Silver	36" x 0.5" x 7"	\$93
AAWS-48	Silver	48" x 0.5" x 7"	\$117
AAWB-30	Black	30" x 0.5" x 7"	\$104
AAWB-36	Black	36" x 0.5" x 7"	\$121
AAWB-48	Black	48" x 0.5" x 7"	\$152

SLATWALL DESK MOUNTLEAD TIME
1-3 WEEKS

- Clamp on to worksurface from 0.5" to 2.5" thick
- Sold as a pair
- Sturdy polystyrene plastic in textured black powdercoat finish


Product Code	List Price
AP-END	\$180

SLATWALL PANEL MOUNT BRACKETS

Quickship


- Designed to mount ISE slatwall directly to system furniture panels
- Order the brackets (sold as a pair) for an individual system
- Black powdercoat steel construction
- For systems not listed, contact ISE Customer Service

Product Code	System Panel	List Price
AP-BRACKET-A02	Herman Miller	\$33
AP-BRACKET-DMI	DM1	\$33
AP-BRACKET-HT	Hon Terrace	\$33
AP-BRACKET-HW	Haworth	\$33
AP-BRACKET-IN	Inscape	\$33
AP-BRACKET-KN	Knoll	\$33
AP-BRACKET-MS2	Mac System 2	\$33
AP-BRACKET-NV	Nvision	\$33
AP-BRACKET-VH	Von Haucke	\$33
AP-BRACKET-A02	Universal	\$33

LEAD TIME
1-3 WEEKS**LETTER TRAY - METAL**


- Accommodates letter and A4 sized paper
- Attaches to ISE slatwall (p.166) or rail (p.141)
- Silver or black finish
- 16 ga steel

Product Code	Color	List Price
AA-LETTER-MTLB	Black	\$44
AA-LETTER-MTLS	Silver	\$47

LEAD TIME
1-3 WEEKS**LEGAL TRAY - METAL**

- Accommodates letter and legal size paper
- Attaches to ISE slatwall (p.166) or rail (p.141)
- Silver or black finish
- 16 ga steel

Product Code	Color	List Price
AA-LEGAL-MTLB	Black	\$57
AA-LEGAL-MTLS	Silver	\$61


LEAD TIME
1-3 WEEKS**PHONE BASE - METAL**

- Places the phone in a convenient location and increases desk space
- Attaches to ISE slatwall (p.166) or rail (p.141)
- Silver or black finish
- 16 ga steel

Product Code	Color	List Price
AA-PHONE-MTLB	Black	\$42
AA-PHONE-MTLS	Silver	\$45

SLATWALL ACCESSORIES

U.S. List Prices - Effective March 1, 2015




LETTER TRAY

- Accommodates letter and A4 sized paper
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-LETTER	\$33




LEGAL TRAY

- Accommodates letter and legal size paper
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-LEGAL	\$35




FOLDER TRAY

- File folder tray with three dividers
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-FSORTER	\$41




BINDER HOLDER

- For frequently used binders or manuals
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-BINDER	\$24



PHONE BASE

- Fits most telephones
- Places the phone in a close-at-hand location and increases desk space
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-PHONE	\$28



PEN AND PENCIL CUP

- Keeps pens and pencils in one location
- Attaches to ISE slatwall (p.166) - mounts included
- Sturdy polystyrene plastic in textured black matte finish

LEAD TIME
1-3 WEEKS

Product Code	List Price
AA-PENCUP	\$19

LED

Personal Task Lights

U.S. List Prices - Effective March 1, 2015




LEAD TIME
1-3 WEEKS

Product Code	Mount Type	Fixture Color	Wattage	Cord Length	List Price
LED-SMART-D	Desk Base	Black	7.0 W	6'	\$425
LED-SMART-D-SLV	Desk Base	Silver	7.0 W	6'	\$425
LED-SMART-D-WHT	Desk Base	White	7.0 W	6'	\$425

LED SMART LIGHT

- LED fixture is energy-efficient (low wattage), long-lasting (50,000 hours / 20 years), cool running (low heat output), rugged (no filament damage from shock or vibration), and non-toxic (no mercury)
- Full articulation dual arm light fixture
- Eighteen LED's provide a bright, soft pool of light
- Broadened head shade shields LED's from view
- Instant on soft touch button with continuous 100% - 15% dimming and last state memory
- Light will automatically turn off after 10 hours
- 7 watts energy consumption, 3500K, 84 CRI
- 15 watt, 24 volt wall transformer power supply, with 9' cord
- Available in Silver, White, or Black finishes
- ETL listed




LEAD TIME
1-3 WEEKS

Product Code	Mount Type	Fixture Color	Wattage	Cord Length	List Price
LED-FLEX-C	Clamp	Black	6.5 W	16'	\$450
LED-FLEX-D	Desk Base	Black	6.5 W	16'	\$530
LED-FLEX-P[]	Panel	Black	6.5 W	16'	\$450
LED-FLEX-S	Slatwall	Black	6.5 W	16'	\$450

LED FLEX LIGHT

- LED fixture is energy-efficient (low wattage), long-lasting (50,000 hours / 20 years), cool running (low heat output), rugged (no filament damage from shock or vibration), and non-toxic (no mercury)
- Unique single arm flexes at the base and at the head to allow the user to adjust the intensity and direction of light
- Three high powered LEDs provide a large pool of light with energy consumption totalling less than 6.5 watts
- Total cord length 16' (7' black cord from fixture to detachable power supply, 9' from power supply to outlet)
- On/off silver toggle switch
- Mount arm to desk base, clamp mount, panel mount, or slatwall mount (see p.170)
- Black finish with silver arm
- ETL listed



LED

Under Mount Lights

U.S. List Prices - Effective March 1, 2015



LEAD TIME
1-3 WEEKS

Product Code	Suggested Shelf Size	Fixture Color	Actual Dimensions (L x W x H)	Mount Type	Use As Daisy Chain Power Fixture	Fixture Wattage	List Price
LED-KAZI1	24" - 36"	Silver	16.4" x 2" x 0.5"	Magnet & Screw	NO	6.6 W	\$270
LED-KAZI3	42" - 72"	Silver	30.1" x 2" x 0.5"	Magnet & Screw	YES	14.8 W	\$490

LED SINGLE UNDER MOUNT LIGHT

- LED fixture is energy-efficient (low wattage), long lasting (50,000 hours / 20 years), uses less raw materials (slim design), and non-toxic (no mercury or other hazardous materials)
- 16.4" L fixture has 9' black power cord and 15 watt wall power supply; 30.1" L fixture has 12' black power cord (6' from fixture to detachable 60 watt power supply, 6' from power supply to outlet) with straight plug (plug is 1" wide)



LEAD TIME
1-3 WEEKS

Product Code	Suggested Shelf Size	Fixture Color	Actual Dimensions (L x W x H)	Mount Type	Use As Daisy Chain Power Fixture	Fixture Wattage	List Price
LED-KAZI1-OS	24" - 36"	Silver	16.4" x 2" x 0.5"	Magnet & Screw	YES	6.6 W	\$505
LED-KAZI3-OS	42" - 72"	Silver	30.1" x 2" x 0.5"	Magnet & Screw	YES	14.8 W	\$725

LED OCCUPANCY SENSOR UNDER MOUNT LIGHT

- Single light with a passive infrared occupancy sensor
- Sensor automatically turns light off after 30 minutes of no detection, and back on immediately when detection is found -see detection range below
- Sensor can operate a single light or daisy chain
- Attach sensor between power supply and fixture using 1" connector (provided) or 8"/30"/54" jumper cord (optional). For daisy chain, attach sensor to first fixture.



LEAD TIME
1-3 WEEKS

Product Code	Suggested Shelf Size	Fixture Color	Actual Dimensions (L x W x H)	Mount Type	Use As Daisy Chain Power Fixture	Fixture Wattage	List Price
POWER FIXTURES							
LED-KAZI1D-P	24" - 36"	Silver	16.4" x 2" x 0.5"	Magnet & Screw	YES	6.6 W	\$325
LED-KAZI3D-P	42" - 72"	Silver	30.1" x 2" x 0.5"	Magnet & Screw	YES	14.8 W	\$490
JUMPER FIXTURES							
LED-KAZI1D-J	24" - 36"	Silver	16.4" x 2" x 0.5"	Magnet & Screw		6.6 W	\$210
LED-KAZI3D-J	42" - 72"	Silver	30.1" x 2" x 0.5"	Magnet & Screw		14.8 W	\$480

LED DAISY CHAIN UNDER MOUNT LIGHT


- Order one power fixture for each daisy chain - this is the first fixture in the chain (power fixture has a 60 Watt power supply)
- Jumper fixtures of different wattages can be included in the chain, provided that the maximum wattage of all fixtures in the chain does not exceed 60 watts
- Each jumper fixture has a 30" detachable jumper cord to connect into the preceding fixture (optional lengths available p.171)
- See Daisy Chain notes below for proper installation

COMMON SPECIFICATIONS

- Infinite dimming feature saves energy and allows user to customize light output - switch can be held down to cycle from 100% to 15% intensity - switch retains last setting when turned off/on
- Light automatically turns off after 10 hours
- Power cord will plug into either end of fixture allowing switch to be placed left or right side
- Switch is Instant on, fade to off
- 3500K color temperature 80 CRI
- Metal trough reflector and diffuser lens

- Each fixture includes one pair of magnet mounts and one pair of screw mounts
- Finish is clear anodized aluminum with white color end caps
- ETL and CA Title 24 certified

OCCUPANCY SENSOR DETECTION RANGE



- 90° outward detection angle
- 360° lens view
- 36" coverage diameter at 18" distance
- Coverage Diameter = 2 x Distance

DAISY CHAIN

Daisy chain is the process of powering a fixture from the preceding fixture and reducing plug outlet use to one. The power fixture uses a 60 watt power supply and the total accumulated wattage of the chain must not exceed 60 watts. Each fixture can be turned on and off independently using its own switch. Power fixture has 12' black power cord (6' from fixture to detachable 60 watt power supply, 6' from power supply to outlet) with straight plug (plug is 1" wide). Standard jumper cord length is 30". Daisy chain is not permitted in some jurisdictions. Use a qualified electrician and check local electric codes.

FLUORESCENT

Personal Task Lights

U.S. List Prices - Effective March 1, 2015




LEAD TIME
1-3 WEEKS

Product Code	Mount Type	Fixture Color	Bulb Wattage	Cord Length	List Price
KINETIC2-C KINETIC2-C-SLV	Clamp	Black Silver	18 W	10'	\$455
KINETIC2-D KINETIC2-D-SLV	Desk Base	Black Silver	18 W	10'	\$537
KINETIC2-P[] KINETIC2-P[]-SLV	Panel	Black Silver	18 W	10'	\$449
KINETIC2-S KINETIC2-S-SLV	Slatwall	Black Silver	18 W	10'	\$449

KINETIC DUAL ARM LIGHT

- Fully adjustable, extended reach, dual arm light fixture
- 18W compact fluorescent bulb saves energy
- Head has a built-in parabolic louver that directs light rays downwards towards the task and away from your eyes. Louver also prevents light from spilling onto a computer screen
- High/low/off brightness control switch lets user increase light intensity to see details more clearly, lower light intensity to reduce glare from pages having a reflective surface, or adjust light intensity to changing day/night conditions
- Instant-on electronic ballast is detachable for easy repositioning of the fixture
- Aluminum arm with molded plastic head
- ETL listed




LEAD TIME
1-3 WEEKS



Product Code	Mount Type	Fixture Color	Bulb Wattage	Cord Length	List Price
KINETIC1-C KINETIC1-C-SLV	Clamp	Black Silver	18 W	11'	\$404
KINETIC1-D KINETIC1-D-SLV	Desk Base	Black Silver	18 W	11'	\$460
KINETIC1-P[] KINETIC1-P[]-SLV	Panel	Black Silver	18 W	11'	\$398
KINETIC1-S KINETIC1-S-SLV	Slatwall	Black Silver	18 W	11'	\$398

KINETIC SINGLE ARM LIGHT

- Fully adjustable, single arm light fixture
- 18W compact fluorescent bulb saves energy
- Head has a built-in parabolic louver that directs light rays downwards towards the task and away from your eyes. Louver also prevents light from spilling onto a computer screen
- High/low/off brightness control switch lets user increase light intensity to see details more clearly, lower light intensity to reduce glare from pages having a reflective surface, or adjust light intensity to changing day/night conditions
- Instant-on electronic ballast is detachable for easy repositioning of the fixture
- Aluminum arm with molded plastic head
- ETL listed



LED FLEX LIGHT AND KINETIC LIGHT - MOUNT TYPES



CLAMP MOUNT

- Clamp mount fits surfaces up to 2.25" thick. Clamp is two-piece, front-fastening to simplify installation in an existing workstation (requires 1/4" clearance between desk and panel or wall)

SLATWALL MOUNT

- Slatwall mount fits ISE brand slatwall
- Call ISE Customer Service for others.

DESK BASE

- 7" diameter (KINETIC)
- 7.25" diameter (LED-FLEX)

PANEL MOUNT

- Please use panel mount selection guide on p.171

FLUORESCENT

Under Mount Lights

U.S. List Prices - Effective March 1, 2015




LEAD TIME
1-3 WEEKS

Product Code	Lens Type	Suggested Shelf Size	Fixture Color	Actual Dimensions (L x W x H)	Bulb Wattage	List Price
T5-KAZI13 T5-KAZI13-B	Prismatic Batwing	24"	Black	13" x 4.4" x 1.3"	8 W	\$131 \$142
T5-KAZI24 T5-KAZI24-B	Prismatic Batwing	30" - 36"	Black	23.3" x 4.4" x 1.3"	14 W	\$142 \$153
T5-KAZI36 T5-KAZI36-B	Prismatic Batwing	42" - 48"	Black	35.1" x 4.4" x 1.3"	21 W	\$160 \$171
T5-KAZI48 T5-KAZI48-B	Prismatic Batwing	54" - 60"	Black	46.9" x 4.4" x 1.3"	28 W	\$179 \$190
T5-KAZI60 T5-KAZI60-B	Prismatic Batwing	72"	Black	58.7" x 4.4" x 1.3"	35 W	\$199 \$210

T5 FLUORESCENT UNDER MOUNT LIGHT

- Energy efficient low mercury T-5 (5/8" diameter) tri-phosphor 3500K fluorescent bulb
- Slim profile steel housing
- Solid state electronic ballast is energy efficient, flicker-free, low heat output, low interference with computer monitors, fast starting.
- On/Off rocker switch, center location
- Metallized specular film reflector for efficient light output
- 9' center exit black power cord with 90° sw rotation flat plug (plug is 1.5" wide)
- Mounting rails are 13" long with 1" snap-offs - 1 pair included per box
- Wood screws and cord clips included
- ETL listed



LED FLEX LIGHT AND KINETIC LIGHT PANEL MOUNT SELECTION GUIDE

Select the panel mount for your furniture system from the chart below. Contact ISE Customer Service if your furniture system is not shown.

ALLSTEEL	8000 AURORA CONCENSYS INTERCHANGE TERRACE	P1 P1 P6 P1 P8	HAWORTH (con't)	PREMISE CLASSIC PREMISE ENHANCED SMED FABRIC UNIGROUP UNIGROUP TOO	P2 P2 P1 P1 P1	KNOLL	EQUITY MORRISON	P5 P1
ARTOPEX	AMS, IMAGINE	P1	HERMAN MILLER	ACTION OFFICE ETHOSPACE Q PROSPECTS WALL RESOLVE VIVO	P3 P4 P3 P3 P9 P1	STEELCASE	9000 AVENIR ANSWERS KICK	P1 P1 P1 P5
BPI	ECHOLON PARALLEL	P1 P1	KI	LH	P2	TEKNION	1 BOULEVARD LEVERAGE TOS TRANSIT	P1 P5 P1 P1 P10
GLOBAL	EVOLVE	P1	KIMBALL	CETRA	P1	TRENDWAY	CHOICES CONTRADA SMS	P1 P2 P1
HAWORTH	COMPOSE MOXIE PLACES	P2 P2 P1						

REPLACEMENT BULBS

Fluorescent

- Fluorescent Bulbs (lamps) are not covered under warranty
- Purchase replacement fluorescent bulbs only from the proper supplier according to the chart
- To locate a local Sylvania electrical supply distributor, go to www.sylvania.com/storelocator

LED

- LED fixtures are not field serviceable

ISE SUPPLIED

LAMP FOR ISE PRODUCT	ORDER FROM	PRODUCT CODE	LIST PRICE
KINETIC	ISE	KINETIC-BULB	\$46
T5-KAZI13	ISE	T5-KAZI13-LAMP	\$21

SYLVANIA SUPPLIED

LAMP FOR ISE PRODUCT	ORDER FROM	PRODUCT CODE	LIST PRICE
T5-KAZI24	SYLVANIA	20908	CALL
T5-KAZI36	SYLVANIA	20921	CALL
T5-KAZI48	SYLVANIA	20901	CALL
T5-KAZI60	SYLVANIA	20926	CALL

LED UNDER MOUNT LIGHTS - JUMPER CORDS

Product code	Length	List Price
LED-JUMP-8	8"	\$15
LED-JUMP-30	30"	\$20
LED-JUMP-54	54"	\$25

Ergonomic Accessories

Terms of Sale

U.S. List Prices - Effective March 1, 2015

Prices

Prices in this guide are effective as of March 1, 2015. Prices shown apply to standard products and finishes.

Delivery

Standard lead time is 5 days from receipt of order, except where indicated. Standard lead time on Lock Boxes is 4-5 weeks from receipt of order. FOB point is Buffalo, NY for U.S. orders, or Toronto, ON for Canadian orders.

Quickship

All Quickship products, up to a maximum order of 50 pieces per item, are eligible for ISE's 48-hour Quickship program. Purchase order must be limited to Quickship products only. Quickship orders received before 3:00 pm eastern time ship the second business day.

Freight

Freight cost is waived to any destination in Canada or the continental U.S. for all orders over \$1,500 list. All orders under \$1,500 list are subject to the following freight charges: Eastern Canada/U.S. – an additional 3% of the total list price; Western Canada/U.S. – an additional 5% of the total list price. All orders will be subject to a minimum freight charge of \$10 for Eastern Canada/U.S., and \$15 for Western Canada/U.S.

Lock Boxes

Freight cost is waived to any destination in Canada or the continental U.S. for all orders over \$10,000 list. All orders under \$10,000 list are subject to the following freight charges: Eastern Canada/U.S. – an additional 5% of the total list price; Western Canada/U.S. – an additional 8% of the total list price. All orders will be subject to a minimum \$100 freight charge.

Payment Terms

Payment is due within 30 days of invoice date. Returns – contact ISE Customer Service for restocking fees if applicable.

Order Tracking

Click on Track My Order at www.ise-group.com for fast, simple and up-to-date order tracking.

Help

ISE Customer Service will be pleased to answer your questions. Call us toll free 1-800-463-7731 or fax 1-800-461-3182 or e-mail info@ise-group.com

Ergonomic Accessories

Warranty

U.S. List Prices - Effective March 1, 2015

Warranty

ISE offers a limited lifetime warranty against manufacturer's defects on Ergonomic Accessories; and a five (5) year warranty against manufacturer's defects on lighting products. ISE will, at its option, either repair or replace any part of its products that prove defective by reason of improper workmanship or materials. Repaired parts, or replacement products, will be provided by ISE on an exchange basis, and will be either new or refurbished to be functionally equivalent to new.


This warranty applies to normal usage and does not apply to any product that has been subjected to alteration, abuse, negligence or use other than that for which the product was designed. For Lighting products, the use of these products on voltage or current conditions other than for which they are intended voids this warranty. Lamps (bulbs) are not covered by this warranty.

This warranty covers only repair, replacement, or refund for defective products, as provided above. ISE does not accept liability for loss of use, consequential damage or injury.


HEALTHCARE





PACS DESKS

Corner Workstation	177-178
Dual Surface Workstation	 179
Dual Tier Workstation	180
Simple Station	 181

WALL MOUNT WORKSTATIONS

Fluid Heavy-Duty	182
Fluid Bedside	183
Manual Wall Track	184

KEYBOARD AND MONITOR

Pole Mount	185
Wall Mount	185

RESOURCES


Terms of Sale186
Warranty187

RISE PACS DESKS

U.S. List Prices - Effective March 1, 2015

The Complete Solution For Radiology Stations

PACS (Picture Archiving and Communication Systems) have revolutionized the practice of radiology, allowing radiologists to view computerized x-rays on monitors instead of traditional film. The PACS electric workstation provides for easy individual user adjustment within a multi-user radiology reading room. A radiologist can quickly adjust the PACS workstation and monitors to suit their body type and viewing preference, enabling them to work productively over long periods of time in ergonomic comfort.



Shown: Corner Workstation

Features:

- ① Custom size and finish worksurface to meet customer specifications, including Corian or Thermofoil
- ② LED task light illuminates worksurface
- ③ Digital read-out memory switch moves the worksurface from sit to stand with a 22" to 48" range
- ④ High capacity monitor arm holds monitors up to a total weight of 200 lbs.
- ⑤ Blue LED light source reduces eye strain
- ⑥ 4-Leg electric base holds weights up to 475 lbs. including worksurface
- ⑦ Monitor focal distance adjustment
- ⑧ Up/down switch allows the monitor bank to be independently raised and lowered a full 16"

PACS DESKS

Corner Workstation

U.S. List Prices - Effective March 1, 2015



Shown with optional accessories

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
D	W	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	66	29	65	PACS-WIN	-	3066	-			\$750
30	72	29	71	PACS-WIN	-	3072	-			\$850
30	84	29	83	PACS-WIN	-	3084	-			\$920

Electric Base	Base Product Code				Base List Price
Height Range	Product	Worksurface Size	Base Color	For any size 4-Leg Electric Base	
22" - 48"	RISE-PACS-4-90	-			\$3980
27" - 46"	RS2-PACS-4-90	-			\$3580

Description:

The PACS electric workstation provides for easy individual user adjustment within a multi-user radiology reading room. A radiologist can quickly adjust the PACS workstation and monitors to suit their body type and viewing preference, enabling them to work productively over long periods of time in ergonomic comfort.

The Corner Workstation has a large cockpit-style electric height adjustable worksurface. The workstation includes a 4-Leg electric height adjustable worksurface with a sit to stand height range of 22" to 48" (RISE model), load capacity of up to 475 lbs. (including worksurface), controlled by a push button programmable digital read out memory switch.

An optional electric height adjustable monitor arm system with an independent height range of 16", load capacity of 200 lbs. for heavyweight radiology diagnostic monitors, and pull handles for focal distance adjustment will accommodate any user.

Other options include CPU holders with a weight capacity of 85 lbs., and a retractable keyboard platform system. For radiologist visual comfort, a blue LED light source reduces eye strain, and a LED desk light illuminates the worksurface.

Every hospital has different needs, and ISE will customize PACS Desks to fit those requirements. Please contact ISE Customer Service for further information.

To Order, Specify

1 – Worksurface

Eg. PACS-WIN

2 – Edge Style

T-Mold: 2; Edge Band: 3

3 – Size

eg. 3066

4 – Laminate Color

See Color Guide p.195

5 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

6 – Base

eg RISE-PACS-4-90

7 – Worksurface Size

eg. 3066

8 – Base Color

Silver SM

Black BK

White WH

9 – Accessories

Note - Monitor arms are not included. Please call ISE Customer Service for a list of all optional accessories including monitor arms.

PACS DESKS

Dual Surface Workstation

U.S. List Prices - Effective March 1, 2015



Shown with optional accessories

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price*
D	W	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	66	29	65	PACS-RCS	-	3066	-	-	-	\$1155
30	72	29	71	PACS-RCS	-	3072	-	-	-	\$1205

*Worksurface List Price includes an A-7090 Dual Arm Mechanism

Electric Base	Base Product Code				Base List Price
Height Range	Product	Worksurface Size	Base Color	For any size 4-Leg Electric Base	
22" - 48"	RISE-PACS-4-CO	-	-		\$3980
27" - 46"	RS2-PACS-4-CO	-	-		\$3580

Description:

The PACS electric workstation provides for easy individual user adjustment within a multi-user radiology reading room. A radiologist can quickly adjust the PACS workstation and monitors to suit their body type and viewing preference, enabling them to work productively over long periods of time in ergonomic comfort.

The Dual Surface Workstation includes a 4-Leg electric height adjustable base with a dual arm keyboard mechanism that provides for separate keyboarding and monitor worksurfaces. The monitor worksurface is controlled by a push button programmable digital read-out memory switch, and has a sit to stand height range of 22" to 48" (RISE model). The dual arm keyboarding surface has a height range of 13.7" (7" above and 6.5" below) and a tilt range of +/- 15°.

An optional electric height adjustable monitor arm system with an independent height range of 16", load capacity of 200 lbs. for heavyweight radiology diagnostic monitors, and pull handles for focal distance adjustment will accommodate any user.

Other options include CPU holders with a weight capacity of 85 lbs., and desktop power and USB units. For radiologist visual comfort, a blue LED light source reduces eye strain, and a LED desk light illuminates the worksurface.

Every hospital has different needs, and ISE will customize PACS Desks to fit those requirements. Please contact ISE Customer Service for further information.

To Order, Specify

- 1 – Worksurface**
Eg. PACS-RCS
- 2 – Edge Style**
T-Mold: 2; Edge Band: 3
- 3 – Size**
eg. 3066
- 4 – Laminate Color**
See Color Guide p.195
- 5 – Edge Color (T-Mold only)**
T-Mold: See Color Guide
Edge Band: Edge Color code is not required - edge color matches laminate
- 6 – Base**
eg RISE-PACS-4-CO
- 7 – Worksurface Size**
eg. 3066
- 8 – Base Color**
Silver SM
Black BK
White WH
- 9 – Accessories**
Note - Monitor arms are not included. Please call ISE Customer Service for a list of all optional accessories including monitor arms.

PACS DESKS

Dual Tier Workstation

U.S. List Prices - Effective March 1, 2015



Shown with optional accessories

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price
D	W	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
36	72	35	71	PACS-RDTS	-	3672	-	-	-	\$565

Electric Base	Base Product Code					Base List Price	
Height Range	Product	Worksurface Size	Base Color	For any size 4-Leg Electric Base			
22" - 48"	RISE-PACS-4-DTS	-	3672	-			\$3980
27" - 46"	RS2-PACS-4-DTS	-	3672	-			\$3580

Description:

The PACS electric workstation provides for easy individual user adjustment within a multi-user radiology reading room. A radiologist can quickly adjust the PACS workstation and monitors to suit their body type and viewing preference, enabling them to work productively over long periods of time in ergonomic comfort.

The Dual Tier Workstation includes a 4-Leg electric adjustable base that provides for independently height adjustable front and rear worksurfaces. Each worksurface has a sit to stand height range of 22" to 48" (RISE model), and load capacity of up to 300 lbs. The front worksurface includes a programmable digital read-out memory switch.

An optional dual post, beam mounted monitor arm system that can accommodate three radiology diagnostic monitors (or two radiology monitors plus one control system monitor).

Other options include CPU holders with a weight capacity of 85 lbs., and desktop power and USB units. For radiologist visual comfort, a blue LED light source reduces eye strain, and a LED desk light illuminates the worksurface.

Every hospital has different needs, and ISE will customize PACS Desks to fit those requirements. Please contact ISE Customer Service for further information.

To Order, Specify

1 – Worksurface

Eg. PACS-RDTS

2 – Edge Style

T-Mold: 2; Edge Band: 3

3 – Size

eg. 3672

4 – Laminate Color

See Color Guide p.195

5 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

6 – Base

eg RISE-PACS-4-DTS

7 – Worksurface Size

eg. 3672

8 – Base Color

Silver SM

Black BK

White WH

9 – Accessories

Note - Monitor arms are not included. Please call ISE Customer Service for a list of all optional accessories including monitor arms.

PACS DESKS

Simple Station

U.S. List Prices - Effective March 1, 2015



Shown with optional accessories

Nominal Dimensions		Actual Dimensions		Worksurface Product Code						Worksurface List Price*
D	W	A	B	Product	Edge Style	Size	Laminate Color	Edge Color	T-Mold Edge or Edge Band	
30	66	29	65	ST-RCS	-	3066	-	-	-	\$578
30	72	29	71	ST-RCS	-	3072	-	-	-	\$609

*Worksurface List Price includes an A-RST-ST Keyboard Mechanism

Electric Base	Base Product Code			Base List Price
Height Range	Product	Base Color	For any size 2-Leg Electric Base	
22" - 48"	SB-RISE-2-29-MED	-	\$1795	
27" - 46"	SB-RS2-2-29-MED	-	\$1595	

Description:

The PACS electric workstation provides for easy individual user adjustment within a multi-user radiology reading room. A radiologist can quickly adjust the PACS workstation and monitors to suit their body type and viewing preference, enabling them to work productively over long periods of time in ergonomic comfort.

The Simple Station includes a 2-Leg electric height adjustable base with an integrated keyboard platform that provides for separate keyboarding and monitor worksurfaces. The monitor worksurface has a sit to stand height range from 22" to 48" high (RISE model) controlled by a programmable digital read-out memory switch. The keyboarding surface has a height range of 8.25" (2.25" above and 6" below) and a tilt range of +10°/-15°.

An optional beam mounted monitor arm system can accommodate two radiology diagnostic monitors.

Other options include CPU holders with a weight capacity of 85 lbs., and desktop power and USB units. For radiologist visual comfort, a blue LED light source reduces eye strain, and a LED desk light illuminates the worksurface.

Every hospital has different needs, and ISE will customize PACS Desks to fit those requirements. Please contact ISE Customer Service for further information.

To Order, Specify

1 – Worksurface

Eg. ST-RCS

2 – Edge Style

T-Mold: 2; Edge Band: 3

3 – Size

eg. 3066

4 – Laminate Color

See Color Guide p.195

5 – Edge Color (T-Mold only)

T-Mold: See Color Guide

Edge Band: Edge Color code is not required - edge color matches laminate

6 – Base

eg SB-RISE-2-29-MED

7 – Base Color

Silver SM

Black BK

White WH

8 – Accessories

Note - Monitor arms are not included. Please call ISE Customer Service for a list of all optional accessories including monitor arms.

WALL MOUNT WORKSTATIONS

Fluid Heavy Duty Workstation


U.S. List Prices - Effective March 1, 2015

Hospitals are striving to implement electronic medical records, creating the need for computer workstations that collect patient data at the point-of-care.


The Fluid Heavy Duty Workstation adjusts with a single-handed motion, from a seated to standing position. The arm has a height adjustment range of 14", and a total weight capacity of 34 lbs. Wall track is 32" long and approved for direct to drywall installation as well as OSPHPD approved. Standard single arm provides 40" of reach, or 58" of reach using the optional 18" extension arm to share the workstation between two patient beds. Arm folds and stores 11" from the wall. Optional pivot limiter prevents the arm from over-rotating 90° to protect surrounding areas from damage. LCD mount provides 9.5" of height adjustment and tilts to reduce glare. 75mm/100mm Vesa mount. Keyboard has a left to right mouse tray and wrist rest, an integrated grab handle, and flips up for storage. Convenient shelf above keyboard to place medications or use as a writing surface. Cable management included. Ships assembled. Installation hardware included.



Accessories



Extension Arm



Pivot Limiter



Thin CPU Cradle



Enclosed CPU Holder

Product Code	Product	Description	Color	List Price
FXDT32R070-S	Fluid Heavy Duty 32 Desktop	Single Arm with Sliding Mouse and 32" Wall Track	Silver	\$2953
Product Code	Options	Description	Color	List Price
FXEXT18-S	Fluid Extension Arm	18" Extension Arm	Silver	\$346
FXLMTR-S	Pivot Limiter	Limits Rotation of FX Arm	Silver	\$134
ACCTSCPU51-S	Thin CPU Cradle - Track Mount	Adjustable 1.25" - 4"	Silver	\$292
ACCTSCPU81-S	Enclosed CPU Holder - Track Mount	15"W x 11"H x 4.25"D	Silver	\$426

WALL MOUNT WORKSTATIONS

Fluid Bedside Workstation


U.S. List Prices - Effective March 1, 2015

Hospitals are striving to implement electronic medical records, creating the need for computer workstations that collect patient data at the point-of-care.


The Fluid Bedside Workstation adjusts with a single-handed motion, from a seated to standing position. The arm has a height adjustment range of 14", and a total weight capacity of 18 lbs. Wall track is 32" long and approved for direct to drywall installation as well as OSPHPD approved. Standard single arm provides 37" of reach, or 55" of reach using the optional 18" extension arm to share the workstation between two patient beds. Arm folds and stores 11" from the wall. Optional pivot limiter prevents the arm from over-rotating 90° to protect surrounding areas from damage. LCD mount provides 9.5" of height adjustment and tilts to reduce glare. 75mm/100mm Vesa mount. Keyboard has a left to right mouse tray and wrist rest, an integrated grab handle, and flips up for storage. Convenient shelf above keyboard to place medications or use as a writing surface. Cable management included. Ships assembled. Installation hardware included.



Accessories



Extension Arm



Pivot Limiter



Thin CPU Cradle



Enclosed CPU Holder

Product Code	Product	Description	Color	List Price
FXDT32R070-LT-S	Fluid Bedside 32 Desktop	Single Arm with Sliding Mouse and 32" Wall Track	Silver	\$2413
Product Code	Options	Description	Color	List Price
FXEXT18-S	Fluid Extension Arm	18" Extension Arm	Silver	\$346
FXLMTR-S	Pivot Limiter	Limits Rotation of FX Arm	Silver	\$134
ACCTSCPU51-S	Thin CPU Cradle - Track Mount	Adjustable 1.25" - 4"	Silver	\$292
ACCTSCPU81-S	Enclosed CPU Holder - Track Mount	15"W x 11"H x 4.25"D	Silver	\$426

WALL MOUNT WORKSTATIONS


Manual Wall Track

U.S. List Prices - Effective March 1, 2015

Wall Track Workstation provides convenient access to a computer for walk-up users. Keyboard and mouse tray, monitor mount, and CPU holder can be attached to the track, and when repositioning is needed, a set screw can manually adjust the height of the component in 2" increments. Keyboard palm support is included, and 25.5"W x 11"D keyboard folds up for storage. Monitor mount tilts and swivels and has a 75/100mm Vesa attachment for monitors up to 17.6 lbs. Track is 31.5"H x 4.5"W x 0.75"D. Two tracks are recommended for configurations that include a CPU holder (as shown on right).

Product is constructed from steel and aluminum with 58% recycled material content (LEED eligible). Wall track is clear anodized aluminum, and arms are powdercoated white for a durable finish that is VOC-emission free.

Accessories



Large CPU Holder



Wall Track



Shown: POC-MCOW1 with optional second wall track and optional CPU holder

Product Code	Description	Color	List Price
POC-MCOW1	Manual height adjustable wall track workstation including one 31.5"H track, one keyboard and mouse tray, and one tilt and swivel monitor mount	White	\$425
Product Code	Description		
POC-251	31.5" wall track	Silver	\$142
POC-CPUL-T	Large CPU holder for track fits CPU 6" to 10" wide. Weight capacity 44 lbs. Includes mounting plate for track.	White	\$147

KEYBOARD AND MONITOR

U.S. List Prices - Effective March 1, 2015

POLE MOUNT



Pole mount keyboard and monitor is height adjustable on the pole and swivels left to right. Keyboard platform and monitor are attached to a single arm and move simultaneously. Keyboard platform with palm support is 25.5"W x 11"D, extends 31" from the pole, and folds up for storage. Monitor mount tilts up/down, rotates portrait to landscape, has a 2" manual height adjustment range, and 75/100mm Vesa attachment. Cable clips are located on the arm extension and down the pole. White powdercoat finish.

Product Code	Mount	Description	Pole Height	Maximum Load	Color	List Price
POC-COMBO1-C	Clamp	Pole mount keyboard and monitor on a single swivel arm	16."	22 lbs	White	\$683
POC-COMBO1-G	Grommet	Pole mount keyboard and monitor on a single swivel arm	16"	22 lbs	White	\$683

WALL MOUNT



Wall mount keyboard and monitor swivels left to right. Keyboard platform and monitor are attached to a single arm and move simultaneously. Keyboard platform with palm support is 25.5"W x 11"D, extends 30" from the wall, and folds up for storage. Monitor mount tilts up/down, rotates portrait to landscape, has a 2" manual height adjustment range, and 75/100mm Vesa attachment. Cable clip is located on the arm extension. White powdercoat finish. Wall mount bracket is 5.5"H x 1.75"W with two 5/16" diameter vertical holes for wall mounting.

Product Code	Mount	Description	Maximum Load	Color	List Price
POC-COMBO1-W	Wall	Pole mount keyboard and monitor on a single swivel arm	22 lbs	White	\$546

Terms of Sale

Prices

Prices in this guide are effective as of March 1, 2015. Prices shown apply to standard products and finishes.

Delivery

Standard lead time for PACS Desks is 4 - 6 weeks from receipt of order. Standard lead time for Wall Mount Workstations is 1 - 3 weeks from receipt of order. FOB point is Buffalo, NY for U.S. orders, or Toronto, ON for Canadian orders.

Freight

Freight cost is waived to any destination in Canada or the continental U.S. for all orders over \$10,000 list. All orders under \$10,000 list are subject to the following freight charges: Eastern Canada/U.S. – an additional 5% of the total list price; Western Canada/U.S. – an additional 8% of the total list price. All orders will be subject to a minimum \$150 freight charge.

Packaging

Desks are shipped disassembled (knock-down).

Customization

Most of our products can be customized to meet your specific needs. Please obtain a custom request form from your dealer or ISE Customer Service. Return the completed form to ISE to receive a quotation.

Payment Terms

Payment is due within 30 days of invoice date. Returns – contact ISE Customer Service for restocking fees if applicable.

Order Tracking

Click on Track My Order at www.ise-group.com for fast, simple and up-to-date order tracking.

Help

ISE Customer Service will be pleased to answer your questions. Call us toll free 1-800-463-7731 or fax 1-800-461-3182 or e-mail info@ise-group.com

Warranty

Warranty


ISE warrants to the original end user of its Healthcare Solutions products, that they are free from defects in material and workmanship for a three (3) years for electrical components and ten (10) years for structural parts. ISE will, at its option, either repair or replace any part of its products that prove defective by reason of improper workmanship or materials. Repaired parts, or replacement products, will be provided by ISE on an exchange basis, and will be either new or refurbished to be functionally equivalent to new.

This warranty does not cover any damage to a Healthcare Solutions product that results from improper installation, accident, abuse, natural disaster, abnormal environmental conditions, or any unauthorized disassembly, repair or modification. This warranty also does not apply to any product that has been resold.


This warranty covers only repair, replacement, or refund for defective products, as provided above. ISE does not accept liability for loss of use, consequential damage or injury.

Centex


Furniture for Technology



90° Corner Workstation




Back-to-Back




Back-to-Back
Grouping of 3 Modules



120° Corner Workstation



Workbench




Dual Workstation

CENTEX

Assembly Guide

U.S. List Prices - Effective March 1, 2015



- 1 Start by making a hand drawn sketch or simple plan, include basic dimensions (HxWxD) and a list of key requirements.



- 2 From the sketch/plan, select CENTEX frames to meet the desired dimensions and layout. The frames come in 6 heights and 6 widths.



- 3 Connecting the frames is through in-line fasteners (supplied with each frame) or corner connectors, required to be specified.



- 4 Once the frames are connected CENTEX feet will be required to add support to the frameworks. Select between the short, long or double sided feet, based on the support requirements. A foot is required every 48".



- 5 CENTEX worksurfaces are next – select from the standard shapes and sizes available or request a custom surface for your specific needs. All worksurfaces come with cantilever brackets to mount onto the framework.



- 6 With the framework and worksurfaces complete the shelving should be specified.



- 7 Accessories complete the specification process. CPU accessories, slatwall, bins, etc are available to meet your technical and/or organizational needs.

To download the complete Centex Product Pricing Guide, please go to www.ise-group.com

NOTES

NOTES

Custom Laminates, Edges, and Finishes

LINE-OF-SIGHT MULTIFUNCTION DESKS

Custom Laminates

Customer Specified Laminates (CSL) are available from Wilsonart, Arborite, Formica, Pionite, and Nevamar. An upcharge of +1.75% of the list price of the desk, with a minimum charge of \$40 net per order, will apply to customer specified, standard office grade laminates in solid, pattern, or woodgrain finishes.

Eg. To order Wilsonart Castle Oak with a standard matching Edge Band for a Line-of-Sight 30" x 72" Desk, increase the regular list price of the desk by +1.75% i.e. from \$3300 to \$3358.

For premium or other non-standard laminates (including Abet Laminati), call ISE Customer Service for pricing.

Worksurfaces made from Customer Owned Laminates (COL) will be charged at the list prices shown.

Custom Edges

Custom Edge Band and T-Mold colors are subject to an upcharge and minimum quantity requirements, and require extended lead times.

For Postformed or Self Edge worksurfaces, please call ISE Customer Service for pricing.

Custom Finishes

Custom Base colors are available at: A) \$1000 list upcharge per lot (close color match); or B) \$2500 list upcharge per lot (customer specified exact color match).

HEIGHT ADJUSTABLE TABLES

Custom Laminates

Customer Specified Laminates (CSL) are available from Wilsonart, Arborite, Formica, Pionite, and Nevamar. An upcharge of +10% of the list price of the worksurface, with a minimum charge of \$40 net per order, will apply to customer specified, standard office grade laminates in solid, pattern, or woodgrain finishes.

Eg. To order Wilsonart Castle Oak with a standard matching Edge Band for a RISE Rectangular 30" x 72" Worksurface, increase the regular list price of the worksurface by +10% i.e. from \$389 to \$428.

For premium or other non-standard laminates (including Abet Laminati), call ISE Customer Service for pricing.

Worksurfaces made from Customer Owned Laminates (COL) will be charged at the list prices shown.

Custom Edges

Custom Edge Band and T-Mold colors are subject to an upcharge and minimum quantity requirements, and require extended lead times.

Custom Finishes

Custom Base colors are available at a \$4000 list upcharge per lot (customer specified exact color match) with a 10 week minimum lead time. Please call ISE Customer Service for more information.


COLOR GUIDE

U.S. List Prices - Effective March 1, 2015

Standard Laminates, Edges, and Finishes

LAMINATES

Solid



Snow SO
D354-60



Light Grey LG
1500-60



Platinum PL
D315-60




Charcoal CR
S-434 CA*




Midnight Black BK
1595-60


Pattern




Linen LN
4943-38



Sand SD
4143-60




Rain RN
4621-60



Storm ST
4622-60



Slate SL
4820-60



Stone SN
4623-60

Woodgrain



Natural Maple MA
7911-60



Fusion Maple FM
7909-60



River Cherry RC
7937-38



Studio Teak TE**
7960K-18



Wild Cherry CH
7054-60




Deep Mahogany MH
7040A-60

EDGES

Edge Band

When ordering Edge Band, no color code is required as edge band color matches laminate (including woodgrain finishes)

T-Mold



White WH
Match to laminate:
SO



Latte LA
Match to laminate:
FM, MA



Willow WL
Match to laminate:
LN, SD



Light Grey LG
Match to laminate:
LG, PL, RN



Innertone IN
Match to laminate:
CR, ST




Mahogany MH
Match to laminate:
MH



Black BK
Match to laminate:
BK, CH, RC,
SL, SN, TE

BASES

Powdercoat Paint Finishes



White WH




Silver SM



Black BK

METRO PLATFORMS

Leather Colors



Arctic White WH



Ash AS



Coffee CF



Jet Black BK

* Arborite laminate (all other laminates shown are Wilsonart)

** 10% list upcharge applies to Studio Teak see page 194

Note: Printed colors may differ slightly from actual



www.ise-group.com • info@ise-group.com • 1.800.463.7731